

SET-UP SHEET

RX8'23 SET-UP SHEET VER. 1 ©XRAY

XRAY RX8'23

RACE	Euro nitro series rnd 4 - Leno		
TRACK	Leno		
NAME	NEJC MIHELI	DATE	6.10.2024

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
11	7	13.732 /sec	/	

TRACKS			
TRACK CONDITION	<input checked="" type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
	<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED	<input type="checkbox"/> FAST
TRACK TRACTION	<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH

GEARING			
PINION	1st 17 <input type="checkbox"/> 18 <input checked="" type="checkbox"/> 19 <input type="checkbox"/>	SPUR	1st 57 <input type="checkbox"/> 58 <input type="checkbox"/> 59 <input checked="" type="checkbox"/> 60 <input type="checkbox"/>
	2nd 22 <input type="checkbox"/> 23 <input checked="" type="checkbox"/> 24 <input type="checkbox"/> 25 <input type="checkbox"/>		2nd 53 <input type="checkbox"/> 54 <input type="checkbox"/> 55 <input checked="" type="checkbox"/>
PULLEY	28 <input type="checkbox"/> 29 <input checked="" type="checkbox"/> 30 <input type="checkbox"/>	RATIO 1st	RATIO 2nd

FRONT	SHOCKS	REAR
7.5	SPRING	Smj 6.1
500 cSt	OIL	700 cSt
25 %	REBOUND	25 %
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
<input checked="" type="checkbox"/> 2 HOLES	PISTONS	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	1.0mm 1.0mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> OTHER	<input checked="" type="checkbox"/> 1.1mm 1.1mm	<input type="checkbox"/> OTHER
	<input type="checkbox"/> 1.2mm 1.2mm	

FRONT	WIRE	REAR
2.3 mm		2.8 mm

FRONT	TIRES	REAR
LEFT RIGHT	MANUFACTURER	LEFT RIGHT
Matrix Handout	SHORE /deg.	
	DIAMETER	
	5 MIN. WEAR	
	RUBBER TIRES	

ENGINE			
ENGINE	Max rp9	FUEL	MVP
CARB. DIA /mm	9.0	HEAD CLEARANCE	PLUG 7
MUFFLER	2164	MANIFOLD	2099

CLUTCH / BRAKE			
CLUTCH TYPE	<input checked="" type="checkbox"/> STANDARD	OTHER	
CLUTCH BELL	<input type="checkbox"/> STANDARD	<input checked="" type="checkbox"/> ALU	OTHER
CLUTCH SHOE	<input checked="" type="checkbox"/> STANDARD	OTHER	
CLUTCH SPRING	<input type="checkbox"/> STANDARD	OTHER	BM
CLUTCH FLY WEIGHT	<input checked="" type="checkbox"/> 3mm Set screw	<input type="checkbox"/> 4mm Set screw	<input type="checkbox"/> WITHOUT
CLEARANCE /mm	0.6		
SPRING PRELOAD /mm			
BRAKE PAD	<input checked="" type="checkbox"/> STANDARD	OTHER	
BRAKE DISC	<input checked="" type="checkbox"/> STANDARD	OTHER	

BODY	Hyper diabolio
WING	HEIGHT Saw wing - 9mm

COMMENTS
Ozek servosaver, slika 4.10.2024 in 15.10.2024,teh 4 utezi po 10gram, src ploscica(razporeditev kot na sliki), 2x5g na repu avta

FRONT

AERO DISK

YES ☐ NO ☒

ECCENTER

BUMP STEER SHIM

3 mm

FRONT

12.8 mm

Hudy mm

WHEELBASE

FRONT 0mm 2mm

REAR 2mm 0mm

WHEEL DIAMETER

WHEEL DIAMETER

WHEELBASE

FRONT 0mm 2mm

REAR 2mm 0mm

WHEEL DIAMETER

WHEEL DIAMETER

WHEELBASE

FRONT 0mm 2mm

REAR 2mm 0mm

WHEEL DIAMETER

WHEEL DIAMETER

REAR

AERO DISK

YES ☐ NO ☒

ECCENTER

FRONT

13.8 mm

Hudy mm

WHEELBASE

FRONT 0mm 2mm

REAR 2mm 0mm

WHEEL DIAMETER

WHEEL DIAMETER

WHEELBASE

FRONT 0mm 2mm

REAR 2mm 0mm

WHEEL DIAMETER

WHEEL DIAMETER

STEER. BLOCK

MEDIUM ☐

HARD ☒

GRAPHITE ☐

UPPER ARM

MEDIUM ☐

HARD ☒

GRAPHITE ☐

ROLL CENTER

SHOCK SHIM

1+nut mm

SHIM

1 mm

UPPER SHOCK POSITION

ROLL CENTER

UPPER ARM

MEDIUM ☐

HARD ☒

GRAPHITE ☐

SHIM

1.2 mm

LOWER ARM

FRONT G H M M H G

REAR G H M M H G

SHOCK SHIM

1+nut mm

SHIM

1 mm

UPPER SHOCK POSITION

ROLL CENTER

UPPER ARM

MEDIUM ☐

HARD ☒

GRAPHITE ☐

SHIM

1.2 mm

FRONT

0 mm

FRONT DOWNSTOP

REAR 7 mm

MEASURE UNDER REAR UPRIGHT

FRONT

0 mm

FRONT DOWNSTOP

REAR 7 mm

MEASURE UNDER REAR UPRIGHT

FRONT

0 mm

FRONT DOWNSTOP

REAR 7 mm

MEASURE UNDER REAR UPRIGHT

FRONT

0 mm

FRONT DOWNSTOP

REAR 7 mm

MEASURE UNDER REAR UPRIGHT

TOE OUT

1.5 °

TOE IN

2.5 °

OUTER ACKERMANN POSITION

1 2 3

UPPER ARM SHIMS

0 1 2 3 4

FRONT BRACE

YES ☒ NO ☐

SERVO SAVER

4 3 2 1

FRONT BRACE

YES ☐ NO ☒

FLEX SCREW

YES ☐ NO ☒

CAMBER /deg.

LEFT 2 2 RIGHT

SHOCK PLATE

STEEL ☒

GRAPHITE ☐

LONG ☐

SHORT ☐

SUSP HOLDERS

STANDARD ☒

+2mm ☐

ROLL CENTER

SHIM

2 mm

CAMBER /deg.

LEFT 3.25 3.5 RIGHT

FRONT

249 mm

FRONT TRACK WIDTH

REAR 261 mm

FRONT

249 mm

FRONT TRACK WIDTH

REAR 261 mm

FRONT

249 mm

FRONT TRACK WIDTH

REAR 261 mm

BUMPER WINDOW

CUT ☐

NO-CUT ☒

FRONT BALANCE

GRAPHITE ☐

ALU ☐

FRONT BRACE

YES ☐ NO ☒

BALANCE /g

12.5 13 12.5

ENGINE MOUNT

2 MOUNTS BLOCK ☒

ALU ☒

MONOBLOCK ☐

BRASS ☐

BATTERIES HOLDER

BRASS ☐

GRAPHITE ☐

COMPOSITE ☐