

SET-UP SHEET

XB2'24 SET-UP SHEET VER. 1 ©XRAY 2023

XRAY XB2'24

RACE	Florida Carpet Championships		
TRACK	Beachline Raceway		
NAME	Ryan Reavis	DATE	2024-11-17

LAPS		BEST LAP TIME	16.9 sec
QUALIFYING POSITION	3rd	FINAL POSITION	3rd

TRACK		
SIZE	<input checked="" type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM <input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> VERY-HIGH	
SURFACE	<input checked="" type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM <input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE <input type="checkbox"/> DUSTY	<input type="checkbox"/> HARD PACKED <input checked="" type="checkbox"/> DRY <input type="checkbox"/> LOAMY <input type="checkbox"/> WET

TRANSMISSION		
BALL DIFF	<input type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/> ACTIVE DIFF <input type="checkbox"/>
DIFFERENTIAL	OIL 80,000 cst <input type="checkbox"/> 60° <input type="checkbox"/> 90° <input type="checkbox"/> 120°	
SATELLITE GEARS	COMPOSITE <input type="checkbox"/> <input checked="" type="checkbox"/> STEEL	GEARS 2 <input checked="" type="checkbox"/> 4 <input type="checkbox"/>
SLIPPER	<input type="checkbox"/> mm <input checked="" type="checkbox"/> NUT	2-PAD SLIPPER CLUTCH PLATES
SOLID AXLE	<input checked="" type="checkbox"/>	KIT <input type="checkbox"/> VENTILATED <input type="checkbox"/>

GEARING			
PINION	32	SPUR GEAR	72
TYPE	FRONT LCG <input checked="" type="checkbox"/> REAR LCG <input type="checkbox"/>		
GEAR BOX	HARDNES KIT <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>		

FRONT	SHOCKS	REAR
4-dot	SPRINGS	4-dot
cst 400	OIL	cst 300
2 HOLES <input type="checkbox"/>	<input type="checkbox"/> ø1.6mm <input type="checkbox"/> ø1.8mm	2 HOLES <input type="checkbox"/>
3 HOLES <input checked="" type="checkbox"/>	1.5 mm 1.6 mm	3 HOLES <input type="checkbox"/>
Thickness 2.0mm <input checked="" type="checkbox"/> 2.5mm <input type="checkbox"/>	KIT <input type="checkbox"/> ALU <input type="checkbox"/>	Thickness 2.0mm <input checked="" type="checkbox"/> 2.5mm <input type="checkbox"/>
Precision <input checked="" type="checkbox"/> KIT <input type="checkbox"/>	DOWNSTOP SHIM INSERT UNDER PISTON	Precision <input checked="" type="checkbox"/> KIT <input type="checkbox"/>
0 mm	27 mm	0 mm
LENGTH 22.5 mm	LENGTH	
UPSTOP SHIM INSERT ABOVE COLLAR	UPSTOP SHIM INSERT ABOVE COLLAR	
2 mm	4 mm	
KIT <input checked="" type="checkbox"/> 0mm <input type="checkbox"/> -2mm <input checked="" type="checkbox"/> -4mm <input type="checkbox"/>	KIT <input type="checkbox"/> 0mm <input type="checkbox"/> -2mm <input checked="" type="checkbox"/> -4mm <input type="checkbox"/>	KIT <input type="checkbox"/> 0mm <input type="checkbox"/> -2mm <input checked="" type="checkbox"/> -4mm <input type="checkbox"/>
	BALL JOINT	

FRONT	ANTI ROLL BAR	REAR
1.2 mm	THICKNESS	1.4 mm

FRONT	TIRES	REAR
JC Fuzzbite	BRAND	JC Fuzzbite
pink	COMPOUND	pink
none	INSERTS	Grey
Xray	WHEELS	Xray

ELECTRONICS		
MOTOR	ORCA FE 17	ORCA OE1 M
MOTOR TIMING	50	Paramount 55
SPEEDO	BATTERY	

BODY	TOTAL WEIGHT
Delta 2C <input checked="" type="checkbox"/> LIGHT	1480 /g

COMMENT

FRONT	APPLIED <input type="radio"/> <input checked="" type="checkbox"/> APPLIED	REAR
CASTER BLOCK MEDIUM - KIT <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU C-HUB <input type="checkbox"/> UP /mm DOWN /mm	LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/> SHOCK TOWER KIT <input checked="" type="checkbox"/> 4.0mm 3.5mm SHIM 1 /mm CAMBER LINK LOCATION	SHIM 0 /mm DRIVE SHAFT <input checked="" type="checkbox"/> KIT /mm SHIM 3 /mm REAR UPRIGHT MEDIUM - KIT <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> HIGH <input type="checkbox"/> LOW <input checked="" type="checkbox"/> STANDARD ARM 1 2 3 DISENGAGED ARM 1 2 3 #325341 ADJ. DRIVE AXLE
STEERING BLOCK MEDIUM - KIT <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	ARM MOUNT 0° <input type="checkbox"/> KIT 0° <input checked="" type="checkbox"/> ALU -3° <input type="checkbox"/> ALU +3° <input type="checkbox"/> ALU 0° <input type="checkbox"/> BRASS TOTAL 27 KICK-UP° FRONT WING YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> KIT <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> STEERING BUMP STEER SHIM 2 /mm ACKERMANN SHIM 2 /mm CASTER BUSHINGS 0° 2.5° 5° <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> ARM MOUNT 0° + CASTER BUSHING 0° = TOTAL 22° KICK-UP	WING TYPE kit CENTER FIN YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> WING POSITION UP <input checked="" type="checkbox"/> MIDDLE <input type="checkbox"/> DOWN <input type="checkbox"/> Cutting line +/- from the base line. Wing length /mm SHOCK TOWER 1 /mm Offset wing mounting behind the rear shock tower.

FRONT TOE	EXTENSION	BATTERY PLACEMENT	REAR TOE	OFFSET	WHEELBASE	MOTOR PLATE	ROLL CENTER	STEERING	SERVO POSITION	SIDE BRACES	COOLING	REAR
-1	1 DOT <input type="checkbox"/> 2 DOTS <input checked="" type="checkbox"/> 3 DOTS <input type="checkbox"/>	LONG SIDE FRONT <input checked="" type="checkbox"/> LONG SIDE REAR <input type="checkbox"/>	.5	2 /slots	4 /mm	KIT <input checked="" type="checkbox"/>	KIT <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	PLATE <input checked="" type="checkbox"/> KIT <input type="checkbox"/> ALU <input type="checkbox"/>	2 1	KIT <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	FRONT <input type="checkbox"/> REAR <input checked="" type="checkbox"/>	3 /slots
2												
3												
4												
5												
6												
7												
8												

FRONT	REAR
RF 0.5° <input checked="" type="checkbox"/> 1° <input type="checkbox"/> RR 0.5° <input checked="" type="checkbox"/> 1° <input type="checkbox"/> ROLL CENTER SUSPENSION HOLDERS	#323326 ALU REAR LOWER SUSPENSION HOLDER 1° - REAR Raising the suspension holders with shims.

FRONT CAMBER	DIFF HEIGHT	REAR CAMBER
-2°	2	-2°
GLUING SIDEWALL YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	CUTTING PINS IN <input type="checkbox"/> OUT <input checked="" type="checkbox"/> NO <input type="checkbox"/>	REAR ARM MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>
FRONT ARM MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	RISE HEIGHT 13 /mm	RISE HEIGHT 13 /mm

SERVO WEIGHT	LOWER ECCENTRIC SHOCK BALL	ARM SHIM	CHASSIS SIZE
STANDARD <input type="checkbox"/> LOW PROFILE <input checked="" type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	0 /mm	<input type="checkbox"/> SHORT <input checked="" type="checkbox"/> MID-SIZE <input type="checkbox"/> LONG
ARM MOUNT BALANCE #293085 HUDY Pure Tungsten Weight - 10g	BALANCE 13 /g BALANCE 30 /g BALANCE 20 /g		THICKNESS <input type="checkbox"/> 2.5mm KIT <input checked="" type="checkbox"/> 2.0mm
	ELECTRONICS PLATE NO <input type="checkbox"/> GRAPHITE <input type="checkbox"/> WEIGHT <input checked="" type="checkbox"/>		