

SET-UP SHEET

XRAY XB2'20

RACE	arsac		
TRACK	astro		
NAME	BEN MOHAMED no	DATE	2020-01-26

LAPS		BEST LAP TIME	sec
QUALIFYING POSITION	TQ	FINAL POSITION	1

TRACK			
SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> VERY-HIGH		
SURFACE	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY	<input type="checkbox"/> CARPET	<input checked="" type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED	<input type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET

TRANSMISSION			
DIFFERENTIAL	BALL DIFF <input type="checkbox"/>	<input checked="" type="checkbox"/> GEAR DIFF	OIL 5k cst
SATELLITE GEARS	COMPOSITE <input type="checkbox"/>	STEEL <input type="checkbox"/>	GEARS 2 <input type="checkbox"/> 4 <input checked="" type="checkbox"/>
SLIPPER	2 PAD <input type="checkbox"/>	<input checked="" type="checkbox"/> 3 PAD	mm

GEARING			
PINION	22	SPUR GEAR	78

GEAR BOX	
FRONT LCG	<input checked="" type="checkbox"/> FRONT LCG <input type="checkbox"/> REAR LCG

FRONT	SHOCKS	REAR
3dots	SPRINGS	450
cst 550	OIL	cst
<input checked="" type="checkbox"/> 2 HOLES	PISTONS	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input checked="" type="checkbox"/> ø1.6mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	<input type="checkbox"/> ø1.7mm	<input type="checkbox"/> 6 HOLES
	OTHER: mm	
SHOCK BODY		
LONG <input type="checkbox"/> SHORT (KIT) <input checked="" type="checkbox"/>		
SHOCK SHAFT		
LONG <input type="checkbox"/> SHORT (KIT) <input checked="" type="checkbox"/>		
DOWNSTOP SHIM		
INSERT UNDER PISTON		
LENGTH 24 mm		LENGTH 31 mm
UPSTOP SHIM		UPSTOP SHIM
INSERT ABOVE COLLAR		INSERT ABOVE COLLAR
OTHER: <input checked="" type="checkbox"/> KIT	BALL JOINT	OTHER: <input checked="" type="checkbox"/> KIT
		2

FRONT	SHOCK TOWER	REAR
ALU <input checked="" type="checkbox"/>	GRAPHITE <input type="checkbox"/>	GRAPHITE <input checked="" type="checkbox"/>
	ALU	ALU

FRONT	ANTI ROLL BAR	REAR
	THICKNESS	
	mm	mm

FRONT	TIRES	REAR
	BRAND	
	COMPOUND	
	INSERTS	
	WHEELS	

ELECTRONICS			
MOTOR	6.5 vulcan	cerix 160	SPEEDO
MOTOR TIMING	30	corally	BATTERY

BODY	
ALPHA2 <input type="checkbox"/>	<input checked="" type="checkbox"/> BETA2
OTHER:	<input type="checkbox"/> LIGHT

COMMENT

FRONT	APPLIED <input type="radio"/> <input checked="" type="checkbox"/> APPLIED	REAR
STEERING BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input type="checkbox"/>	REAR UPRIGHT SHIM 2 /mm HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>
CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	SHIM /mm CAMBER LINK LOCATION FLAT ARM LSM ARM	SHIM 4 /mm DRIVE SHAFT Length 75 /mm SHIM 2 /mm ADJUSTABLE DRIVE AXLE XB2D SUSP. ARM XB4 SUSP. ARM

FRONT	WING POSITION	WING CUTTING LINE / SIDE LINE	WING TYPE
CASTER BUSHINGS 0° <input type="checkbox"/> 2.5° <input checked="" type="checkbox"/> 5° <input type="checkbox"/>	YES <input type="checkbox"/> NO <input type="checkbox"/>	1 2 3 4 5 <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	tec CENTER FIN YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
KICK-UP ° KIT 26° <input type="checkbox"/>	SHOCK TOWER BUMP STEER SHIM /mm	SHOCK POSITION FRONT <input type="checkbox"/> REAR <input type="checkbox"/>	WING POSITION UP <input type="checkbox"/> MIDDLE <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>

FRONT TOE	OUT	EXTENSION	REAR TOE	IN
1		0 SLOTS <input type="checkbox"/> 1 SLOT <input checked="" type="checkbox"/> 2 SLOTS <input type="checkbox"/>		
OFFSET -0.75/slots				
WHEELBASE SHIM 2 /mm				
ROLL CENTER				
MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> ALU <input type="checkbox"/>				
UPPER DECK				
MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/>				

FRONT	SHIMS	REAR ROLL CENTER HOLDERS
SHIMS 2 /mm	5 /mm	ECCENTRIC BUSHINGS
ACKERMANN LEFT = RIGHT		RF 0.5° <input type="checkbox"/> 1° <input type="checkbox"/>
STEERING ARMS		RR 0.5° <input type="checkbox"/> 1° <input type="checkbox"/>
COMPOSITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>		
BUMP STEER SHIM 1 /mm		
LEFT = RIGHT		

FRONT CAMBER	DIFF HEIGHT	REAR CAMBER
1	2	
FRONT ARM		REAR ARM
MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>		MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>
RIDE HEIGHT 14 /mm	RIDE HEIGHT 15 /mm	RIDE HEIGHT
	#107721 GAUGE	

ARM MOUNT	ECCENTRIC SHOCK BALL	ARM SHIM
COMPOSITE <input type="checkbox"/> ALU <input type="checkbox"/> BRASS <input checked="" type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	/mm
CHASSIS BRACE	SERVO POSITION	CHASSIS
MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	1 2 3 4	ALU 2.5mm <input type="checkbox"/>
SERVO WEIGHT	BALANCE	CHASSIS FLEX
STANDARD <input checked="" type="checkbox"/> LOW PROFILE <input type="checkbox"/>	1 2 3 4	SCREW USED <input type="checkbox"/> SCREW NOT USED <input type="checkbox"/>