

SET-UP SHEET

XRAY GTXE.3 SET-UP VER. 01 ©XRAY

XRAY GTXE C-HUB

RACE	World Champion Miami		
TRACK	3		
NAME	Martin Bayer	DATE	9-12.1.2020

TEMPERATURE AIR	28	TEMPERATURE TRACK	2nd
-----------------	----	-------------------	-----

LAPS	FINAL POSITION	BEST LAPTIME	RACE LENGTH
	2nd	/sec	3x10 /min

TRACKS			
CONDITION	<input type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
	<input type="checkbox"/> TECHNICAL	<input type="checkbox"/> MIXED	<input type="checkbox"/> FAST

TRACTION	<input checked="" type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH
----------	---	---------------------------------	-------------------------------

FRONT		DIFFERENTIAL		REAR	
Alu	CASE MATERIAL	Alu		Alu	
1mil	OIL	Alu			
13T <input checked="" type="checkbox"/> 14T	BEVEL DRIVE GEAR	13T <input type="checkbox"/> 14T		13T <input type="checkbox"/> 14T	
46	CROWN GEAR	46			

MOTOR PINION	GEARING	SPUR GEAR
24 /T		49 /T
STANDARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>		

FRONT		SHOCKS		REAR	
3 dotz	SPRINGS	3 dotz			
800 /cSt	OIL	800 /cSt			
Cell soft	MEMBRANE	Cell soft			
	REBOUND				
<input checked="" type="checkbox"/> 6 HOLES	1.1 mm	<input checked="" type="checkbox"/> 6 HOLES	<input checked="" type="checkbox"/> 1.1 mm		
<input type="checkbox"/> 8 HOLES	1.2 mm	<input checked="" type="checkbox"/> 8 HOLES	<input checked="" type="checkbox"/> 1.2 mm		
<input type="checkbox"/> 10 HOLES	1.3 mm	<input type="checkbox"/> 10 HOLES	<input type="checkbox"/> 1.3 mm		
	1.4 mm		<input type="checkbox"/> 1.4 mm		
OTHER PISTONS					

FRONT		ANTI-ROLL BAR		REAR	
2,8 /mm	THICKNESS	3,0 /mm			

FRONT		TIRES		REAR	
Matrix handout	TYPE	Matrix handout			
Matrix handout	COMPOUND	Matrix handout			

ELECTRONICS	
MOTOR	Hobbywing 1900kv
SPEEDO	Hobbywing XR8 SCT
BATTERY TYPE	Sunpadow 8400
BATTERY SIZE	STANDARD <input checked="" type="checkbox"/> SHORT <input type="checkbox"/>
BATTERY POSITION	FRONT <input checked="" type="checkbox"/> MID <input type="checkbox"/> REAR <input type="checkbox"/>

BODY		WEIGHT	
TYPE	Blitz GT3	TOTAL	/g

COMMENTS

FRONT		REAR	
STEERING BLOCK	C-HUB	FRONT ARM	LONG <input checked="" type="checkbox"/>
COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>	SOFT <input type="checkbox"/>	REAR SUSPENSION ARMS
ALU <input checked="" type="checkbox"/>	ALU <input checked="" type="checkbox"/>	MEDIUM <input checked="" type="checkbox"/>	SHORT <input type="checkbox"/>
CASTER	CASTER	HARD <input type="checkbox"/>	SUSP. HOLDERS
16° <input type="checkbox"/>	16° <input type="checkbox"/>	GRAPHITE <input type="checkbox"/>	#353317 (RF)
2° <input checked="" type="checkbox"/>	2° <input checked="" type="checkbox"/>		#353325 (RR)
OFFSET	UPPER SHOCK POSITION		UPRIGHT ROLL CENTER
0 <input type="checkbox"/> +1 <input type="checkbox"/> +2 <input checked="" type="checkbox"/>			HARD <input type="checkbox"/>
CASTER BUSHINGS	ALU SHOCK PLATE POSITION		GRAPHITE <input checked="" type="checkbox"/>
+2° <input checked="" type="checkbox"/>			OFFSET
+1° <input type="checkbox"/>			STANDARD <input type="checkbox"/>
0° <input type="checkbox"/>			+1 <input checked="" type="checkbox"/> +2 <input type="checkbox"/>
-1° <input type="checkbox"/>			REAR DROOP
-2° <input type="checkbox"/>			21mm
FRONT DROOP	LOWER SHOCK POSITION		
28mm			
MEASURE UNDER WHEEL AXLE	#107717 GAUGE		

FRONT		REAR	
WING HIGH	26 /mm		
GRAPHITE BRACE	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		
BUMP STEER SHIM	4 /mm		
SHIMS PLACE ALWAYS UNDER			
WHEELBASE SHIM POSITION	0 mm <input checked="" type="checkbox"/> 2 mm <input type="checkbox"/> 4 mm <input type="checkbox"/>		
SHIMS BEHIND FRONT ARM			
FF	FR	RF	RR
1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>	1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>	1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>	1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>
LOWER ROLL CENTER		REAR	
ECCENTRIC BUSHINGS			

FRONT		REAR	
1 FRONT TOE OUT	STEERING PLATE	3 REAR TOE IN	
	1 DOTS <input type="checkbox"/> 2 DOTS <input checked="" type="checkbox"/>		
DRIVE SHAFT	TIGHTEN SERVO SAVER MATERIAL	WHEELBASE	DRIVE SHAFT
CVD <input checked="" type="checkbox"/>	TIGHT <input checked="" type="checkbox"/>	0 mm <input type="checkbox"/> 1 mm <input type="checkbox"/> 2 mm <input type="checkbox"/> 3 mm <input type="checkbox"/> 4 mm <input checked="" type="checkbox"/>	CVD <input checked="" type="checkbox"/>
UNIVERSAL <input type="checkbox"/>	MEDIUM <input type="checkbox"/>	SHIMS IN FRONT OF UPRIGHT	UNIVERSAL <input type="checkbox"/>
	SOFT <input type="checkbox"/>		
ACKERMANN POSITION			
3 2 1			
TOP DECK	GRAPHITE BRACE		
COMPOSITE <input type="checkbox"/>	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
GRAPHITE <input checked="" type="checkbox"/>			

FRONT		REAR	
2 FRONT CAMBER	REAR CAMBER	2	
LENGTH	24 mm	LENGTH	21 mm
RIDE HEIGHT	10 /mm	RIDE HEIGHT	9 /mm
#107713 HUDY GAUGE			