

SET-UP SHEET

XRAY XB8E'20 PIVOT BALL

RACE	ENC Bad Oeynhausen		
TRACK	WOB		
NAME	Ilias Reise	DATE	19.07.2020

TEMPERATURE AIR	30	TEMPERATURE TRACK	
-----------------	----	-------------------	--

LAPS	FINAL POSITION	BEST LAPTIME	RACE LENGTH
	1 place	35.84 /sec	/min

TRACKS			
SIZE	<input checked="" type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input checked="" type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH
SURFACE	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input checked="" type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input type="checkbox"/> CLAY
	<input type="checkbox"/> BLUE GROVE	<input type="checkbox"/> ASTRO TURF	<input type="checkbox"/> GRASS
CONDITION	<input checked="" type="checkbox"/> DRY	<input type="checkbox"/> DUSTY	<input type="checkbox"/> WET
	<input type="checkbox"/> MUD		

DIFFERENTIAL			
CASE MATERIAL	FRONT Box	CENTER Box	REAR Box
OIL	7	7	
CROWN GEAR	46		

GEARING			
MOTOR PINION	15	/T	46
SPUR GEAR			

FRONT	SHOCKS	REAR
Box	TYPE	Box
4 DOT	SPRINGS	3 DOT
Box	MEMBRANE	Box
550 /cSt	OIL	400 /cSt

STANDARD PISTONS			
<input checked="" type="checkbox"/> 6 HOLES	<input type="checkbox"/> 1.1 mm	<input type="checkbox"/> 6 HOLES	<input checked="" type="checkbox"/>
<input type="checkbox"/> 8 HOLES	<input type="checkbox"/> 1.2 mm	<input type="checkbox"/> 8 HOLES	<input type="checkbox"/>
<input type="checkbox"/> 10 HOLES	<input checked="" type="checkbox"/> 1.3 mm	<input checked="" type="checkbox"/> 10 HOLES	<input type="checkbox"/>
	<input type="checkbox"/> 1.4 mm		<input type="checkbox"/>
	OTHER		
VALVE PISTONS			
5+2 HOLES	1.5 mm	5+2 HOLES	
6+2 HOLES	1.3 mm	6+2 HOLES	
8+2 HOLES	1.4 mm	8+2 HOLES	
	1.2 mm		
	1.3 mm		

FRONT	ANTI-ROLL BAR	REAR
2.2 /mm	THICKNESS	2.4 /mm

FRONT	TIRES	REAR
	BRAND	
	COMPOUND	
	INSERTS	
	WHEELS	

ELECTRONICS			
MOTOR			
SPEEDO			
BATTERY TYPE			
BATTERY SIZE	STANDARD	<input type="checkbox"/>	SHORT

BODY			
HS	HS-LIGHT	OTHER	TOTAL
<input type="checkbox"/>	<input type="checkbox"/>		/g

COMMENT

FRONT	REAR
PIVOT BALLS UP <input type="checkbox"/> STEEL <input checked="" type="checkbox"/> ALU DOWN <input type="checkbox"/> STEEL <input checked="" type="checkbox"/> ALU STEERING BLOCK HARD <input checked="" type="checkbox"/> GRAPHITE UPPER ARM SHIM <input type="checkbox"/> 0 <input checked="" type="checkbox"/> 1mm <input type="checkbox"/> 2mm OTHER FRONT LOWER SHOCK POSITION 2 1 LOWER ARM SHIM <input checked="" type="checkbox"/> 0 <input type="checkbox"/> 1mm <input type="checkbox"/> 2mm FRONT DROOP MEASURE UNDER WHEEL AXLE #107717 GAUGE	SHOCK TOWERS FRONT <input checked="" type="checkbox"/> ALU <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU REAR <input type="checkbox"/> ALU UPPER SHOCK POSITION 6 5 4 3 2 1 REAR SHOCK POSITION 1 2 3 4 5 6 REAR ROLL CENTER 3 2 1 UPRIGHT ROLL CENTER 1 2 3 LOWER ROLL CENTER 3 2 1 REAR DROOP MEASURE UNDER WHEEL AXLE #107717 GAUGE

FRONT	REAR
UPPER ROLL CENTER 1° <input checked="" type="checkbox"/> 0.5° 1° <input checked="" type="checkbox"/> 0.5° CASTER SHIM <input type="checkbox"/> 0 <input checked="" type="checkbox"/> 1.0 <input type="checkbox"/> 2.0 UPPER ARM POSITION BUMP STEER SHIM STEERING PLATE /mm STEERING BLOCK /mm SHIMS PLACE ALWAYS UNDER WHEELBASE SHIM POSITION <input type="checkbox"/> 0mm <input checked="" type="checkbox"/> 2mm <input type="checkbox"/> 4mm SHIMS BEHIND FRONT ARM	REAR WING STANDARD <input checked="" type="checkbox"/> LEXAN FRONT MIDDLE REAR OTHER GRAPHITE BRACE WITHOUT <input checked="" type="checkbox"/> 1-PIECE 2-PIECES WHEELBASE SHIM POSITION <input type="checkbox"/> 0mm <input checked="" type="checkbox"/> 2mm <input type="checkbox"/> 4mm SHIMS IN FRONT OF REAR ARM RF 1° <input checked="" type="checkbox"/> 0.5° +2mm <input type="checkbox"/> 0mm RR 1° <input checked="" type="checkbox"/> 0.5° +2mm <input type="checkbox"/> 0mm

FRONT	REAR
-3 FRONT TOE OUT STEERING PLATE 1 DOTS <input checked="" type="checkbox"/> 2 DOTS SERVO SAVER TIGHT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> SOFT FRONT DRIVE SHAFT CVD <input checked="" type="checkbox"/> UNIVERSAL ACKERMANN POSITION 4 3 2 1 TOP DECK COMPOSITE <input checked="" type="checkbox"/> GRAPHITE BATTERY PLATE ORIENTATION BATT ESC 1 ESC BATT 2 DRIVE SHAFT CVD <input type="checkbox"/> UNIVERSAL <input checked="" type="checkbox"/>	WHEELBASE 0mm <input type="checkbox"/> 1mm <input type="checkbox"/> 2mm <input type="checkbox"/> 3mm <input type="checkbox"/> 4mm SHIMS IN FRONT OF UPRIGHT REAR TOE IN REAR DRIVE SHAFT CVD <input checked="" type="checkbox"/> UNIVERSAL GRAPHITE BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>

FRONT	REAR
-2 FRONT CAMBER LENGTH mm UPPER ARM SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> GRAPHITE LOWER ARM SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> GRAPHITE RIDE HEIGHT 23 /mm #107717 GAUGE	105 FULL TRAVEL SHOCKS LENGTH 127 REAR CAMBER -2 LENGTH /mm RIDE HEIGHT 27 /mm #107717 GAUGE