

XRAY X1'21

FRONT

WHEELBASE ADJUSTMENT

LONG (+4mm) SHORT (-4mm)

STANDARD (0mm)

BUMP STEER SHIM 4 /mm

SERVO ARM SHIM nut/mm

SHOCK PYTE SHIM LONG nut/mm

DROOP 1.8 4.8 FRONT RIDE HEIGHT MID RIDE HEIGHT 4.8 DROOP 1.2 REAR RIDE HEIGHT 5.2

SHIM 3 /mm

SHIM 2.5 /mm

SHIM /mm

LUBE 10k /cSt

SHIM 0.3 /mm

ALU MOUNT YES ☒ NO ☐

UPPER ARM SHIM /mm

SIDE SPRINGS 0.9

WING SHIM 10 /mm

REAR RIDE HEIGHT ECCENTRIC BUSHINGS

HIGHER	2.5	2.0	1.5	1.0	0.5	0	0.5	1.0	1.5	2.0	2.5	LOWER
						<input checked="" type="radio"/>						

ARM MOUNT PLATE

STANDARD ☒ WIDE ☐

CASTER

3° 6° 9° 12°

☐ ☐ ☒ ☐

LOWER ARMS

STANDARD GRAPHITE ☒ SOFT GRAPHITE ARMS ☐

CAMBER

1.0° 1.5° 2.0° 2.5°

☐ ☐ ☒ ☐

CHASSIS

GRAPHITE 2.5mm (KIT) ☒ HARD GRAPHITE ☐ OTHER:

PIVOT MOUNTING POSITION

FORWARD ☐ REARWARD ☒

POD LINK Left = Right

PIVOT MOUNTING HEIGHT

SHIM /mm

REAR WING

STANDARD ☒ OTHER:

ADJUSTABLE ☐

TOE OUT 1.75 /deg.

GRAPHITE BRACE

YES ☒ NO ☐

SHIM USED

YES ☒ NO ☐

ACKERMANN POSITION

1 2 1 2

SERVO LINKAGE

1 2 1 2

OUTER ACKERMANN

1 2 3

BACKSTOP

STEERING ANGLE 20 °

FRONT SPOILER

LOW DOWNFORCE ☐ HIGH DOWNFORCE ☐

FRONT WIDTH SHIM 1 /mm

SIDE BRACE YES ☐ NO ☒

TOP DECK YES ☒ NO ☐

TOP DECK FLEX

SOFT ☐ MEDIUM ☒ STIFF ☐

REAR AXLE STEEL ☒ GRAPHITE ☐

BATTERY PLACEMENT

4 3 2 1

REAR WIDTH SHIM 2 /mm

REAR WING POSITION

1 2 3 4 5 6

VT2017-2 flap