

RACE	Danish Nats Rd 3		
TRACK	Odense		
NAME	Caspar Morgen	DATE	13/6-2021

TEMPERATURE AIR 17 TEMPERATURE TRACK 1







LAPS	FINAL POSITION	BEST LAPTIME	RACE LENGTH
27	1	14,9 /sec	7 /min

TRACKS			
CONDITION	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
	<input checked="" type="checkbox"/> TECHNICAL	<input type="checkbox"/> MIXED	<input type="checkbox"/> FAST

TRACTION ☐ LOW ☒ MEDIUM ☐ HIGH

FRONT		DIFFERENTIAL		REAR	
std		CASE MATERIAL	alu		
2500000		OIL	alu		
13T <input checked="" type="checkbox"/>	<input type="checkbox"/> 14T	BEVEL DRIVE GEAR	13T <input type="checkbox"/>	<input type="checkbox"/> 14T	
46		CROWN GEAR	46		

MOTOR PINION	GEARING	SPUR GEAR
19		45
		STANDARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>

FRONT	SHOCKS		REAR
<div> <div> <div>xray 3,5 dot</div> <div>800 /cSt</div> <div>std</div> <div>10 /%</div> <div> <input checked="" type="checkbox"/>  <div>6 HOLES</div> </div> <div> <input type="checkbox"/>  <div>8 HOLES</div> </div> <div> <input type="checkbox"/>  <div>10 HOLES</div> </div> </div> <div> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> </div> </div>	<div> <div>SPRINGS</div> <div>OIL</div> <div>MEMBRANE</div> <div>REBOUND</div> <div>PISTONS</div> <div>OTHER PISTONS</div> </div>	<div> <div>xray 3 dot</div> <div>800 /cSt</div> <div>std</div> <div>10 /%</div> <div> <div>6 HOLES </div> <div>8 HOLES </div> <div>10 HOLES </div> </div> <div> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> </div> </div>	

FRONT	ANTI-ROLL BAR	REAR
std /mm	THICKNESS	std /mm

FRONT TIRES

REAR TIRES

TIRES TYPE: pmt

FR

RR

← COMPOUND →

ELECTRONICS	
MOTOR	Hobbying 2800
SPEEDO	Hobbwing XR8 Plus
BATTERY TYPE	LRP 9400

BODY		WEIGHT	
TYPE	Seven65	TOTAL	/g

COMMENTS

FRONT

STEERING BLOCK

COMPOSITE ☒
 ALU ☐

OFFSET

0 ☒ +1 ☐ +2 ☐

CASTER BUSHINGS

+2° ☐
 +1° ☐
 0° ☒
 -1° ☐
 -2° ☐

FRONT DROOP

27

MEASURE UNDER WHEEL AXLE #107717 GAUGE

C-HUB

COMPOSITE ☐
 ALU ☒

CASTER

16° ☐
 6° ☐
 2° ☒

FRONT ARM

SOFT ☐
 MEDIUM ☐
 HARD ☒
 GRAPHITE ☐

REAR

REAR ARMS

MEDIUM ☐
 HARD ☐
 X-HARD ☐
 GRAPHITE ☒

UPRIGHT

MEDIUM ☐
 HARD ☐
 GRAPHITE ☒

OFFSET

STANDARD ☐
 +1 ☐ +2 ☐

REAR DROOP

27

MEASURE UNDER WHEEL AXLE #107717 HUDY GAUGE

FRONT

BUMP STEER SHIM

STEERING BLOCK	/mm
STEERING PLATE	6 /mm

SHIMS PLACE ALWAYS UNDER

WING HIGH /mm

GRAPHITE BRACE

WITHOUT	<input type="checkbox"/>
1-PIECE	<input type="checkbox"/>
2-PIECES	<input checked="" type="checkbox"/>

REAR DIFFUSER

YES	<input type="checkbox"/>	<input checked="" type="checkbox"/>	NO
-----	--------------------------	-------------------------------------	----

WHEELBASE SHIM POSITION

0 mm	<input checked="" type="checkbox"/>	2 mm
------	-------------------------------------	------

SHIMS BEHIND FRONT ARM

FF

1°	<input checked="" type="checkbox"/>	0.5°
----	-------------------------------------	------

FR

1°	<input checked="" type="checkbox"/>	0.5°
----	-------------------------------------	------

LOWER ROLL CENTER

FRONT **REAR**

ECCENTRIC BUSHINGS

RF

1°	<input checked="" type="checkbox"/>	0.5°
----	-------------------------------------	------

RR

1°	<input checked="" type="checkbox"/>	0.5°
----	-------------------------------------	------

REAR

1 FRONT TOE OUT

2 REAR TOE IN

3 ACKERMANN POSITION
3 2 1

TOP DECK
COMPOSITE ☐
GRAPHITE ☒

SERVO SAVER
TIGHTEN MATERIAL
TIGHT ☒ MEDIUM ☐
MEDIUM ☐ GRAPHITE ☒
SOFT ☐

WHEELBASE
0 mm ☐ 1 mm ☒ 2 mm ☐ 3 mm ☐ 4 mm ☐
SHIMS IN FRONT OF UPRIGHT

STANDARD BATTERY ☒
BATTERY SETTING
FRONT ☐ REAR ☐
☐ SHORT BATTERY ☐

2 FRONT CAMBER

LENGTH std mm

FRONT

RIDE HEIGHT 8,5 /mm

std

REAR CAMBER 2

LENGTH std mm

REAR

RIDE HEIGHT 8,5 /mm

std