

SET-UP SHEET

XB2'21 SET-UP SHEET, VER. 1 ©XRAY 2020

XRAY XB2'21

RACE	Austrian Nationals #3	
TRACK	MAC Traiskirchen	
NAME	Hupo Hönigl	DATE 2021-09-26

LAPS		BEST LAP TIME	24,0 sec
QUALIFYING POSITION	3	FINAL POSITION	3

TRACK	
SIZE	<input type="checkbox"/> OPEN <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> VERY-HIGH
SURFACE	<input checked="" type="checkbox"/> SMOOTH <input type="checkbox"/> MEDIUM <input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY <input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE <input type="checkbox"/> HARD PACKED <input checked="" type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY <input type="checkbox"/> LOAMY <input type="checkbox"/> WET

TRANSMISSION	
DIFFERENTIAL	
BALL DIFF <input type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/> ACTIVE DIFF <input type="checkbox"/>
OIL 10K cst	
60° 90° 120°	
SATELLITE GEARS	COMPOSITE <input type="checkbox"/> <input checked="" type="checkbox"/> STEEL GEARS 2 <input checked="" type="checkbox"/> 4
SLIPPER	2 PAD <input type="checkbox"/> 3 PAD <input type="checkbox"/> <input type="checkbox"/> mm

GEARING	
PINION	22 T
SPUR GEAR	78 T

GEAR BOX	
FRONT LCG	<input type="checkbox"/> REAR LCG

FRONT	SHOCKS	REAR
3 dot short	SPRINGS	450
cst 600	OIL	cst
<input checked="" type="checkbox"/> 2 HOLES	<input checked="" type="checkbox"/> ø1.6mm	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> ø1.7mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	OTHER	<input type="checkbox"/> 6 HOLES

FRONT	SHOCK TOWER	REAR
ALU <input type="checkbox"/>	GRAPHITE <input type="checkbox"/>	ALU <input type="checkbox"/>

FRONT	ANTI ROLL BAR	REAR
- mm	THICKNESS	- mm

FRONT	TIRES	REAR
JC	BRAND	JC
pink	COMPOUND	pink
-	INSERTS	std
PL	WHEELS	PL

ELECTRONICS		
MOTOR	Fantom 7,0	Fantom SPEEDO
MOTOR TIMING	25	Fantom BATTERY

BODY	
Gamma 2D	<input checked="" type="checkbox"/> LIGHT

COMMENT	

FRONT		REAR	
STEERING BLOCK MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/>	LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	SHIM 2 /mm	REAR UPRIGHT HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>
CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	CAMBER LINK LOCATION 2 1 FLAT ARM LSM ARM	SHIM /mm DRIVE SHAFT Length 75 /mm SHIM 3 /mm	#325341 ADJ. DRIVE AXLE 1 2 3 4 0.5° 1°

FRONT		REAR	
CASTER BUSHINGS 0° <input type="checkbox"/> 2.5° <input checked="" type="checkbox"/> 5° <input type="checkbox"/>	WING POSITION YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	WING CUTTING LINE / SIDE LINE 1 2 3 4 5 1 2 3 4 5	WING TYPE tec CENTER FIN YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
KICK-UP ° KIT 26° <input checked="" type="checkbox"/>	BUMP STEER SHIM 2 /mm	SHOCK POSITION FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	WING POSITION UP <input type="checkbox"/> MIDDLE <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>

FRONT		REAR	
FRONT TOE OUT <input type="checkbox"/> IN <input type="checkbox"/>	EXTENSION 0 SLOTS <input type="checkbox"/> 1 SLOT <input type="checkbox"/> 2 SLOTS <input type="checkbox"/> 3 SLOTS <input checked="" type="checkbox"/>	REAR TOE 3 IN	OFFSET 5 /slots
OFFSET /slots	WHEELBASE SHIM 2 /mm	BATTERY PLACEMENT LONG SIDE FRONT <input checked="" type="checkbox"/> LONG SIDE REAR <input type="checkbox"/>	WHEELBASE SHIM 3 /mm
ROLL CENTER HARD <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	GUARD BRACE FLEX SERVO HORNS SHIM 7 /mm	BATTERY SIZE STD. SHORT <input type="checkbox"/> LOW SHORT <input type="checkbox"/>	ROLL CENTER HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>

FRONT		REAR	
STEERING ARMS HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	STEERING PLATE HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	REAR ROLL CENTER HOLDERS ECCENTRIC BUSHINGS RF 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>	RR 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>

FRONT		REAR	
FRONT CAMBER 1,5°	DIFF HEIGHT 1,5°	REAR CAMBER 1,5°	REAR ARM MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>
FRONT ARM MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	RIDE HEIGHT 16,5 /mm	RIDE HEIGHT 16,5 /mm	RIDE HEIGHT 16,5 /mm

FRONT		REAR	
ARM MOUNT COMPOSITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/>	CHASSIS BRACE MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	ARM SHIM 2 /mm	CHASSIS SHORT <input type="checkbox"/> MID (KIT) <input checked="" type="checkbox"/> LONG <input type="checkbox"/>
SERVO WEIGHT STANDARD <input checked="" type="checkbox"/> LOW PROFILE <input type="checkbox"/>	BALANCE 70 g	CHASSIS FLEX SCREW USED <input type="checkbox"/> SCREW NOT USED <input checked="" type="checkbox"/>	