

SET-UP SHEET

T4'21 SET-UP SHEET VER.1 ©XRAY

XRAY T4'21

RACE/TRACK	ENS Rd3
NAME	Luis Moreno
DATE	2021-10-14

QUAL POSITION	FINAL POSITION	BEST LAP TIME	LAPS	TIME
1	1	18.9 /sec	16 /	5:11

TRACK

TRACK SURFACE	<input type="checkbox"/> CARPET	<input checked="" type="checkbox"/> ASPHALT
---------------	---------------------------------	---

TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED	<input type="checkbox"/> FAST
--------------	------------------------------------	---	-------------------------------

TRACTION	<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH
----------	------------------------------	--	-------------------------------

FRONT TRANSMISSION REAR

SOLID AXLE	<input checked="" type="checkbox"/> YES
------------	---

GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL	5k /cSt
-------------------------	------	-------------------------	---------

PINION	45 /T	SPUR GEAR	95 /T	FINAL DRIVE RATIO	4.01
--------	-------	-----------	-------	-------------------	------

FRONT SHOCKS REAR

ULTRA LOW PROFILE	<input checked="" type="checkbox"/>	SUPER LOW PROFILE	<input type="checkbox"/>	SHOCK TYPE	XRAY SPRINGS	ULTRA LOW PROFILE	<input checked="" type="checkbox"/>	SUPER LOW PROFILE	<input type="checkbox"/>
-------------------	-------------------------------------	-------------------	--------------------------	------------	--------------	-------------------	-------------------------------------	-------------------	--------------------------

2.5/2.8	450	25	2.7	450	25
---------	-----	----	-----	-----	----

FOAM INSERTS	<input type="checkbox"/> YES <input type="checkbox"/> NO	PROGRESSIVE	<input checked="" type="checkbox"/>
--------------	--	-------------	-------------------------------------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

SHOCK LENGTH FRONT	8.8 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

FRONT	CASTER	0°	2°	4°	<input checked="" type="checkbox"/>	6°	SHIMS UNDER TOP DECK	/mm	REAR
SHIM	2.5 /mm	WHEELBASE	/mm	5.2	RIDE HEIGHT	/mm			

TOE OUT	1.25	ACKERMANN	/mm	STEERING ARM	STANDARD	<input type="checkbox"/>	STEERING PLATE	YES	<input type="checkbox"/> NO
SHIMS UNDER SHOCK	3 /mm	SHIMS UNDER SHOCK	2 /mm						

DIFF POSITION	UP	<input checked="" type="checkbox"/>	DOWN	<input type="checkbox"/>	BALANCE	/g	BATT. BACKSTOP	COMPOSITE ADJ.	<input checked="" type="checkbox"/>	ALU	<input type="checkbox"/>	ALU ADJ.	<input type="checkbox"/>	BRASS ADJ.	<input type="checkbox"/>
SHIM SIZE	15 /g	SERVO HORN	ALU	<input checked="" type="checkbox"/>	SERVO SAVER	<input type="checkbox"/>	SERVO HORN HEIGHT	19 /mm	TOP DECK	2.0mm	<input checked="" type="checkbox"/>	1.6mm	<input type="checkbox"/>		

STEERING LOCK	26 /deg.	CHASSIS	GRAPHITE	<input checked="" type="checkbox"/>	ALU	<input type="checkbox"/>	ALU-FLEX	<input type="checkbox"/>	OTHER	<input type="checkbox"/>
CHASSIS BRACE	BRASS	<input type="checkbox"/>	ALU	<input checked="" type="checkbox"/>						

C-HUB	M	<input checked="" type="checkbox"/>	H	<input type="checkbox"/>	G	<input type="checkbox"/>	DRIVE SHAFT	53mm	<input checked="" type="checkbox"/>	52mm	<input type="checkbox"/>	51mm	<input type="checkbox"/>	50mm	<input type="checkbox"/>
SHIM	2 /mm	SHIM	1 /mm	SHIM	1 /mm	SHIM	4 /mm								

FRONT	CAMBER	2 /deg.	SHOCK TOWERS	HIGHER SLP	<input type="checkbox"/>	STANDARD ULP	<input checked="" type="checkbox"/>	LOWER ULP	<input type="checkbox"/>	OTHER	<input type="checkbox"/>
REAR	CAMBER	2 /deg.	REAR ARM	HARD (H)	<input type="checkbox"/>	GRAPHITE (G)	<input checked="" type="checkbox"/>				

COMMENTS