

# SET-UP SHEET

VER.01 ©XRAY

# XRAY X4'22

RACE	3RD MSP Bohumin - Modified		
TRACK	Rc team Rychvald		
NAME	Jiri Vysin	DATE	19.12

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
	1	1	15.532 /sec	/	

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input checked="" type="checkbox"/> YES	
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 8000 /cSt
PINION	/T	SPUR GEAR /T
		FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
Prog H	XRAY SPRINGS	2.6
425	OIL /cSt	425
	REBOUND %	
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 3 HOLES	PISTONS	3 HOLES <input type="checkbox"/>
<input type="checkbox"/> 4 HOLES	1.0mm	4 HOLES <input type="checkbox"/>
<input checked="" type="checkbox"/> PSS	1.1mm	<input type="checkbox"/> PSS
	1.2mm	<input checked="" type="checkbox"/> PSS
2x0.8		2x0.8

SHOCK LENGTH FRONT	8.5 /mm	SHOCK LENGTH REAR	8.5 /mm
--------------------	---------	-------------------	---------

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

Hudy C3	TIRES	Hudy C3
Hudy Red	ADDITIVE	Hudy Red
12	ADDITIVE TIMING	12

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT	1320 /g	WEIGHT BALANCE	FRONT 49 % REAR 51 %
--------------	---------	----------------	----------------------

MOTOR	HW 5T	TIMING	
-------	-------	--------	--

ESC	HW	BATTERIES	Ez Power 4000
-----	----	-----------	---------------

BODY	Twister 0.5	WING	Twister 0.5
------	-------------	------	-------------

67 /mm	Dimension from body post to window bottom line	BODY POSITION
7th+Oring /mm	Dimension from body post to upper holder	WING SIDE PLATE
		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
66 /mm	Dimension from edge to surface	

COMMENTS  
angled front upper amrs 0.5-1.5  
Lipo Shorty weights

FRONT CASTER	BUMP STEER	HEIGHT	SHIM	FRONT & REAR SUSPENSION	REAR CASTER	TOE GAIN	RIDE HEIGHT
Adjust with eccentric bushings	4 /mm	19 /mm	7 /mm		Adjust with eccentric bushings	4 /mm	
2 /mm FF	5 /mm	FR 2 /mm	<input type="checkbox"/> SERVO SAVER		2.5 /mm RF	5.2 /mm	RR 2.5 /mm
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> SERVO HORN		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

2 /deg. CAMBER	BODY STOP	FRONT SUSPENSION	FRONT HUB
Left = Right	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
	/mm	BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO <input type="checkbox"/>	SHIM 6.6 /mm
		DRIVE SHAFT 58mm <input checked="" type="checkbox"/> 59mm <input type="checkbox"/> STD. BEARING <input checked="" type="checkbox"/>	
		#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 0.5 /mm DOWNSTOP	

2 /deg. CAMBER	BODY POST	REAR SUSPENSION	REAR HUB
Left = Right	VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>	REAR SHOCK POSITION	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
		SHIM 1.5 /mm	SHIM 1.5 /mm
		DRIVE SHAFT 52mm <input checked="" type="checkbox"/> 54mm <input type="checkbox"/> STD. BEARING <input checked="" type="checkbox"/>	
		#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 4 /mm DOWNSTOP	

1 TOE OUT	ACKERMANN	SHIM	TOE IN	DIFF POSITION	UPPER ARM	STEERING BRIDGE	TOP DECK FLEX	TOP DECK	OFFSET
Left = Right	SHIM 1 /mm	/mm	Left = Right	UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	STANDARD <input checked="" type="checkbox"/>	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	NONE <input checked="" type="checkbox"/> BEARING <input type="checkbox"/>	1.6mm <input checked="" type="checkbox"/> 2.0mm <input type="checkbox"/>	STANDARD <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 27 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 8.5 /mm	MOTOR MOUNT
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CHASSIS T-BRACE
FR SERVO HOLDER	CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input checked="" type="checkbox"/>
FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>
STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>	