

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	French cup indoor		
TRACK	MRC Longwy		
NAME	Duchet Alex	DATE	

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
	1	1	11.9 /sec	/	

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input checked="" type="checkbox"/> YES	
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 9000 /cSt
PINION 40 /T	SPUR GEAR 100 /T	FINAL DRIVE RATIO 4,75

FRONT	SHOCKS	REAR
2.5/2.8	XRAY SPRINGS	2.6
425	OIL /cSt	425
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 3 HOLES	PISTONS	3 HOLES <input type="checkbox"/>
<input type="checkbox"/> 4 HOLES	1.0mm	4 HOLES <input type="checkbox"/>
<input checked="" type="checkbox"/> PSS	1.1mm	<input type="checkbox"/> PSS
	1.2mm	<input checked="" type="checkbox"/>

SHOCK LENGTH FRONT 8,5 /mm	SHOCK LENGTH REAR 9 /mm
----------------------------	-------------------------

1.2 THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm 1.2
Volante 28	TIRES	Volante 28
Phub pink	ADDITIVE	Phub pink
15	ADDITIVE TIMING	15

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT 1322 /g	WEIGHT BALANCE	FRONT 49 %	REAR 51 %
MOTOR ORCA 13,5T	TIMING		
ESC Orca Oe101	BATTERIES	ORCA 6090	
BODY Twister Ultra Light	WING	Ultra light	

67 /mm	Dimension from body post to window bottom line	BODY POSITION
7+1mm /mm	Dimension from body post to upper holder	WING SIDE PLATE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
66 /mm	Dimension from edge to surface	

COMMENTS

FRONT CASTER	BUMP STEER	HEIGHT	SHIM	FRONT & REAR SUSPENSION	REAR CASTER	TOE GAIN
Adjust with eccentric bushings	4 /mm	19 /mm	8 /mm		Adjust with eccentric bushings	4.5 /mm
2.5 /mm FF	5.2 /mm	FR 2.5 /mm	<input type="checkbox"/> SERVO SAVER		3 /mm RF	5.4 /mm
<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> SERVO HORN			<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT

2 /deg. CAMBER	BODY STOP	FRONT SUSPENSION	FRONT HUB
Left = Right	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> 18 /mm	FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
		1.5 /mm SHIM 2 /mm FRONT SHOCK POSITION 1 2 3 4	SHIM 0,5 /mm
		DRIVE SHAFT 58mm 59mm STD. BEARING <input checked="" type="checkbox"/>	
		#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 6.6 /mm DOWNSTOP	

2 /deg. CAMBER	BODY POST	REAR SUSPENSION	REAR HUB
Left = Right	VERTICAL <input type="checkbox"/> HORIZONTAL <input type="checkbox"/>	REAR SHOCK POSITION 1 2 3 4	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
		1.5 /mm SHIM 2 /mm	SHIM 1.5 /mm
		DRIVE SHAFT 52mm 54mm STD. BEARING <input checked="" type="checkbox"/>	
		#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 4 /mm DOWNSTOP	

1 TOE OUT	ACKERMANN	SHIM	2.8 TOE IN
Left = Right	SHIM 0,5 /mm	0,5 /mm	Left = Right
DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	BRASS WEIGHT FOR MOTOR MOUNT		DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>
UPPER ARM STANDARD <input checked="" type="checkbox"/>	STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	TOP DECK FLEX NONE <input checked="" type="checkbox"/> BEARING <input type="checkbox"/>	UPPER ARM STANDARD <input checked="" type="checkbox"/>
OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm	TOP DECK <input checked="" type="checkbox"/> SPLITTED <input type="checkbox"/>	TOP DECK 1.6mm <input checked="" type="checkbox"/> 2.0mm <input type="checkbox"/>	OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 26 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 0 /mm	MOTOR MOUNT
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CHASSIS T-BRACE
FR SERVO HOLDER	CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input checked="" type="checkbox"/>
FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>
STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>	