

# SET-UP SHEET

VER.01 ©XRAY

# XRAY X4'22

RACE	Race of Champions		
TRACK	Monaco RC Arena		
NAME	Alexander Hagberg	DATE	27/03/22

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAP TIME	LAPS	TIME
20	2	2	11.8 /sec	/	

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input checked="" type="checkbox"/> YES	
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 8000 /cSt
PINION 28 /T	SPUR GEAR 110 /T	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.6
350	OIL /cSt	375
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

PISTONS	
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> 3 HOLES
<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> PSS

SHOCK LENGTH FRONT	9.0 /mm	SHOCK LENGTH REAR	9.5 /mm
--------------------	---------	-------------------	---------

1.2	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

Hot Race 36	TIRES	Hot Race 36
Hudy Red	ADDITIVE	Hudy Red
7	ADDITIVE TIMING	7

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT
------------	-------------	--------------	-----------	------------

TOTAL WEIGHT	1320 /g	WEIGHT BALANCE	FRONT 50 % REAR 50 %
--------------	---------	----------------	----------------------

MOTOR	HW G3 5.0T	TIMING
-------	------------	--------

ESC	HW XR10 PRO G2S	BATTERIES	Sunpadow 3800
-----	-----------------	-----------	---------------

BODY	Twister UL	WING	Twister 0.5
------	------------	------	-------------

67 /mm	Dimension from body post to window bottom line	BODY POSITION
29.5 /mm	Dimension from body post to upper holder	WING SIDE PLATE
63.5 /mm	Dimension from edge to surface	

COMMENTS	Shorty brass weights 309861.
----------	------------------------------

FRONT CASTER	BUMP STEER	HEIGHT	SHIM	REAR CASTER	TOE GAIN
Adjust with eccentric bushings	4.5 /mm	19 /mm	6 /mm	Adjust with eccentric bushings	4.5 /mm
0.5 /mm FF	4.8 /mm	FR 1.0 /mm	<input type="checkbox"/> SERVO SAVER	1.5 /mm RF	5.0 /mm
<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> SERVO HORN		<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT

2 /deg. CAMBER	BODY STOP	FRONT SUSPENSION	FRONT HUB
Left = Right	YES <input checked="" type="checkbox"/> NO	FRONT BRACE YES <input checked="" type="checkbox"/> NO	COMPOSITE <input checked="" type="checkbox"/> ALU
	/mm	BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO	SHIM 0.5 /mm
		DRIVE SHAFT 58mm 59mm STD. BEARING	
		#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge	6.0 /mm DOWNSTOP

2.25 /deg. CAMBER	BODY POST	REAR SUSPENSION	REAR HUB
Left = Right	VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>	REAR SHOCK POSITION	COMPOSITE <input checked="" type="checkbox"/> ALU
		SHIM 1 /mm	SHIM 1.5 /mm
		DRIVE SHAFT 52mm 54mm STD. BEARING	
		#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge	4.2 /mm DOWNSTOP

1.25 TOE OUT	ACKERMANN	SHIM	2.5 TOE IN
Left = Right	SHIM 0 /mm	0 /mm	Left = Right
DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>			DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>
UPPER ARM STANDARD <input checked="" type="checkbox"/>	STEERING BRIDGE YES <input checked="" type="checkbox"/> NO	TOP DECK FLEX NONE <input type="checkbox"/> BEARING <input type="checkbox"/>	UPPER ARM STANDARD <input checked="" type="checkbox"/>
OFFSET STANDARD <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> SHIM/mm	TOP DECK <input checked="" type="checkbox"/> SPLITTED	TOP DECK 1.6mm <input checked="" type="checkbox"/> 2.0mm	OFFSET STANDARD <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 24 /deg.	T-BRACE ALU <input checked="" type="checkbox"/> BRASS
STEER. SHIM SIZE 9 /mm	
FRONT BRACE YES <input checked="" type="checkbox"/> NO	MOTOR MOUNT
FR SERVO HOLDER	CHASSIS T-BRACE
FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	CHASSIS GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX
STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>