

# SET-UP SHEET

SCX'23 SET-UP SHEET VER. 2 ©XRAY 2023

**XRAY SCX**

RACE	NORC/SK Duisburg		
TRACK	RCRT Duisburg		
NAME	Jens Becker	DATE	17.07.2022

LAPS		BEST LAP TIME	35.8 sec
QUALIFYING POSITION	1	FINAL POSITION	1

TRACK			
SIZE	<input checked="" type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> VERY-HIGH		
SURFACE	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input type="checkbox"/> CLAY	<input type="checkbox"/> CARPET	<input checked="" type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED	<input checked="" type="checkbox"/> DRY
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET

TRANSMISSION			
DIFFERENTIAL	BALL DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input type="checkbox"/>	OIL <input type="checkbox"/> cSt
SATELLITE GEARS	COMPOSITE <input type="checkbox"/>	STEEL <input type="checkbox"/>	GEARS 2 <input type="checkbox"/> 4 <input type="checkbox"/>
SLIPPER	2 PAD <input type="checkbox"/>	3 PAD <input checked="" type="checkbox"/>	ELIMINATOR <input type="checkbox"/>

GEARING			
PINION	20	SPUR GEAR	78

FRONT	SHOCKS	REAR
4	SPRINGS	3
cSt 600	OIL	425 cSt
<input checked="" type="checkbox"/> 2 HOLES	PISTONS	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input checked="" type="checkbox"/> ø1.6mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	<input type="checkbox"/> ø1.7mm	<input type="checkbox"/> 6 HOLES
DOWNSTOP SHIM	DOWNSTOP SHIM	DOWNSTOP SHIM
LENGTH	LENGTH	LENGTH
UPSTOP SHIM	UPSTOP SHIM	UPSTOP SHIM
COLLAR STANDARD -2mm	COLLAR STANDARD -2mm	COLLAR STANDARD -2mm
OTHER	OTHER	OTHER

FRONT	SHOCK TOWER	REAR
COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>
GRAPHITE <input type="checkbox"/>	GRAPHITE <input type="checkbox"/>	GRAPHITE <input type="checkbox"/>

ANTI ROLL BARS	
THICKNESS	mm

FRONT	TIRES	REAR
Swagger	BRAND	Minipin
	COMPOUND	
Aka	INSERTS	Schumacher
	WHEELS	

ELECTRONICS			
MOTOR	Absima 6.5	Absima CTS 1	SPEEDO
MOTOR TIMING		Absima	BATTERY

BODY	

COMMENT	
Front Swaybar 1.8	

FRONT	APPLIED <input type="radio"/>	APPLIED <input checked="" type="checkbox"/>	REAR
<b>CASTER BLOCK</b> MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	UPPER SHOCK POSITION SHIM 1 mm LOWER SHOCK POSITION SHIM 2 mm		<b>SHIM</b> 2 /mm HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU HIGH <input type="checkbox"/> ALU LOW <input type="checkbox"/>
<b>LONGER BUSHINGS</b> UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	<b>DRIVE SHAFT</b> Length /mm SHIM 4 mm		1 2 3 4 #325341 ADJ. DRIVE AXLE 0.5° 1°
<b>STEERING BLOCK</b> MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	CAMBER LINK LOCATION 2 1 3 2 1		

FRONT	REAR
<b>CASTER BUSHINGS</b> 0° <input type="checkbox"/> 2.5° <input checked="" type="checkbox"/> 5° <input type="checkbox"/> OTHER <input type="checkbox"/>	<b>STEERING ARMS</b> COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
<b>KICK-UP ANGLE</b> 23° <input type="checkbox"/> KIT 26° <input checked="" type="checkbox"/> 29° <input type="checkbox"/>	<b>ROLL CENTER ECCENTRIC BUSHINGS</b> RF 1° <input type="checkbox"/> 0.5° <input type="checkbox"/> RR 1° <input type="checkbox"/> 0.5° <input type="checkbox"/>
<b>BUMP STEER</b> SHIM 0 /mm	<b>STEERING PLATE</b> COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>

FRONT	BATTERY PLACEMENT	REAR
<b>FRONT TOE</b> 1.5 <b>OFFSET</b> 2 SLOTS <b>WHEELBASE SHIM</b> 0mm <input type="checkbox"/> 1mm <input checked="" type="checkbox"/>	<b>EXTENSION</b> 0 SLOTS <input type="checkbox"/> 1 SLOT <input type="checkbox"/> 2 SLOTS <input type="checkbox"/> 3 SLOTS <input checked="" type="checkbox"/> <b>SEVO HORNS</b> SHIM /mm <b>BATTERY SIZE</b> STD. SHORT <input checked="" type="checkbox"/> LOW SHORT <input type="checkbox"/>	<b>REAR TOE</b> 3 <b>OFFSET</b> 3 SLOTS <b>WHEELBASE</b> SHIM 0 /mm IN REAR OF ARM
<b>ROLL CENTER HOLDER</b> HARD <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	<b>GUARD BRACE FLEX</b> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	<b>COMPOSITE ROLL CENTER</b> ALU <input type="checkbox"/>
<b>SERVO BRACE</b> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	<b>UPPER BRACE</b> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	<b>ROLL CENTER</b> ALU <input type="checkbox"/>

FRONT	DIFF HEIGHT	REAR
<b>FRONT CAMBER</b> 2	1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8	<b>REAR CAMBER</b> 1
<b>FRONT ARM</b> MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	<b>RISE HEIGHT</b> 20 mm #107721 GAUGE	<b>REAR ARM</b> MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>

FRONT	ARM MOUNT	ARM SHIM
<b>ARM MOUNT</b> COMPOSITE <input type="checkbox"/> ALU <input type="checkbox"/> BRASS <input checked="" type="checkbox"/>	SERVO POSITION 1 2 3 BALANCE 60 g <b>CHASSIS</b> ALU <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	0 /mm
<b>CHASSIS BRACE</b> MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	<b>SERVO WEIGHT</b> STANDARD <input checked="" type="checkbox"/> LOW PROFILE <input type="checkbox"/>	