

# SET-UP SHEET

VER.01 ©XRAY

**XRAY X4F'23**

RACE	TOS R6 Mitte Siersburg		
TRACK	MAC Siersburg		
NAME	Jacques Libar	DATE	02.10.2022

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
23	1	1	10.6 /sec	/ /	/

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH
FRONT	TRANSMISSION
GEAR DIFFERENTIAL - OIL	100K /cSt

PINION / T	SPUR GEAR / T	FINAL DRIVE RATIO
38	100	5.0

FRONT	SHOCKS	REAR
2.3-2.6	XRAY SPRINGS	2.3
425	OIL /cSt	500
/	REBOUND %	/
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
<input type="checkbox"/> 3 HOLES <input type="checkbox"/> 4 HOLES <input checked="" type="checkbox"/> PSS	PISTONS ..... 1.0mm ..... ..... 1.1mm ..... ..... 1.2mm .....	<input type="checkbox"/> 3 HOLES <input checked="" type="checkbox"/> 4 HOLES <input type="checkbox"/> PSS
SHOCK LENGTH FRONT		SHOCK LENGTH REAR
9.5 /mm		10 /mm

1.4	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.3
Ride		TIRES		Ride
Mr33		ADDITIVE		Mr33
2*15 min		ADDITIVE TIMING		2*15 min

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT	1251 /g	WEIGHT BALANCE	FRONT 64 % REAR 36 %
--------------	---------	----------------	----------------------

MOTOR	HW ETS limiter	TIMING	
-------	----------------	--------	--

ESC	HW ETS Limiter	BATTERIES	4400 Team Zombie
-----	----------------	-----------	------------------

BODY	Blitz YRS	WING	std
------	-----------	------	-----

	BODY POSITION Dimension from body post to window bottom line /mm Dimension from body post to upper holder /mm WING SIDE PLATE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> Dimension from edge to surface low /mm
--	--

**COMMENTS**  
 6 deg caster on front (3 dot other way around )  
 Topdeck splitted  
 100g in Bumper

FRONT CASTER		FRONT & REAR SUSPENSION		REAR CASTER	
<input checked="" type="checkbox"/> 5° <input type="checkbox"/> 4° <input type="checkbox"/> 3°	Adjust with eccentric bushings	BUMP STEER 3 /mm HEIGHT 19 /mm SHIM 4 /mm	TOE GAIN 5 /mm TOE IN /mm TOE OUT /mm	<input checked="" type="checkbox"/> 0.5° <input type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5°	Adjust with eccentric bushings
1 /mm FF 5.2 /mm RIDE HEIGHT FR 1 /mm	<input type="checkbox"/> SERVO SAVER <input type="checkbox"/> SERVO HORN	2 /mm RF 5.4 /mm RIDE HEIGHT RR 2 /mm			

FRONT CAMBER		FRONT SUSPENSION		FRONT HUB	
2 /deg. Left=Right	BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> /mm	FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/> DRIVE SHAFT 58mm 59mm STD. BEARING	1 /mm SHIM 3 /mm FRONT SHOCK POSITION 1 2 3 4 SHIM 0.5 /mm	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	
			#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 5.0 /mm DOWNSTOP		

REAR CAMBER		REAR SUSPENSION		REAR HUB	
1 /deg. Left=Right		3.0 /mm SHIM 1.0 /mm REAR SHOCK POSITION 1 2 3 4 SHIM 3.0 /mm	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>		
			#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 2 /mm DOWNSTOP		

FRONT TOP VIEW		REAR TOP VIEW	
0 TOE OUT Left=Right ACKERMANN SHIM /mm DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/> UPPER ARM STANDARD <input type="checkbox"/> soft <input checked="" type="checkbox"/> OFFSET STANDARD <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> SHIM/mm TOP DECK STANDARD <input type="checkbox"/> SPLITTED <input checked="" type="checkbox"/> STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	1 TOE IN Left=Right 5 10 5 10 UPPER ARM STANDARD <input checked="" type="checkbox"/> OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm TOP DECK CUTTING		

FRONT BOTTOM VIEW		REAR BOTTOM VIEW	
STEER. LOCK 25 /deg. STEER. SHIM SIZE /mm FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	MOTOR MOUNT CHASSIS T-BRACE STEER. PLATE STANDARD <input checked="" type="checkbox"/> CHASSIS GRAPHITE <input checked="" type="checkbox"/>	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/> REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	