

# SET-UP SHEET

VER.01 ©XRAY

# XRAY X4'22

RACE	NYGP - 21.5 - Q2/P6		
TRACK	360V2		
NAME	Robbie Dodge	DATE	20221009

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
	2	6	/sec	/	

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input checked="" type="checkbox"/> YES	
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 10k /cSt
PINION	/T	SPUR GEAR /T
		FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.8
525	OIL /cSt	525
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 3 HOLES	PISTONS	3 HOLES
<input type="checkbox"/> 4 HOLES	1.0mm	<input type="checkbox"/> 4 HOLES
<input checked="" type="checkbox"/> PSS	1.1mm	<input type="checkbox"/> PSS
	1.2mm	<input checked="" type="checkbox"/> PSS
2x 0.8mm		2x 0.8mm

SHOCK LENGTH FRONT	8.7 /mm	SHOCK LENGTH REAR	8.7 /mm
--------------------	---------	-------------------	---------

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.3
-----	--------------	---------------	--------------	-----

Gravity Type C 57.5mm	TIRES	Gravity Type C
SXT 3.0	ADDITIVE	SXT 3.0
10	ADDITIVE TIMING	10

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT	/g	WEIGHT BALANCE	FRONT %	REAR %
--------------	----	----------------	---------	--------

MOTOR	R1 V21S 21.5	TIMING
-------	--------------	--------

ESC	R1 Digital 3	BATTERIES	R1 6000
-----	--------------	-----------	---------

BODY	OG Twister 0.4	WING	OG Twister 0.5
------	----------------	------	----------------

<p>Dimension from body post to window bottom line</p> <p>WING SIDE PLATE</p> <p>YES <input type="checkbox"/> NO <input type="checkbox"/></p> <p>Dimension from body post to upper holder</p> <p>Dimension from edge to surface</p>	BODY POSITION
--	---------------

COMMENTS

Diff filled w/1.4g of oil

Droop set w/shocks detached

FRONT CASTER	BUMP STEER	HEIGHT	SHIM	FRONT & REAR SUSPENSION	REAR CASTER	TOE GAIN
Adjust with eccentric bushings	5.5 /mm	19 /mm	8 /mm		Adjust with eccentric bushings	6.5 /mm
2 /mm FF	5.2 /mm	FR 2 /mm	<input type="checkbox"/> SERVO SAVER		2 /mm RF	5.4 /mm
<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> SERVO HORN			<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT

1.8 /deg. CAMBER	Left = Right	BODY STOP	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FRONT SUSPENSION	2.5 /mm SHIM	2 /mm	FRONT HUB	COMPOSITE <input checked="" type="checkbox"/>	ALU <input type="checkbox"/>
				FRONT BRACE	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>				
				BULKHEAD SHIMS	YES <input checked="" type="checkbox"/> 3mm	NO <input type="checkbox"/>			
				DRIVE SHAFT	58mm	59mm			
				STD. BEARING	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
				#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	6 /mm	DOWNSTOP		

2 /deg. CAMBER	Left = Right	BODY POST	VERTICAL <input checked="" type="checkbox"/>	REAR SUSPENSION	2.5 /mm SHIM	1 /mm	REAR HUB	COMPOSITE <input checked="" type="checkbox"/>	ALU <input type="checkbox"/>
			HORIZONTAL <input type="checkbox"/>						
				REAR SHOCK POSITION	1 2 3 4				
				DRIVE SHAFT	52mm	54mm			
				STD. BEARING	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
				#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	4.8 /mm	DOWNSTOP		

1 TOE OUT	Left = Right	ACKERMANN	SHIM 0.5 /mm	FRONT TOP VIEW	REAR	2.2 TOE IN	Left = Right
DIFF POSITION	UP <input checked="" type="checkbox"/>	DOWN <input type="checkbox"/>				DIFF POSITION	UP <input checked="" type="checkbox"/>
							DOWN <input type="checkbox"/>
UPPER ARM	STANDARD <input checked="" type="checkbox"/>					UPPER ARM	STANDARD <input checked="" type="checkbox"/>
OFFSET	STANDARD <input checked="" type="checkbox"/>	-0.5mm <input type="checkbox"/>				OFFSET	STANDARD <input checked="" type="checkbox"/>
							-0.5mm <input type="checkbox"/>
SHIM/mm	0.5					SHIM/mm	1

FRONT BOTTOM VIEW	REAR
STEER. LOCK	24 /deg.
STEER. SHIM	SIZE 9.0 /mm
FRONT BRACE	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
FRONT ARMS	MEDIUM <input type="checkbox"/>
	HARD <input checked="" type="checkbox"/>
STEER. PLATE	STANDARD <input checked="" type="checkbox"/>
	+1mm <input type="checkbox"/>
CHASSIS	GRAPHITE <input type="checkbox"/>
	ALU <input checked="" type="checkbox"/>
	ALU FLEX <input type="checkbox"/>
REAR ARMS	MEDIUM <input type="checkbox"/>
	HARD <input checked="" type="checkbox"/>