

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	NYGP - 17.5 - Q3/P3		
TRACK	360V2		
NAME	Robbie Dodge	DATE	20221009

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
	3	3	/sec	/	

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input checked="" type="checkbox"/> YES	
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 10k /cSt
PINION	/T	SPUR GEAR /T
		FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.8
450	OIL /cSt	450
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 3 HOLES	PISTONS	3 HOLES <input type="checkbox"/>
<input type="checkbox"/> 4 HOLES	1.0mm	4 HOLES <input type="checkbox"/>
<input checked="" type="checkbox"/> PSS	1.1mm	<input type="checkbox"/> PSS
	1.2mm	
2x 0.8mm		2x 0.8mm

SHOCK LENGTH FRONT	8.7 /mm	SHOCK LENGTH REAR	8.7 /mm
--------------------	---------	-------------------	---------

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.3
-----	--------------	---------------	--------------	-----

Gravity Type C 57.5mm	TIRES	Gravity Type C
SXT 3.0	ADDITIVE	SXT 3.0
10	ADDITIVE TIMING	10

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT	/g	WEIGHT BALANCE	FRONT %	REAR %
--------------	----	----------------	---------	--------

MOTOR	R1 V21S 17.5	TIMING	
-------	--------------	--------	--

ESC	R1 Digital 3	BATTERIES	R1 6000
-----	--------------	-----------	---------

BODY	OG Twister 0.4	WING	OG Twister 0.5
------	----------------	------	----------------

	BODY POSITION Dimension from body post to window bottom line /mm Dimension from body post to upper holder /mm WING SIDE PLATE YES <input type="checkbox"/> NO <input type="checkbox"/> Dimension from edge to surface /mm
--	--

COMMENTS
 Diff filled w/1.4g of oil
 Droop set w/shocks detached

FRONT & REAR SUSPENSION	
FRONT CASTER <input checked="" type="checkbox"/> 5° <input type="checkbox"/> 4° <input type="checkbox"/> 3° Adjust with eccentric bushings	BUMP STEER 5.5 /mm
HEIGHT 19 /mm	SHIM 8 /mm
TOE GAIN 6.5 /mm	REAR CASTER <input type="checkbox"/> 0.5° <input type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input checked="" type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° Adjust with eccentric bushings
2 /mm FF <input checked="" type="checkbox"/> 5.2 /mm <input checked="" type="checkbox"/> RIDE HEIGHT	2 /mm FR <input checked="" type="checkbox"/> 2 /mm <input checked="" type="checkbox"/> RIDE HEIGHT
<input type="checkbox"/> SERVO SAVER <input checked="" type="checkbox"/> SERVO HORN	2 /mm RF <input checked="" type="checkbox"/> 5.4 /mm <input checked="" type="checkbox"/> RIDE HEIGHT
<input type="checkbox"/> 2 /mm <input checked="" type="checkbox"/> 2 /mm <input checked="" type="checkbox"/> RIDE HEIGHT	<input type="checkbox"/> 2 /mm RR <input checked="" type="checkbox"/> 2 /mm <input checked="" type="checkbox"/> RIDE HEIGHT

1.8 /degr. CAMBER Left = Right	BODY STOP YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FRONT SUSPENSION FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	2.5 /mm SHIM 2 /mm	FRONT HUB COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
DRIVE SHAFT <input checked="" type="checkbox"/> 58mm <input type="checkbox"/> 59mm <input type="checkbox"/> STD. BEARING	BULKHEAD SHIMS YES <input type="checkbox"/> 3mm <input type="checkbox"/> NO	FRONT SHOCK POSITION 1 2 3 4	SHIM 0.5 /mm	SHIM 0.5 /mm
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	6 /mm	DOWNSTOP	DOWNSTOP

2 /degr. CAMBER Left = Right	BODY POST VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>	REAR SUSPENSION REAR BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	2.5 /mm SHIM 1 /mm	REAR HUB COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
DRIVE SHAFT <input checked="" type="checkbox"/> 52mm <input type="checkbox"/> 54mm <input type="checkbox"/> STD. BEARING	REAR SHOCK POSITION 1 2 3 4	SHIM 1.5 /mm	SHIM 1.5 /mm	SHIM 1.5 /mm
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	4.8 /mm	DOWNSTOP	DOWNSTOP

FRONT TOP VIEW	REAR
1 TOE OUT Left = Right	2.2 TOE IN Left = Right
ACKERMANN SHIM 0.5 /mm	SHIM /mm
DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>
UPPER ARM STANDARD <input checked="" type="checkbox"/>	UPPER ARM STANDARD <input checked="" type="checkbox"/>
STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	TOP DECK FLEX NONE <input type="checkbox"/> BEARING <input type="checkbox"/>
OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm 0.5	TOP DECK 1.6mm <input type="checkbox"/> 2.0mm <input type="checkbox"/>
TOP DECK <input checked="" type="checkbox"/> SPLITTED	TOP DECK CUTTING

FRONT BOTTOM VIEW	REAR
STEER. LOCK 24 /degr.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 9 /mm	CHASSIS T-BRACE
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	MOTOR MOUNT
SERVO HOLDER FR <input type="checkbox"/> RE <input checked="" type="checkbox"/>	CHASSIS GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/> ALU FLEX <input type="checkbox"/>
FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>
STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>	