

XRAY XB8'22 PIVOT BALL

FRONT

PIVOT BALLS
UP STEEL ☒ ALU
DOWN STEEL ☒ ALU

OFFSET
0 +1 +2
☐ ☒ ☐

PIVOT NUT
ALU ☐
BRASS ☒

FRONT DROOP
MEASURE UNDER WHEEL AXLE #10717 GAUGE

STEERING BLOCK
MEDIUM ☐
HARD ☐
GRAPHITE ☒

UPPER ARM SHIM /mm
0 ☒ 1 ☐ 1.5 ☐ 2 ☐

FRONT LOWER SHOCK POSITION
2 1

LOWER ARM SHIM
☒ 0 ☐ 1mm ☐ 2mm

SHOCK TOWERS
FRONT ALU ☒ GRAPHITE ☒ ALU
REAR ALU ☐ GRAPHITE ☒ ALU

UPPER SHOCK POSITION
6 5 4 3 2 1

ANTI-ROLL BAR
1 2

UPRIGHT
MEDIUM ☐
HARD ☐
GRAPHITE ☒
ALU ☐

UPRIGHT ROLL CENTER
1 2 3

REAR ROLL CENTER
3 2 1

LOWER ROLL CENTER
3 2 1

REAR DROOP
MEASURE UNDER WHEEL AXLE #10717 GAUGE

FRONT

UPPER ROLL CENTER
1° ☒ 0.5°

CASTER SHIM
0 1.0 1.0 2.0
UPPER ARM POSITION

BUMP STEER SHIM
STEERING PLATE /mm
STEERING BLOCK /mm
SHIMS PLACE ALWAYS UNDER

WHEELBASE SHIM POSITION
0mm ☒ 2mm ☐ 4mm
SHIMS BEHIND FRONT ARM

REAR WING
COMPOSITE ☐
LEXAN ☒
OTHER ☐
FRONT MIDDLE REAR

GRAPHITE BRACE
WITHOUT ☐
1-PIECE ☐
2-PIECES ☒

WING HOLDER
FRONT ☒
REAR ☐

WHEELBASE SHIM POSITION
0mm ☒ 2mm ☐ 4mm
SHIMS IN FRONT OF REAR ARM

RF
1° ☒ 0.5°

FRONT LOWER ROLL CENTER
ECCENTRIC BUSHINGS

RR
1° ☒ 0.5°

FRONT

FRONT TOE OUT
2

STEERING PLATE
1 DOTS ☐ 2 DOTS ☒

WHEELBASE
0mm ☐ 1mm ☒ 2mm ☐ 3mm ☐ 4mm
SHIMS IN FRONT OF UPRIGHT

REAR TOE IN
2

FRONT DRIVE SHAFT
CVD ☒
UNIVERSAL ☐
LENGHT /mm

TOP DECK
COMPOSITE ☐
GRAPHITE ☒

SERVO SAVER
TIGHT ☒
MEDIUM ☐
SOFT ☐

SIDE GUARD
SOFT ☐
MEDIUM ☐
GRAPHITE ☐

RADIO CASE
SOFT ☐ HARD ☐

REAR DRIVE SHAFT
CVD ☒
UNIVERSAL ☐
LENGHT /mm

DIFF PLATE
COMP. ☐
GRAPHITE ☒

DRIVE SHAFT
CVD ☒
DOGBONE ☐

GRAPHITE BRACE
YES ☐ NO ☒

FRONT

FRONT CAMBER
2.5

LENGTH
mm

UPPER ARM
SOFT ☐
MEDIUM ☐
GRAPHITE ☒

LOWER ARM
SOFT ☐
MEDIUM ☐
GRAPHITE ☒

105 /mm

FULL TRAVEL SHOCKS LENGTH
125 /mm

REAR CAMBER
2.5

LENGTH
/mm

RIDE HEIGHT
24 /mm

RIDE HEIGHT
29 /mm

FRONT

REAR