

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	Korean Championships(KMRCA)			
TRACK	AC. SPEED WAY			
NAME	KIM BYUNH HWAN	DATE		

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
3	2	10.9 /sec	/	

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input checked="" type="checkbox"/> TECHNICAL <input type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL 7000 /cSt
PINION 27 /T	SPUR GEAR 110 /T	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.8
350	OIL /cSt	350
	REBOUND %	
<input type="checkbox"/> YES <input type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input type="checkbox"/> NO

<input type="checkbox"/> 4 HOLES	1.1mm	1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input checked="" type="checkbox"/> PSS	1.2mm	1.2mm	<input type="checkbox"/> PSS
SHOCK LENGTH 8.5 /mm		SHOCK LENGTH 8.5 /mm	

1.1	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

SWEEP	TIRES	SWEEP
	ADDITIVE	
	ADDITIVE TIMING	

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT 1350 /g	WEIGHT BALANCE	FRONT 49 %	REAR 51 %
----------------------	----------------	------------	-----------

MOTOR	ZOMBI 4.5	TIMING
ESC	G2	BATTERIES
BODY	TWISTER.S	WING

67 /mm	Dimension from body post to window bottom line	BODY POSITION
/mm	Dimension from body post to upper holder	WING SIDE PLATE
		YES <input type="checkbox"/> NO <input type="checkbox"/>
65 /mm	Dimension from edge to surface	

1.6mm	<input checked="" type="checkbox"/> 2.0mm	1.6mm
X4'23		
2.0mm	<input type="checkbox"/> 1.6mm	
X4'22		
2.0mm	<input type="checkbox"/> 1.6mm	
X4'22		
NONE	<input type="checkbox"/> BEARING	

COMMENTS

FRONT & REAR SUSPENSION	
FRONT CASTER	REAR CASTER
Adjust with eccentric bushings	Adjust with eccentric bushings
UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm	UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm
BUMP STEER 3 /mm	HEIGHT 19 /mm
SHIM 8 /mm	
2 /mm FF	5.2 /mm FR
2 /mm	2 /mm
<input checked="" type="checkbox"/> SERVO SAVER	<input checked="" type="checkbox"/> SERVO HORN
TOE GAIN 4 /mm	2 /mm RF
5.4 /mm RR	

FRONT SUSPENSION	FRONT HUB
2 /deg. CAMBER	1 /mm SHIM 2 /mm
Left = Right	
BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	HARD <input checked="" type="checkbox"/>
	GRAPHITE <input type="checkbox"/>
	ALU <input type="checkbox"/>
FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	SHIM 0.5 /mm
BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>	
DRIVE SHAFT 58mm 59mm BEARING BLADE	
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge
	5.4 /mm DOWNSTOP

REAR SUSPENSION	REAR HUB
2 /deg. CAMBER	0.5 /mm SHIM 2 /mm
Left = Right	
BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>	HARD <input checked="" type="checkbox"/>
	GRAPHITE <input type="checkbox"/>
	ALU <input type="checkbox"/>
REAR BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	SHIM /mm
BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>	
DRIVE SHAFT 52mm 54mm BEARING BLADE	
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge
	4.2 /mm DOWNSTOP

FRONT TOP VIEW	REAR
1 TOE OUT	2.5 TOE IN
Left = Right	Left = Right
ACKERMANN SHIM /mm	SHIM /mm
DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN
UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>	UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>
STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	STEERING PLATE 8.0mm <input checked="" type="checkbox"/> STD. <input type="checkbox"/> 7.5mm
HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> +0.5mm SHIM/mm 0.25	HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 28 /deg.	T-BRACE ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE FR RE	MOTOR MOUNT
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CHASSIS T-BRACE
SERVO HOLDER	CHASSIS
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>
	GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input type="checkbox"/>