

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	ProLevel Test		
TRACK	ProLevel RC		
NAME	Alexander Hagberg	DATE	22/11/22

QUAL POSITION	FINAL POSITION	BEST LAP TIME	LAPS	TIME
		8.8 /sec	/	

TRACK			
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT	
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED	<input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL 7000 /cSt
PINION 29 /T	SPUR GEAR 110 /T	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.4-2.7	XRAY SPRINGS	2.8
400	OIL /cSt	400
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 4 HOLES	1.1mm	1.1mm	4 HOLES
<input checked="" type="checkbox"/> PSS	1.2mm	1.2mm	PSS
2x0.8			2x0.8
SHOCK LENGTH 8.5 /mm			SHOCK LENGTH 9.0 /mm

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
Gravity Type C		TIRES		Gravity Type C
SXT 3.0		ADDITIVE		SXT 3.0
8		ADDITIVE TIMING		8

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT 1320 /g	WEIGHT BALANCE	FRONT 49 %	REAR 51 %
----------------------	----------------	------------	-----------

MOTOR	HW G3 5.0T	TIMING	
ESC	XR10 PRO G2S	BATTERIES	Sunpadow 4000
BODY	Twister UL	WING	Twister L

66 /mm	Dimension from body post to window bottom line	BODY POSITION
29 /mm	Dimension from body post to upper holder	WING SIDE PLATE
		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
64 /mm	Dimension from edge to surface	

1.6mm	<input checked="" type="checkbox"/> 2.0mm	<input checked="" type="checkbox"/> 1.6mm
X4'23		
2.0mm	<input type="checkbox"/> 1.6mm	
X4'22		
2.0mm	<input type="checkbox"/> 1.6mm	
X4'22		
NONE	<input type="checkbox"/> BEARING	

COMMENTS

FRONT & REAR SUSPENSION
FRONT CASTER <input checked="" type="checkbox"/> 5° <input type="checkbox"/> 4° <input type="checkbox"/> 3° Adjust with eccentric bushings
BUMP STEER 3 /mm
HEIGHT 19 /mm
SHIM 6 /mm
UPPER CLAMP STD. <input type="checkbox"/> <input checked="" type="checkbox"/> -1.5mm
REAR CASTER <input type="checkbox"/> 0.5° <input type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° Adjust with eccentric bushings
UPPER CLAMP STD. <input type="checkbox"/> <input checked="" type="checkbox"/> -1.5mm
TOE GAIN 4.5 /mm
TOE IN 3.0 /mm
TOE OUT 5.4 /mm
TOE 3.0 /mm
TOE 3.0 /mm
TOE 3.0 /mm

FRONT SUSPENSION
2.0 /deg. CAMBER Left = Right
BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> /mm
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
FRONT SHOCK POSITION 1 2
BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO
DRIVE SHAFT <input checked="" type="checkbox"/> 58mm <input type="checkbox"/> 59mm <input checked="" type="checkbox"/> BEARING <input type="checkbox"/> BLADE
SHIM 0.5 /mm
FRONT HUB HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>

REAR SUSPENSION
2.0 /deg. CAMBER Left = Right
BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>
REAR SHOCK POSITION 1 2
SHIM 1.5 /mm
REAR HUB HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>

FRONT TOP VIEW	REAR
1.25 TOE OUT Left = Right	2.5 TOE IN Left = Right
ACKERMANN SHIM 1.5 /mm	SHIM /mm
BRASS WEIGHT FOR MOTOR MOUNT 5 5 5 15 10	BRASS WEIGHT FOR MOTOR MOUNT 25
DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>
UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>	UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>
STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	STEERING PLATE 8.0mm STD. <input type="checkbox"/> <input checked="" type="checkbox"/> 7.5mm
HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 26 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 7.5 /mm	FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	REAR BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>
CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input checked="" type="checkbox"/>	CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input checked="" type="checkbox"/>