

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	R1 M R - STOCK		
TRACK	Bohumin		
NAME	Jirka Vyšín	DATE	25/2/2023

QUAL POSITION	FINAL POSITION	BEST LAP TIME	LAPS	TIME
2	2	/sec	/	

TRACK			
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT	
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED	<input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL
PINION	SPUR GEAR	FINAL DRIVE RATIO
38 /T	100 /T	

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.6
350	OIL /Cst	350
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS
SHOCK LENGTH	8.5 /mm	8.5 /mm	SHOCK LENGTH

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

Hudy	TIRES	Hudy
Hudy Red	ADDITIVE	Hudy Red
7	ADDITIVE TIMING	15

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT
<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>

TOTAL WEIGHT	1300 /g	WEIGHT BALANCE	FRONT 49.5 %	REAR 50.5 %
--------------	---------	----------------	--------------	-------------

MOTOR	Muchmore 13.5T	TIMING	
ESC	HOBBYWING G2S	BATTERIES	EZPower 6100mah
BODY	Wolverine 0.5	WING	Wolverine 0.5

66 /mm	Dimension from body post to window bottom line	BODY POSITION
6th+orin /mm	Dimension from body post to upper holder	WING SIDE PLATE
		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
63.5 /mm	Dimension from edge to surface	

1.6mm	<input checked="" type="checkbox"/> 2.0mm	<input checked="" type="checkbox"/> 1.6mm
X4'23		
X4'22	2.0mm	2.0mm
X4'22	2.0mm	1.6mm
	NONE	BEARING

12g plate under the batt, 2x 10g under front belt, 10g under rear belt
--

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings		Adjust with eccentric bushings
UPPER CLAMP		UPPER CLAMP
STD. <input checked="" type="checkbox"/> -1.5mm		STD. <input checked="" type="checkbox"/> -1.5mm
2 /mm		2 /mm
5 /mm		5 /mm
FR 2 /mm		FR 2 /mm
<input type="checkbox"/> SERVO SAVER		<input type="checkbox"/> SERVO SAVER
<input checked="" type="checkbox"/> SERVO HORN		<input checked="" type="checkbox"/> SERVO HORN

FRONT	FRONT SUSPENSION	FRONT HUB
2 /deg.	CAMBER	
Left = Right		
YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	BODY STOP	
1 /mm	SHIM	2 /mm
YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FRONT BRACE	
FRONT SHOCK POSITION		
BULKHEAD SHIMS		
YES <input checked="" type="checkbox"/> 3mm		
DRIVE SHAFT		
58mm		
59mm		
BEARING		
BLADE		
#107702 Chassis Droop Gauge Blocks		
#107712 Chassis Droop Gauge		
6.6 /mm		
DOWNSTOP		

REAR	REAR SUSPENSION	REAR HUB
2 /deg.	CAMBER	
Left = Right		
YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	BODY POST	
1 /mm	SHIM	2 /mm
REAR SHOCK POSITION		
SHIM		
0.5 /mm		
DRIVE SHAFT		
52mm		
54mm		
BEARING		
BLADE		
#107702 Chassis Droop Gauge Blocks		
#107712 Chassis Droop Gauge		
4.0 /mm		
DOWNSTOP		

FRONT TOP VIEW	REAR
1	TOE OUT
Left = Right	
ACKERMANN	
SHIM	
1 /mm	
SHIM	
1.75	TOE IN
Left = Right	
DIFF POSITION	
UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	
UPPER ARM	
SOFT <input type="checkbox"/> MEDIUM STD. <input checked="" type="checkbox"/>	
STEERING BRIDGE	
YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
STEERING PLATE	
8.0mm	
STD. <input checked="" type="checkbox"/>	
7.5mm	
HUB OFFSET	
STD. <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> +0.5mm	
SHIM/mm	

FRONT BOTTOM VIEW	REAR
STEER. LOCK	
26 /deg.	
STEER. SHIM	
SIZE	
FR RE	
SERVO HOLDER	
FRONT BRACE	
YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
T-BRACE	
ALU <input type="checkbox"/> BRASS <input type="checkbox"/>	
MOTOR MOUNT	
CHASSIS	
GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input checked="" type="checkbox"/>	
FRONT ARMS	
MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	
REAR ARMS	
MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	