

SET-UP SHEET

RX8'23 SET-UP SHEET VER. 1 ©XRAY

XRAY RX8'23

RACE	1st french Cup	
TRACK	MRTE	
NAME	Thomas Eytard	DATE 12/03/23

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
2	1	14"708 /sec	168/	45"14

TRACKS				
TRACK CONDITION	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY	
	<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED	<input type="checkbox"/> FAST	
TRACK TRACTION	<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH	

GEARING										
PINION	1st	17	<input checked="" type="checkbox"/> 18	<input type="checkbox"/> 19	SPUR	1st	57	<input type="checkbox"/> 58	<input checked="" type="checkbox"/> 59	60
	2nd	22	<input checked="" type="checkbox"/> 23	<input type="checkbox"/> 24		<input type="checkbox"/> 25	2nd	53	<input type="checkbox"/> 54	<input checked="" type="checkbox"/> 55
PULLEY		28	<input checked="" type="checkbox"/> 29	<input type="checkbox"/> 30	RATIO 1st		RATIO 2nd			

FRONT	SHOCKS	REAR
7.5	SPRING	5.6
700	OIL	800
25	REBOUND	25
<input type="checkbox"/> YES <input type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input type="checkbox"/> NO
PISTONS		
<input type="checkbox"/> 2 HOLES	<input type="checkbox"/> 1.0mm	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input type="checkbox"/> 3 HOLES
<input checked="" type="checkbox"/> 1hole	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> OTHER

FRONT	WIRE	REAR
2.2		2.8

FRONT	TIRES	REAR
LEFT	RIGHT	LEFT
hot race	MANUFACTURER	
32	SHORE /degr.	35
69	DIAMETER	76
68	5 MIN. WEAR	75
RUBBER TIRES		

ENGINE			
ENGINE	max	FUEL	energy
CARB. DIA /mm	8.5	HEAD CLEARANCE	PLUG rp8
MUFFLER	max	MANIFOLD	

CLUTCH / BRAKE			
CLUTCH TYPE	<input checked="" type="checkbox"/> STANDARD	OTHER	
CLUTCH BELL	<input type="checkbox"/> STANDARD	<input checked="" type="checkbox"/> ALU	OTHER
CLUTCH SHOE	<input checked="" type="checkbox"/> STANDARD	OTHER	
CLUTCH SPRING	<input type="checkbox"/> STANDARD	OTHER BM	
CLUTCH FLY WEIGHT	<input checked="" type="checkbox"/> 3mm Set screw	<input type="checkbox"/> 4mm Set screw	<input type="checkbox"/> WITHOUT
CLEARANCE /mm	0.7		
SPRING PRELOAD /mm	1		
BRAKE PAD	<input checked="" type="checkbox"/> STANDARD	OTHER	
BRAKE DISC	<input checked="" type="checkbox"/> STANDARD	OTHER	

BODY	super diablo
------	--------------

WING	HEIGHT
------	--------

COMMENTS

10g sur pare choc

FRONT

AERO DISK

YES ☒ NO ☐

ECCENTER

BUMP STEER SHIM

2 mm

FRONT

WHEELBASE

FRONT ☒ REAR ☐

8 mm

WHEEL DIAMETER

REAR

AERO DISK

YES ☐ NO ☒

ECCENTER

WHEELBASE

FRONT ☐ REAR ☒

9 mm

WHEEL DIAMETER

STEER. BLOCK

MEDIUM ☐ HARD ☒ GRAPHITE ☐

UPPER ARM

MEDIUM ☐ HARD ☒ GRAPHITE ☐

ROLL CENTER

SHOCK SHIM

0 mm

SHIM

1 mm

UPPER SHOCK POSITION

ROLL CENTER

UPPER ARM

MEDIUM ☐ HARD ☒ GRAPHITE ☐

SHIM

1 mm

LOWER ARM

FRONT ☒ REAR ☒

#107701 SUPPORT BLOCKS

HUDY

MEASURE UNDER STEERING BLOCK

0 mm

DOWNSTOP

FRONT ☐ REAR ☒

MEASURE UNDER REAR UPRIGHT

8 mm

TOE OUT

1.5°

TOE IN

3°

OUTER ACKERMANN POSITION

UPPER ARM SHIMS

0 1 2 3 4

FRONT BRACE

YES ☒ NO ☐

SERVO SAVER

4 3 2 1

FRONT BRACE

YES ☐ NO ☒

FLEX SCREW

YES ☐ NO ☒

CAMBER /degr.

LEFT 2 RIGHT 2

SHOCK PLATE

STEEL ☐ GRAPHITE ☐ LONG ☒ SHORT ☐

SUSP. HOLDERS

STANDARD ☒ +2mm ☐

ROLL CENTER

SHIM

2 mm

CAMBER /degr.

LEFT 3 RIGHT 3.2

CAMBER LINK LOCATION

FRONT

252 mm

TRACK WIDTH

FRONT 252 mm REAR 262 mm

REAR

262 mm

BUMPER WINDOW

CUT ☐ NO-CUT ☒

FRONT BALANCE

GRAPHITE ☐ ALU ☐

FRONT BRACE

YES ☐ NO ☒

BALANCE /g

30 30

ENGINE MOUNT

2 MOUNTS BLOCK ☒ ALU ☐ MONOBLOCK ☐ BRASS ☐

BATTERIES HOLDER

BRASS ☐ GRAPHITE ☐ COMPOSITE ☐