

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	Canadian On road Nationals		
TRACK	Seaway Mall		
NAME	Keven Hebert	DATE	03/03/23

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
1	1	9.4 /sec	37 /	6.00

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input checked="" type="checkbox"/> TECHNICAL <input type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL 7000 /cSt
PINION 29 /T	SPUR GEAR 110 /T	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5/2.8	XRAY SPRINGS	2.7
425	OIL /Cst	425
10	REBOUND %	10
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 4 HOLES	1.1mm	1.1mm	<input type="checkbox"/> 4 HOLES
<input checked="" type="checkbox"/> PSS	1.2mm	1.2mm	<input checked="" type="checkbox"/> PSS
2x 0.8			2x 0.8
SHOCK LENGTH 8.5 /mm			SHOCK LENGTH 8.5 /mm

1.2	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

Gravity	TIRES	Gravity
sxt 3.0	ADDITIVE	sxt 3.0-
10min	ADDITIVE TIMING	10min

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT 1324 /g	WEIGHT BALANCE	FRONT 50 %	REAR 50 %
----------------------	----------------	------------	-----------

MOTOR	Motiv MC4 5.5	TIMING	
ESC	HW XR10 Pro G2S	BATTERIES	Motiv 4800
BODY	Twister	WING	Speciale .5

66 /mm	Dimension from body post to window bottom line	BODY POSITION
8th hole /mm	Dimension from body post to upper holder	WING SIDE PLATE
		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
64 /mm	Dimension from edge to surface	

X4'23	<input checked="" type="checkbox"/>	1.6mm	<input checked="" type="checkbox"/>	2.0mm	<input checked="" type="checkbox"/>	1.6mm
X4'22	<input type="checkbox"/>	2.0mm	<input type="checkbox"/>	2.0mm	<input type="checkbox"/>	1.6mm
X4'22	<input type="checkbox"/>	2.0mm	<input type="checkbox"/>	1.6mm	<input type="checkbox"/>	NONE <input type="checkbox"/> BEARING <input type="checkbox"/>

5g front heavy	COMMENTS
----------------	----------

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings		Adjust with eccentric bushings
UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm		UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm
2.5 /mm FF	5.1 /mm FR	2.5 /mm RF
RIDE HEIGHT	RIDE HEIGHT	RIDE HEIGHT
<input checked="" type="checkbox"/> SERVO SAVER	<input type="checkbox"/> SERVO HORN	

2 /deg. CAMBER	Left = Right	BODY STOP YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FRONT SUSPENSION	2.5 /mm SHIM	2 /mm	FRONT HUB
			FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FRONT SHOCK POSITION		HARD <input type="checkbox"/>
			BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>			GRAPHITE <input checked="" type="checkbox"/>
			DRIVE SHAFT 58mm 59mm BEARING BLADE			ALU <input type="checkbox"/>
						SHIM .5 /mm

2 /deg. CAMBER	Left = Right	BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>	REAR SUSPENSION	1.5 /mm SHIM	2 /mm	REAR HUB
			REAR SHOCK POSITION			HARD <input type="checkbox"/>
						GRAPHITE <input checked="" type="checkbox"/>
			DRIVE SHAFT 52mm 54mm BEARING BLADE			ALU <input type="checkbox"/>
						SHIM 1.5 /mm

FRONT TOP VIEW	REAR
.5 TOE OUT	3 TOE IN
Left = Right	Left = Right
ACKERMANN SHIM 1.5 /mm	SHIM 0- /mm
DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN
UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>	UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>
STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	STEERING PLATE 8.0mm <input checked="" type="checkbox"/> STD. 7.5mm
HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 26 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 7.5 /mm	MOTOR MOUNT
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CHASSIS T-BRACE
SERVO HOLDER	CHASSIS
FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>