

# SET-UP SHEET

SET-UP VER.01 ©XRAY

# XRAY XB8E'22 PIVOT BALL

RACE	GoldFinger Off-Road Challenge																										
TRACK	Banwol Raceway																										
NAME	HyunKyu JUNG	DATE	2 April 2023																								
TEMPERATURE AIR	24	TEMPERATURE TRACK																									
LAPS	23	FINAL POSITION	1st																								
BEST LAPTIME	24.3	RACE LENGTH	10 /min																								
<b>TRACKS</b> SIZE <input type="checkbox"/> OPEN <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> TIGHT TRACTION <input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH SURFACE <input type="checkbox"/> SMOOTH <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> BUMPY TYPE <input checked="" type="checkbox"/> HARD PACKED <input type="checkbox"/> SOFT DIRT <input type="checkbox"/> CLAY <input type="checkbox"/> BLUE GROVE <input type="checkbox"/> ASTRO TURF <input type="checkbox"/> GRASS CONDITION <input type="checkbox"/> DRY <input checked="" type="checkbox"/> DUSTY <input type="checkbox"/> WET <input type="checkbox"/> MUD																											
<b>DIFFERENTIAL</b> <table border="1"> <tr> <th>FRONT</th> <th>CENTER</th> <th>REAR</th> <th>CASE MATERIAL</th> </tr> <tr> <td>STD</td> <td>STD</td> <td>STD</td> <td></td> </tr> <tr> <th>OIL</th> <th></th> <th></th> <th></th> </tr> <tr> <td>6000</td> <td>7000</td> <td>2000</td> <td></td> </tr> <tr> <th>CROWN GEAR</th> <th></th> <th></th> <th></th> </tr> <tr> <td>14/46</td> <td></td> <td>14/46</td> <td></td> </tr> </table>				FRONT	CENTER	REAR	CASE MATERIAL	STD	STD	STD		OIL				6000	7000	2000		CROWN GEAR				14/46		14/46	
FRONT	CENTER	REAR	CASE MATERIAL																								
STD	STD	STD																									
OIL																											
6000	7000	2000																									
CROWN GEAR																											
14/46		14/46																									
<b>GEARING</b> MOTOR PINION 17 /T 46 /T SPUR GEAR																											
<b>SHOCKS</b> <table border="1"> <tr> <th>FRONT</th> <th>TYPE</th> <th>REAR</th> </tr> <tr> <td>Zero rebound</td> <td></td> <td>Zero rebound</td> </tr> <tr> <td>4 Dots</td> <td></td> <td>3 Dots</td> </tr> <tr> <td>Cell Soft with punched hole</td> <td></td> <td>Cell Soft with punched hole</td> </tr> <tr> <td>650 /cSt</td> <td></td> <td>450 /cSt</td> </tr> <tr> <td> <input type="checkbox"/> 6 HOLES  <input checked="" type="checkbox"/> 8 HOLES  <input type="checkbox"/> 10 HOLES         </td> <td>           SPRINGS            MEMBRANE            OIL            PISTONS            1.1 mm  <input checked="" type="checkbox"/> 1.2 mm  <input type="checkbox"/> 1.3 mm  <input type="checkbox"/> 1.4 mm            OTHER            3x1.3+3x1.4         </td> <td> <input type="checkbox"/> 6 HOLES  <input type="checkbox"/> 8 HOLES  <input type="checkbox"/> 10 HOLES         </td> </tr> <tr> <td>           VALVE PISTONS            5+2 HOLES  <input type="checkbox"/> 1.5 mm  <input type="checkbox"/> 1.3 mm  <input type="checkbox"/> 1.4 mm  <input type="checkbox"/> 1.2 mm  <input type="checkbox"/> 1.3 mm         </td> <td></td> <td> <input checked="" type="checkbox"/> 5+2 HOLES  <input type="checkbox"/> 1.5 mm  <input type="checkbox"/> 1.3 mm  <input type="checkbox"/> 1.4 mm  <input type="checkbox"/> 1.2 mm  <input type="checkbox"/> 1.3 mm         </td> </tr> </table>				FRONT	TYPE	REAR	Zero rebound		Zero rebound	4 Dots		3 Dots	Cell Soft with punched hole		Cell Soft with punched hole	650 /cSt		450 /cSt	<input type="checkbox"/> 6 HOLES <input checked="" type="checkbox"/> 8 HOLES <input type="checkbox"/> 10 HOLES	SPRINGS MEMBRANE OIL PISTONS 1.1 mm <input checked="" type="checkbox"/> 1.2 mm <input type="checkbox"/> 1.3 mm <input type="checkbox"/> 1.4 mm OTHER 3x1.3+3x1.4	<input type="checkbox"/> 6 HOLES <input type="checkbox"/> 8 HOLES <input type="checkbox"/> 10 HOLES	VALVE PISTONS 5+2 HOLES <input type="checkbox"/> 1.5 mm <input type="checkbox"/> 1.3 mm <input type="checkbox"/> 1.4 mm <input type="checkbox"/> 1.2 mm <input type="checkbox"/> 1.3 mm		<input checked="" type="checkbox"/> 5+2 HOLES <input type="checkbox"/> 1.5 mm <input type="checkbox"/> 1.3 mm <input type="checkbox"/> 1.4 mm <input type="checkbox"/> 1.2 mm <input type="checkbox"/> 1.3 mm			
FRONT	TYPE	REAR																									
Zero rebound		Zero rebound																									
4 Dots		3 Dots																									
Cell Soft with punched hole		Cell Soft with punched hole																									
650 /cSt		450 /cSt																									
<input type="checkbox"/> 6 HOLES <input checked="" type="checkbox"/> 8 HOLES <input type="checkbox"/> 10 HOLES	SPRINGS MEMBRANE OIL PISTONS 1.1 mm <input checked="" type="checkbox"/> 1.2 mm <input type="checkbox"/> 1.3 mm <input type="checkbox"/> 1.4 mm OTHER 3x1.3+3x1.4	<input type="checkbox"/> 6 HOLES <input type="checkbox"/> 8 HOLES <input type="checkbox"/> 10 HOLES																									
VALVE PISTONS 5+2 HOLES <input type="checkbox"/> 1.5 mm <input type="checkbox"/> 1.3 mm <input type="checkbox"/> 1.4 mm <input type="checkbox"/> 1.2 mm <input type="checkbox"/> 1.3 mm		<input checked="" type="checkbox"/> 5+2 HOLES <input type="checkbox"/> 1.5 mm <input type="checkbox"/> 1.3 mm <input type="checkbox"/> 1.4 mm <input type="checkbox"/> 1.2 mm <input type="checkbox"/> 1.3 mm																									
<b>ANTI-ROLL BAR</b> FRONT 2.2 /mm THICKNESS 2.5 /mm REAR																											
<b>TIRES</b> <table border="1"> <tr> <th>FRONT</th> <th>BRAND</th> <th>REAR</th> </tr> <tr> <td>JetKo</td> <td></td> <td>JetKo</td> </tr> <tr> <td>JetKo Lesnar</td> <td>COMPOUND</td> <td>JetKo Lesnar</td> </tr> <tr> <td>JetKo</td> <td>INSERTS</td> <td>JetKo</td> </tr> <tr> <td>JetKo</td> <td>WHEELS</td> <td>JetKo</td> </tr> </table>				FRONT	BRAND	REAR	JetKo		JetKo	JetKo Lesnar	COMPOUND	JetKo Lesnar	JetKo	INSERTS	JetKo	JetKo	WHEELS	JetKo									
FRONT	BRAND	REAR																									
JetKo		JetKo																									
JetKo Lesnar	COMPOUND	JetKo Lesnar																									
JetKo	INSERTS	JetKo																									
JetKo	WHEELS	JetKo																									
<b>ELECTRONICS</b> MOTOR Tekin 1900KV SPEEDO Hobbywing XR8 Pro BATTERY TYPE DXF HV 6300Mah Shorty SADDLE PACK <input checked="" type="checkbox"/> BRICK PLATE <input type="checkbox"/> STANDARD BATT. <input type="checkbox"/> SHORT BATT. <input checked="" type="checkbox"/> FR RR FR RR SHORT <input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> BODY EAZY <input checked="" type="checkbox"/> EAZY LIGHT <input type="checkbox"/> OTHER TOTAL WEIGHT /g																											

<b>FRONT</b> PIVOT BALLS UP STEEL <input checked="" type="checkbox"/> ALU <input type="checkbox"/> DOWN STEEL <input checked="" type="checkbox"/> ALU <input type="checkbox"/> OFFSET 0 +1 +2 <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> PIVOT NUT ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/> FRONT DROOP MEASURE UNDER WHEEL AXLE #107717 GAUGE LOWER ARM SHIM <input checked="" type="checkbox"/> 0 1mm 2mm		<b>REAR</b> UPRIGHT MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> OFFSET 0 +1 +2 <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> SHOCK TOWERS FRONT ALU <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> REAR ALU <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> UPPER SHOCK POSITION UPPER ARM SHIM /mm <input type="checkbox"/> 0 <input checked="" type="checkbox"/> 1 <input type="checkbox"/> 1.5 <input type="checkbox"/> 2 FRONT LOWER SHOCK POSITION LOWER ARM SHIM <input checked="" type="checkbox"/> 0 1mm 2mm	
<b>FRONT</b> UPPER ROLL CENTER 1° <input checked="" type="checkbox"/> 0.5° 1° <input checked="" type="checkbox"/> 0.5° STEERING BLOCK CENTER TRAILING FF FR 1° <input checked="" type="checkbox"/> 0.5° 1° <input checked="" type="checkbox"/> 0.5° CASTER SHIM <input checked="" type="checkbox"/> 0 1.0 1.0 2.0 UPPER ARM POSITION BUMP STEER SHIM STEERING PLATE 0 /mm STEERING BLOCK 0 /mm SHIMS PLACE ALWAYS UNDER WHEELBASE SHIM POSITION <input type="checkbox"/> 0mm <input checked="" type="checkbox"/> 2mm <input type="checkbox"/> 4mm SHIMS BEHIND FRONT ARM		<b>REAR</b> REAR WING <input type="checkbox"/> COMPOSITE <input type="checkbox"/> LEXAN OTHER BETA FRONT MIDDLE REAR GRAPHITE BRACE WITHOUT <input checked="" type="checkbox"/> 1-PIECE <input type="checkbox"/> 2-PIECES <input type="checkbox"/> WING HOLDER FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/> RF 1° <input checked="" type="checkbox"/> 0.5° RR 1° <input checked="" type="checkbox"/> 0.5° LOWER ROLL CENTER ECCENTRIC BUSHINGS	
1.5 FRONT TOE OUT STEERING PLATE 1 DOTS <input type="checkbox"/> 2 DOTS <input checked="" type="checkbox"/> SIDE GUARD SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> SERVO SAVER TIGHT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> SOFT <input type="checkbox"/> GRAPHITE BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> FRONT DRIVE SHAFT CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/> LENGTH /mm TOP DECK COMPOSITE <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> DRIVE SHAFT CVD <input checked="" type="checkbox"/> DOGBONE <input type="checkbox"/> REAR DRIVE SHAFT CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/> LENGTH /mm		3 REAR TOE IN WHEELBASE 0mm <input type="checkbox"/> 1mm <input checked="" type="checkbox"/> 2mm <input type="checkbox"/> 3mm <input type="checkbox"/> 4mm SHIMS IN FRONT OF UPRIGHT FRONT DRIVE SHAFT CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/> LENGTH /mm DRIVE SHAFT CVD <input checked="" type="checkbox"/> DOGBONE <input type="checkbox"/> REAR DRIVE SHAFT CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/> LENGTH /mm	
<b>FRONT</b> 2 FRONT CAMBER LENGTH mm UPPER ARM SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> LOWER ARM SOFT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> RIDE HEIGHT 24 /mm #107717 GAUGE		<b>REAR</b> 102.5 FULL TRAVEL SHOCKS LENGTH 127 /mm REAR CAMBER 3 LENGTH /mm RIDE HEIGHT 27 /mm #107717 GAUGE	