

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	Warm up French Nats			
TRACK	MACN Nantes			
NAME	Brunet Antoine		DATE	

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
1	1	14.9 /sec	/	

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL
PINION	SPUR GEAR	FINAL DRIVE RATIO
45 /T	96 /T	4.04

FRONT	SHOCKS	REAR
2.5/2.8	XRAY SPRINGS	2.6
350	OIL /Cst	350
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS
SHOCK LENGTH	8.5 /mm	8.5 /mm	SHOCK LENGTH

1.1	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

Rush	TIRES	Rush
Hudy red	ADDITIVE	Hudy red
15	ADDITIVE TIMING	15

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT	1322 /g	WEIGHT BALANCE	FRONT 49 % REAR 51 %
--------------	---------	----------------	----------------------

MOTOR	Hw G4	TIMING	
ESC	HW G2S	BATTERIES	Sunpadow 6500
BODY	wolverine 0.5	WING	STD

64 /mm	Dimension from body post to window bottom line	BODY POSITION
6+2MM /mm	Dimension from body post to upper holder	WING SIDE PLATE
51 /mm	Dimension from edge to surface	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>

1.6mm	<input checked="" type="checkbox"/> 2.0mm	<input checked="" type="checkbox"/> 1.6mm
2.0mm	<input type="checkbox"/> 1.6mm	
NONE	<input type="checkbox"/> BEARING	

2X additive without paper	COMMENTS
---------------------------	----------

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings		Adjust with eccentric bushings
UPPER CLAMP		UPPER CLAMP
STD. <input checked="" type="checkbox"/> -1.5mm		STD. <input checked="" type="checkbox"/> -1.5mm
2.5 /mm FF	5.2 /mm FR	2.5 /mm RF
2 /mm	19 /mm	8 /mm
RIDE HEIGHT	SERVO SAVER	SERVO HORN
TOE GAIN	3 /mm	5.4 /mm
5 /mm	RIDE HEIGHT	3 /mm

2 /degr. CAMBER	FRONT SUSPENSION	FRONT HUB
Left = Right		
BODY STOP		
YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		
12 /mm		
DRIVE SHAFT		
58mm 59mm		
BEARING BLADE		
#107702 Chassis Droop Gauge Blocks		
#107712 Chassis Droop Gauge		
5.4 /mm		
DOWNSTOP		

2 /degr. CAMBER	REAR SUSPENSION	REAR HUB
Left = Right		
BODY POST		
VERTICAL <input type="checkbox"/>		
HORIZONTAL <input checked="" type="checkbox"/>		
DRIVE SHAFT		
52mm 54mm		
BEARING BLADE		
#107702 Chassis Droop Gauge Blocks		
#107712 Chassis Droop Gauge		
4.0 /mm		
DOWNSTOP		

FRONT TOP VIEW	REAR
1 TOE OUT	2.75 TOE IN
Left = Right	Left = Right
ACKERMANN	
SHIM 0.5 /mm	
DIFF POSITION	
UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	
UPPER ARM	
SOFT <input checked="" type="checkbox"/>	
MEDIUM STD. <input type="checkbox"/>	
STEERING BRIDGE	
YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
HUB OFFSET	
STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm	
SHIM /mm	

FRONT BOTTOM VIEW	REAR
STEER. LOCK	
27 /degr.	
STEER. SHIM	
SIZE 0 /mm	
FR RE	
SERVO HOLDER	
FRONT BRACE	
YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
CHASSIS	
GRAPHITE <input type="checkbox"/>	
ALU <input type="checkbox"/>	
ALU FLEX <input type="checkbox"/>	
FRONT ARMS	
MEDIUM <input checked="" type="checkbox"/>	
HARD <input type="checkbox"/>	
REAR ARMS	
MEDIUM <input checked="" type="checkbox"/>	
HARD <input type="checkbox"/>	