

SET-UP SHEET

X4F'24 SET-UP SHEET VER.1 ©XRAY

XRAY X4F'24

RACE	Basic Low Grip Carpet	
TRACK		
NAME	XRAY Factory	DATE

TRACK TEMP.	QUAL POS.	FINAL POS.	BEST LAPTIME	LAPS	TIME
			/sec	/	

TRACK		
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED
TRACTION	<input checked="" type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM
	<input type="checkbox"/> FAST	<input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
-------	--------------	------

GEAR DIFFERENTIAL - OIL	200K /cSt
-------------------------	-----------

PINION / T	SPUR GEAR / T	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.7
350	OIL /cSt	350
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input type="checkbox"/> 1.2mm	<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input type="checkbox"/> 1.2mm
<input type="checkbox"/> PSS			<input type="checkbox"/> PSS		
SHOCK LENGTH		8.5 /mm	SHOCK LENGTH		8.5 /mm

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

HUDY	TIRES	HUDY
HUDY	ADDITIVE	HUDY
30min	ADDITIVE TIMING	30min

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT	/g	WEIGHT BALANCE	FRONT	%	REAR	%
--------------	----	----------------	-------	---	------	---

MOTOR	TIMING
ESC	BATTERIES
BODY	WING

Dimension from body post to window bottom line	/mm	BODY POSITION
Dimension from body post to upper holder	/mm	WING SIDE PLATE
Dimension from edge to surface	/mm	YES <input type="checkbox"/> NO <input type="checkbox"/>

TOP DECK FLEX	TOP DECK CUTTING
<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMMENTS	
----------	--

FRONT CASTER		FRONT & REAR SUSPENSION		REAR CASTER	
<input checked="" type="checkbox"/> 5°	<input type="checkbox"/> 4°	<input checked="" type="checkbox"/> 3 /mm	<input type="checkbox"/> 19 /mm	<input checked="" type="checkbox"/> 0.5°	<input type="checkbox"/> 1.5°
Adjust with eccentric bushings		Adjust with eccentric bushings		<input type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5°	
TOE GAIN		6 /mm			
1.5 /mm FF		5.2 /mm		FR 1.5 /mm	
<input checked="" type="checkbox"/> RIDE HEIGHT		<input checked="" type="checkbox"/> SERVO SAVER		<input checked="" type="checkbox"/> SERVO HORN	
<input type="checkbox"/> RIDE HEIGHT		<input type="checkbox"/> SERVO HORN		<input type="checkbox"/> RIDE HEIGHT	
3.0 /mm RF		5.8 /mm		RR 3.0 /mm	
<input checked="" type="checkbox"/> RIDE HEIGHT		<input checked="" type="checkbox"/> SERVO SAVER		<input checked="" type="checkbox"/> SERVO HORN	
<input type="checkbox"/> RIDE HEIGHT		<input type="checkbox"/> SERVO HORN		<input type="checkbox"/> RIDE HEIGHT	

2.0 /deg.	CAMBER	Left = Right
<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO	/mm
BODY STOP		
FRONT SUSPENSION		
1 /mm	SHIM	2 /mm
FRONT BRACE		
FRONT SHOCK POSITION		
BULKHEAD SHIMS		
DRIVE SHAFT		
58mm 59mm BEARING BLADE		
#107702 Chassis Droop Gauge Blocks		
#107712 Chassis Droop Gauge		
5.6 /mm DOWNSTOP		

2 /deg.	CAMBER	Left = Right
<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO	/mm
BODY STOP		
REAR SUSPENSION		
2 /mm	SHIM	2 /mm
REAR BRACE		
REAR SHOCK POSITION		
BULKHEAD SHIMS		
DRIVE SHAFT		
58mm 59mm BEARING BLADE		
#107702 Chassis Droop Gauge Blocks		
#107712 Chassis Droop Gauge		
4.6 /mm DOWNSTOP		

FRONT TOP VIEW		REAR	
1	TOE OUT	1.5	TOE IN
Left = Right		Left = Right	
STEERING ARM & BRIDGE		SHIMS	
<input checked="" type="checkbox"/> DUAL STD. <input type="checkbox"/> BRIDGE		Battery weight plate.	
<input type="checkbox"/> SINGLE		SHIMS	
UPPER ARM		UPPER ARM	
SOFT <input checked="" type="checkbox"/>		SOFT <input checked="" type="checkbox"/>	
MEDIUM <input type="checkbox"/>		MEDIUM <input type="checkbox"/>	
ACKERMANN		STEERING PLATE	
SHIM 1.0 /mm		8.0mm <input checked="" type="checkbox"/> STD. 7.5mm	
HUB OFFSET		HUB OFFSET	
STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm		STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	

FRONT BOTTOM VIEW		REAR	
WEIGHT LEFT & RIGHT		T-BRACE	
#309825		ALU <input type="checkbox"/> BRASS <input type="checkbox"/>	
YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
BUMPER WEIGHT		STEER. LOCK	
#309824		22 /deg.	
YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		STEER. SHIM	
FRONT BRACE		SIZE 9 /mm	
YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		MOTOR MOUNT	
FRONT ARMS		CHASSIS	
MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>		GRAPHITE <input checked="" type="checkbox"/>	
		REAR ARMS	
		MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	