

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	MRS #2			
TRACK	CRB Monsanto			
NAME	Alexander Hagberg	DATE	25/06/23	

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
1	1	16.0 /sec	/	

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input type="checkbox"/> MIXED <input checked="" type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL 5000 /cSt
PINION 48 /T	SPUR GEAR 100 /T	FINAL DRIVE RATIO 3.958

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.7
425	OIL /cSt	450
25	REBOUND %	25
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS
SHOCK LENGTH 8.5 /mm			SHOCK LENGTH 8.5 /mm

1.2	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

Matrix 36 (new)	TIRES	Matrix 36 (new)
HUDY Asphalt	ADDITIVE	HUDY Asphalt
15	ADDITIVE TIMING	15

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT 1330 /g	WEIGHT BALANCE	FRONT 50 %	REAR 50 %
----------------------	----------------	------------	-----------

MOTOR HW G4 13.5T	TIMING	
ESC HW XR10 PRO G2S	BATTERIES	Nosram 8100
BODY Lens Ghibli L	WING	Twister L

65 /mm	Dimension from body post to window bottom line	BODY POSITION
64 /mm	Dimension from edge to surface	WING SIDE PLATE
	Dimension from body post to upper holder	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>

X4'23	1.6mm <input checked="" type="checkbox"/> 2.0mm <input checked="" type="checkbox"/> 1.6mm	TOP DECK CUTTING
X4'22	2.0mm <input type="checkbox"/> 2.0mm <input type="checkbox"/> 1.6mm	
X4'22	NONE <input type="checkbox"/> BEARING <input type="checkbox"/>	

COMMENTS
Tire warmers 70 deg C, cleaned tires with brake cleaner.

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings		Adjust with eccentric bushings
UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm	BUMP STEER 2 /mm	UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm
HEIGHT 19 /mm	SHIM 6.5 /mm	
1.5 /mm FF	5.2 /mm FR	1.5 /mm RF
RIDE HEIGHT	SERVO SAVER	RIDE HEIGHT
	SERVO HORN	
	TOE GAIN 6.0 /mm	
	2.0 /mm RR	
	5.4 /mm	

2.0 /deg. CAMBER	BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	FRONT SUSPENSION	0.5 /mm SHIM 2.5 /mm	FRONT HUB
Left = Right		FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	FRONT SHOCK POSITION	HARD <input checked="" type="checkbox"/>
		BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/>		GRAPHITE <input type="checkbox"/>
		DRIVE SHAFT 58mm 59mm BEARING BLADE		ALU <input type="checkbox"/>
		#107702 Chassis Droop Gauge Blocks		SHIM 0.5 /mm
		#107712 Chassis Droop Gauge		
				DOWNSTOP 5.4 /mm

2.0 /deg. CAMBER	BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>	REAR SUSPENSION	0.5 /mm SHIM 1.5 /mm	REAR HUB
Left = Right		REAR BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	REAR SHOCK POSITION	HARD <input checked="" type="checkbox"/>
		DRIVE SHAFT 52mm 54mm BEARING BLADE		GRAPHITE <input type="checkbox"/>
		#107702 Chassis Droop Gauge Blocks		ALU <input type="checkbox"/>
		#107712 Chassis Droop Gauge		SHIM 0.5 /mm
				DOWNSTOP 4.2 /mm

FRONT TOP VIEW	REAR
1.25 TOE OUT	3.0 TOE IN
Left = Right	Left = Right
ACKERMANN SHIM 0.5 /mm	SHIM /mm
DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN <input type="checkbox"/>
UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>	UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>
STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	STEERING PLATE 8.0mm STD. <input checked="" type="checkbox"/> 7.5mm
HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 26.5 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 7.5 /mm	MOTOR MOUNT
FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	CHASSIS GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input type="checkbox"/>
SERVO HOLDER	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>