

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	Swedish Championships			
TRACK	Flatenbanan			
NAME	Alexander Hagberg	DATE	16/07/23	

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
2	2	18.0 /sec	/	

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input type="checkbox"/> MIXED <input checked="" type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL 7000 /cSt
PINION 30 /T	SPUR GEAR 110 /T	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.7
350	OIL /cSt	350
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS
SHOCK LENGTH 8.5 /mm			SHOCK LENGTH 8.5 /mm

1.1	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.1
-----	--------------	---------------	--------------	-----

Sweep EXP 36	TIRES	Sweep EXP 36
HUDY Asphalt	ADDITIVE	HUDY Asphalt
10	ADDITIVE TIMING	10

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT 1330 /g	WEIGHT BALANCE	FRONT 50 %	REAR 50 %
----------------------	----------------	------------	-----------

MOTOR	HW G3 4.5T	TIMING	
ESC	HW XR10 PRO G2S	BATTERIES	Nosram 5700
BODY	Speciale L	WING	Twister L

67 /mm	Dimension from body post to window bottom line	BODY POSITION
64 /mm	Dimension from edge to surface	WING SIDE PLATE
	Dimension from body post to upper holder	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>

X4'23	1.6mm	2.0mm	1.6mm
X4'22	2.0mm	2.0mm	2.0mm
X4'22	2.0mm	1.6mm	2.0mm
	NONE	BEARING	

T-brace shimmed up 0.5mm.

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings		Adjust with eccentric bushings
UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm		UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm
3.0 /mm FF	5.2 /mm	FR 3.0 /mm
RIDE HEIGHT		RIDE HEIGHT

2.0 /deg. CAMBER	BODY STOP YES <input checked="" type="checkbox"/> NO	FRONT SUSPENSION	0.5 /mm SHIM	3.0 /mm	FRONT HUB
Left = Right					HARD <input checked="" type="checkbox"/>
					GRAPHITE
					ALU
					SHIM 0.5 /mm

2.0 /deg. CAMBER	BODY POST VERTICAL <input checked="" type="checkbox"/> HORIZONTAL	REAR SUSPENSION	1.0 /mm SHIM	3.0 /mm	REAR HUB
Left = Right					HARD <input checked="" type="checkbox"/>
					GRAPHITE
					ALU
					SHIM 0.5 /mm

1.25	TOE OUT	ACKERMANN	SHIM 0.5 /mm	3.0	TOE IN
Left = Right					Left = Right

FRONT BOTTOM VIEW	REAR
STEER. LOCK 27 /deg.	T-BRACE ALU <input checked="" type="checkbox"/> BRASS
STEER. SHIM SIZE 7.5 /mm	
FRONT BRACE YES <input checked="" type="checkbox"/> NO	MOTOR MOUNT
	CHASSIS T-BRACE
	CHASSIS
	GRAPHITE <input checked="" type="checkbox"/> ALU ALU FLEX
	REAR ARMS
	MEDIUM <input checked="" type="checkbox"/> HARD