

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	Cotswold XRS		
TRACK	Cotswold		
NAME	Zak Finlay	DATE	13.08.23

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
2	2	16.1 /sec	18 /	300

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL 5000 /cSt
PINION	SPUR GEAR	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.7
350	OIL /cSt	350
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS
SHOCK LENGTH 8 /mm			SHOCK LENGTH 8 /mm

1.2	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

Rush 32	TIRES	Rush 32
Spider Red	ADDITIVE	Spider Red
	ADDITIVE TIMING	

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT
------------	-------------	--------------	-----------	------------

TOTAL WEIGHT	/g	WEIGHT BALANCE	FRONT 49 %	REAR 51 %
--------------	----	----------------	------------	-----------

MOTOR	Zombie Evo II 13.5	TIMING	
ESC		BATTERIES	Zombie 6250
BODY	Speciale	WING	

65 /mm	Dimension from body post to window bottom line	BODY POSITION
H7+1 /mm	Dimension from body post to upper holder	WING SIDE PLATE
63 /mm	Dimension from edge to surface	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>

1.6mm	<input checked="" type="checkbox"/> 2.0mm	<input checked="" type="checkbox"/> 1.6mm
X4'23		
2.0mm	<input type="checkbox"/> 1.6mm	
X4'22		
2.0mm	<input type="checkbox"/> 1.6mm	
X4'22		
NONE	<input type="checkbox"/> BEARING	

COMMENTS

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings		Adjust with eccentric bushings
UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm		UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm
3 /mm FF	5.2 /mm FR	3 /mm RF
2 /mm BUMP STEER	19 /mm HEIGHT	8 /mm SHIM
3 /mm RIDE HEIGHT	<input checked="" type="checkbox"/> SERVO SAVER	<input checked="" type="checkbox"/> SERVO HORN

FRONT CAMBER	FRONT SUSPENSION	FRONT HUB
2 /deg. Left = Right		
BODY STOP YES <input checked="" type="checkbox"/> NO	FRONT BRACE YES <input checked="" type="checkbox"/> NO	HARD <input checked="" type="checkbox"/>
	BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO	GRAPHITE <input type="checkbox"/>
	DRIVE SHAFT 58mm 59mm BEARING BLADE	ALU <input type="checkbox"/>
	#107702 Chassis Droop Gauge Blocks	SHIM 0.5 /mm
	#107712 Chassis Droop Gauge	

REAR CAMBER	REAR SUSPENSION	REAR HUB
2 /deg. Left = Right		
BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>	REAR BRACE YES <input checked="" type="checkbox"/> NO	HARD <input checked="" type="checkbox"/>
	BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO	GRAPHITE <input type="checkbox"/>
	DRIVE SHAFT 52mm 54mm BEARING BLADE	ALU <input type="checkbox"/>
	#107702 Chassis Droop Gauge Blocks	SHIM 1 /mm
	#107712 Chassis Droop Gauge	

FRONT TOP VIEW	REAR TOP VIEW
1 TOE OUT Left = Right	3 TOE IN Left = Right
ACKERMANN SHIM 0.25 /mm	SHIM /mm
DIFF POSITION UP <input checked="" type="checkbox"/> DOWN	DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN
UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD.	UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD.
STEERING BRIDGE YES <input type="checkbox"/> NO	STEERING PLATE 8.0mm <input checked="" type="checkbox"/> STD. 7.5mm
HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm	HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm

FRONT BOTTOM VIEW	REAR BOTTOM VIEW
STEER. LOCK 27 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 7.5 /mm	MOTOR MOUNT
FRONT BRACE YES <input checked="" type="checkbox"/> NO	CHASSIS T-BRACE
SERVO HOLDER	CHASSIS GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input type="checkbox"/>
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD