

SET-UP SHEET

XRAY XB4'23

RACE	ROAR 1/10 Electric Offroad Nationals	
TRACK	Hobbytoun Columbus	
NAME	Tom Rinderknecht	DATE

LAPS		BEST LAP TIME	sec
QUALIFYING POSITION		FINAL POSITION	

TRACK		
SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM
TRACTION	<input type="checkbox"/> VERY-LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> VERY-HIGH	
SURFACE	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM
TYPE	<input checked="" type="checkbox"/> CLAY	<input type="checkbox"/> CARPET
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input checked="" type="checkbox"/> HARD PACKED
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY

DIFFERENTIAL TYPE		
FRONT ↓	MIDDLE ↓	REAR ↓
GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>
BALL DIFF <input type="checkbox"/>	SLIPPER <input type="checkbox"/>	BALL DIFF <input type="checkbox"/>
ACTIVE DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>
60° 90° 120°	60° 90° 120°	60° 90° 120°
OIL 20k 2	OIL 300,000	OIL 20k 2

SATELLITE GEARS		
COMPOSITE <input type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/>	COMPOSITE <input type="checkbox"/>
STEEL <input checked="" type="checkbox"/>	STEEL <input type="checkbox"/>	STEEL <input checked="" type="checkbox"/>
40T <input checked="" type="checkbox"/>	CROWN GEAR	40T <input checked="" type="checkbox"/>

CENTRAL SLIPPER & ONE-WAY SETTING	
SLIPPING ADJUSTMENT	ONE-WAY TIGHTNESS
LOOSE	1 CW TURN (BASIC SETUP)
	FULLY TIGHTEN

GEARING	
PINION 19	81 CENTER DIFF SPUR

FRONT	SHOCKS	REAR
	SPRINGS	
	OIL	
	REBOUND	
2 HOLES <input checked="" type="checkbox"/>	PISTONS	2 HOLES <input checked="" type="checkbox"/>
3 HOLES <input type="checkbox"/>	ø1.2mm	3 HOLES <input type="checkbox"/>
6 HOLES <input type="checkbox"/>	ø1.3mm	6 HOLES <input type="checkbox"/>
	ø1.4mm	
	ø1.6mm	
	ø1.7mm	
	CUSTOM PISTONS	
	mm	

FRONT	ANTI ROLL BAR	REAR
1.1	THICKNESS	1.2

FRONT	TIRES	REAR
Jconcepts	BRAND	
Blue/A2	COMPOUND	
Grey	INSERTS	
Mono	WHEELS	

ELECTRONICS		
MOTOR	6.0	R1
MOTOR TIMING	30	4800
BATTERY SIZE		SPEEDO
STD. SHORT		BATTERY

BODY	
TYPE	STANDARD <input type="checkbox"/> LIGHT <input checked="" type="checkbox"/>

COMMENTS	
Wide pivots, Gravity RC Grip Doctor	

FRONT	APPLIED	REAR
ALU C-HUB SHIM UP 0 /mm DOWN 2 /mm LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input type="checkbox"/> DRIVE SHAFT CVD <input checked="" type="checkbox"/> ECS Length 83 /mm SHIM 0 mm ALU <input checked="" type="checkbox"/> STEERING BLOCK MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> LOWER SHOCK POSITION #10711 GAUGE DOWNSTOP #10701 SUPPORT BLOCKS	SHIM 2 mm SHIMS 2 /mm HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU HIGH <input type="checkbox"/> ALU LOW <input checked="" type="checkbox"/> 1 2 3 4 #325341 ADJ. DRIVE AXLE 1° <input checked="" type="checkbox"/> 0.5° DOWNSTOP #10711 GAUGE	

FRONT	REAR
CASTER 6° <input type="checkbox"/> 7° <input checked="" type="checkbox"/> 9° <input type="checkbox"/> 12° <input type="checkbox"/> CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/> BUMP STEER SHIM 0 mm WING CUTTING LINE 1 2 3 4 5 OFFSET 1 /slots UPRIGHT WHEELBASE SHIM 2 /mm IN FRONT OF ARM	WING SIDE LINE HIGHER <input type="checkbox"/> LOWER <input type="checkbox"/> WING POSITION UP <input checked="" type="checkbox"/> MIDDLE <input type="checkbox"/> DOWN <input type="checkbox"/> WING THICKNESS 0.75 <input type="checkbox"/> 1 <input type="checkbox"/> 1.5 <input type="checkbox"/> TYPE

FRONT	REAR
FF 1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/> FR 1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/> ROLL CENTER ECCENTRIC BUSHINGS 1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/> UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/> RR 2° <input checked="" type="checkbox"/>	

FRONT	REAR
FRONT TOE 1 OUT STEER. PLATE HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> BUMP STEER SHIM 2.5 mm SHIM UNDER STEER. PLATE SERVO SAVER SOFT <input type="checkbox"/> MEDIUM <input type="checkbox"/> TIGHT <input checked="" type="checkbox"/> MATERIAL STANDARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ARM SHIM 0 mm	REAR TOE IN GRAPHITE FOR REAR BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> REAR BRACE MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> ARM SHIM 1 mm

FRONT	REAR
FRONT CAMBER -2° DOWNSTOP SHIM .5 mm LENGTH 22.5 mm UPSTOP SHIM mm COLLAR STANDARD <input checked="" type="checkbox"/> -2mm RIDE HEIGHT 16 mm #10720 GAUGE	REAR DIFF HEIGHT 2 DOWNSTOP SHIM .5 mm LENGTH 30 mm UPSTOP SHIM mm COLLAR STANDARD <input checked="" type="checkbox"/> -2mm RIDE HEIGHT 16 mm

FRONT ARMS	BALANCE	MOTOR MOUNT	BALANCE	REAR ARMS
LONG <input checked="" type="checkbox"/> SHORT <input type="checkbox"/> MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	g	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	g	LONG <input type="checkbox"/> SHORT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>
CHASSIS ALU <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>				