

SET-UP SHEET

XRAY XB4'23

RACE	Coupe De France 2023	
TRACK	vierzon	
NAME	Noha Ben Mohamed	DATE 15/10/23

LAPS		BEST LAP TIME	sec
QUALIFYING POSITION	2	FINAL POSITION	1

TRACK		
SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM
TRACTION	<input type="checkbox"/> VERY-LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> VERY-HIGH	
SURFACE	<input type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM
TYPE	<input type="checkbox"/> CLAY	<input checked="" type="checkbox"/> CARPET
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY

DIFFERENTIAL TYPE		
FRONT ↓	MIDDLE ↓	REAR ↓
GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>
BALL DIFF <input type="checkbox"/>	BALL DIFF <input type="checkbox"/>	BALL DIFF <input type="checkbox"/>
ACTIVE DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>	ACTIVE DIFF <input type="checkbox"/>
60° 90° 120°	60° 90° 120°	60° 90° 120°
OIL 20k cSt	OIL 200k cSt	OIL 4k cSt

SATELLITE GEARS		
COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>
STEEL <input checked="" type="checkbox"/>	STEEL <input checked="" type="checkbox"/>	STEEL <input checked="" type="checkbox"/>
40T <input checked="" type="checkbox"/>	41T	40T <input checked="" type="checkbox"/>
CROWN GEAR		
40T <input checked="" type="checkbox"/>	41T	40T <input checked="" type="checkbox"/>

CENTRAL SLIPPER & ONE-WAY SETTING	
SLIPPING ADJUSTMENT	ONE-WAY TIGHTNESS
LOOSE	1 CW TURN (BASIC SETUP)
	FULLY TIGHTEN

GEARING	
PINION	CENTER DIFF SPUR

FRONT	SHOCKS	REAR
2	SPRINGS	3
cSt 300	OIL	cSt 300
REBOUND		
<input checked="" type="checkbox"/> 2 HOLES	PISTONS	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	ø1.2mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	ø1.3mm	<input type="checkbox"/> 6 HOLES
	ø1.4mm	
	ø1.6mm	
	ø1.7mm	
CUSTOM PISTONS		
	ø mm	ø 1.8 mm

FRONT	ANTI ROLL BAR	REAR
2.0	THICKNESS	1.8

FRONT	TIRES	REAR
	BRAND	
	COMPOUND	
	INSERTS	
XRAY	WHEELS	XRAY

ELECTRONICS		
MOTOR	Corsatec 5.5	Corsatec
MOTOR TIMING		Corsatec
BATTERY SIZE		SPEEDO
STD. SHORT <input checked="" type="checkbox"/>		BATTERY
LOW SHORT		

BODY	
TYPE	STD
	STANDARD <input type="checkbox"/>
	LIGHT <input checked="" type="checkbox"/>

COMMENTS	

FRONT	APPLIED	APPLIED	REAR
ALU C-HUB SHIM			
UP /mm			
DOWN /mm			
LONGER BUSHINGS			
UP <input checked="" type="checkbox"/>			
DOWN <input type="checkbox"/>			
DRIVE SHAFT			
CVD <input checked="" type="checkbox"/>			
ECS			
Length /mm			
SHIM			
83 mm			
STEERING BLOCK			
MEDIUM <input type="checkbox"/>			
HARD <input checked="" type="checkbox"/>			
GRAPHITE <input type="checkbox"/>			
LOWER SHOCK POSITION			
ROLL ENTER			
REAR UPRIGHT			
DRIVE SHAFT			
Length 77 /mm			
SHIM			
2 mm			
SHIMS			
2 /mm			
HARD <input checked="" type="checkbox"/>			
GRAPHITE <input type="checkbox"/>			
ALU HIGH <input type="checkbox"/>			
ALU LOW <input type="checkbox"/>			
DOWNSTOP			
1° <input checked="" type="checkbox"/>			
0.5°			
DOWNSTOP			
1° <input type="checkbox"/>			
0.5°			

FRONT	CASTER	CASTER BLOCK	WING CUTTING LINE	WING SIDE LINE
6° <input type="checkbox"/>				
7° <input type="checkbox"/>				
9° <input checked="" type="checkbox"/>				
12° <input type="checkbox"/>				
CASTER				
6° <input type="checkbox"/>				
7° <input type="checkbox"/>				
9° <input checked="" type="checkbox"/>				
12° <input type="checkbox"/>				
CASTER BLOCK				
MEDIUM <input type="checkbox"/>				
HARD <input type="checkbox"/>				
GRAPHITE <input type="checkbox"/>				
ALU <input type="checkbox"/>				
WING CUTTING LINE				
1 2 3 4 5				
WING SIDE LINE				
HIGHER				
LOWER				
WING POSITION				
UP <input type="checkbox"/>				
MIDDLE <input type="checkbox"/>				
DOWN <input type="checkbox"/>				
WING THICKNESS				
0.75 <input type="checkbox"/>				
1 <input type="checkbox"/>				
1.5 <input type="checkbox"/>				
UPRIGHT WHEELBASE				
SHIM				
2 /mm				
IN FRONT OF ARM				

FF	FR	RF	RR
1° <input checked="" type="checkbox"/>	1° <input checked="" type="checkbox"/>	1° <input type="checkbox"/>	2° <input type="checkbox"/>
0.5°	0.5°	0.5°	0.5°
ROLL CENTER			
ECCENTRIC BUSHINGS			
UP <input checked="" type="checkbox"/>			
DOWN			

FRONT	STEER. PLATE	REAR
2		
HARD <input checked="" type="checkbox"/>		
GRAPHITE <input type="checkbox"/>		
ALU <input type="checkbox"/>		
BUMP STEER		
SHIM 4 mm		
SHIM UNDER STEER. PLATE		
SERVO SAVER		
SOFT <input type="checkbox"/>		
MEDIUM <input type="checkbox"/>		
TIGHT <input checked="" type="checkbox"/>		
MATERIAL		
STANDARD <input checked="" type="checkbox"/>		
GRAPHITE <input type="checkbox"/>		
REAR TOE		
IN		
GRAPHITE FOR REAR BRACE		
YES <input type="checkbox"/>		
NO <input type="checkbox"/>		
REAR BRACE		
MEDIUM <input type="checkbox"/>		
HARD <input type="checkbox"/>		
ARM SHIM		
2 mm		

FRONT	FRONT CAMBER	FRONT DIFF HEIGHT	REAR DIFF HEIGHT	REAR CAMBER
2				2
DOWNSTOP				
SHIM 0 mm				
LENGTH				
UPSTOP				
SHIM 0 mm				
COLLAR				
STANDARD <input checked="" type="checkbox"/>				
-2mm				
FRONT				REAR
18 mm				18 mm
18 mm				18 mm

FRONT ARMS	BALANCE	MOTOR MOUNT	BALANCE	REAR ARMS
LONG <input type="checkbox"/>	0 g	FRONT <input checked="" type="checkbox"/>	0 g	LONG <input checked="" type="checkbox"/>
SHORT <input checked="" type="checkbox"/>		REAR		SHORT <input type="checkbox"/>
MEDIUM <input type="checkbox"/>				MEDIUM <input type="checkbox"/>
HARD <input type="checkbox"/>				HARD <input type="checkbox"/>
GRAPHITE <input checked="" type="checkbox"/>				GRAPHITE <input checked="" type="checkbox"/>
FRONT BATTERY POST				REAR BATTERY POST
1 2 3				1 2 3 4
35g				
CHASSIS				
ALU <input checked="" type="checkbox"/>				
GRAPHITE <input type="checkbox"/>				
FRONT				REAR
0 g				0 g