

SET-UP SHEET

X4'24 SET-UP SHEET VER.1 ©XRAY

XRAY X4'24

RACE	EWS - International				
TRACK					
NAME	Stefan Schulz		DATE	12.11.2023	
QUAL POSITION	1	FINAL POSITION	1	BEST LAP TIME	16.307 /sec
LAPS	18 / 5:01.004				

TRACK		
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED
TRACTION	<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM
	<input type="checkbox"/> FAST	<input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL
PINION	45 /T	SPUR GEAR
	96 /T	FINAL DRIVE RATIO
		4.05

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.6
350	OIL /Cst	350
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS
SHOCK LENGTH			
8 /mm		8 /mm	

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

Rush 30	TIRES	Rush 30	
MR33	ADDITIVE	MR33	
10	ADDITIVE TIMING	10	
-	WIPE OFF TIME	-	
Timing:	Temp.:	Timing:	
Temp.:		Temp.:	
FRONT LEFT	FRONT RIGHT	REAR LEFT	
		REAR RIGHT	
TREATED AREA			

TOTAL WEIGHT	1306 /g	WEIGHT BALANCE	FRONT 50 %	REAR 50 %
--------------	---------	----------------	------------	-----------

MOTOR	HW G4 17.5T	TIMING	52
ESC	HW G2 Pro	BATTERIES	Gens Ace 6000
BODY	Wolverine	WING	Std

65 /mm	Dimension from body post to window bottom line	BODY POSITION
	WING SIDE PLATE	
	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
	Dimension from body post to upper holder	
	Dimension from edge to surface	

1.6mm	<input checked="" type="checkbox"/> 2.0mm	<input checked="" type="checkbox"/> 1.6mm
X4'23		
X4'22		
X4'22		
	NONE	BEARING

COMMENTS

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings	BUMP STEER	Adjust with eccentric bushings
5° 4° 3°	HEIGHT	0.5° 1.5° 2.5° 3.5° 4.5° 5.5°
2 /mm	19 /mm	6 /mm
2 /mm	SHIM	2 /mm
5.0 /mm	SERVO SAVER	2.5 /mm
FR 2 /mm	SERVO HORN	5.2 /mm
TOE GAIN		RR 2.5 /mm
1.5 /mm		

FRONT	SHOCK HOLDERS	SHOCK HOLDERS	SHOCK HOLDERS
1 /deg.	CAMBER	SHIM	SHIM
Left = Right	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	4 /mm	4 /mm
	SHOCK HOLDERS	SUSPENSION FLEX	SUSPENSION FLEX
	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
	DRIVE SHAFT	DRIVE SHAFT	DRIVE SHAFT
	58mm 59mm	58mm 59mm	58mm 59mm
	BEARING BLADE	BEARING BLADE	BEARING BLADE
	#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	#107712 Chassis Droop Gauge
		5.6 /mm	5.6 /mm

REAR	SHOCK HOLDERS	SHOCK HOLDERS	SHOCK HOLDERS
2 /deg.	CAMBER	SHIM	SHIM
Left = Right	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	4 /mm	4 /mm
	SHOCK HOLDERS	SUSPENSION FLEX	SUSPENSION FLEX
	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
	DRIVE SHAFT	DRIVE SHAFT	DRIVE SHAFT
	52mm 54mm	52mm 54mm	52mm 54mm
	BEARING BLADE	BEARING BLADE	BEARING BLADE
	#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	#107712 Chassis Droop Gauge
		4.4 /mm	4.4 /mm

FRONT TOP VIEW	REAR TOP VIEW
1 /deg.	TOE IN
Left = Right	Left = Right
	ACKERMANN
	SHIM
	0.5 /mm
	SHORT LiPo BRASS WEIGHT
	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
	BRASS WEIGHT FOR MOTOR MOUNT
	40g
	40g
	DIFF POSITION
	UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>
	+1mm
	UPPER ARM
	SOFT
	MEDIUM
	STEERING BRIDGE
	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
	STEERING
	SHIM/mm
	7.5
	PLATE
	8.0mm 7.5mm
	STD.
	STD.
	STD.
	STD.

FRONT BOTTOM VIEW	REAR BOTTOM VIEW
STEER. LOCK	T-BRACE
27 /deg.	ALU BRASS
	CHASSIS T-BRACE
	FRONT ARMS
	MEDIUM
	HARD
	REAR ARMS
	MEDIUM
	HARD
	CHASSIS
	GRAPHITE
	ALU
	ALU 1.5mm