

SET-UP SHEET

X4'24 SET-UP SHEET VER.1 ©XRAY

XRAY X4'24

RACE	Rd5 CCE				
TRACK	Amsa (Sentido horario)				
NAME	Luis Moreno		DATE	10/11/24	
QUAL POSITION	3	FINAL POSITION	2	BEST LAPTIME	19,3 /sec
LAPS	/				

TRACK		
TRACK SURFACE	<input type="checkbox"/> CARPET	<input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED
TRACTION	<input checked="" type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM
	<input type="checkbox"/> FAST	<input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL
PINION	SPUR GEAR	FINAL DRIVE RATIO
45 /T	95 /T	4

FRONT	SHOCKS	REAR
2.5/2.8	XRAY SPRINGS	2.7
350	OIL /Cst	400
	REBOUND %	
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
<input checked="" type="checkbox"/> 4 HOLES	1.1mm	4 HOLES
<input type="checkbox"/> PSS	1.2mm	PSS
SHOCK LENGTH	7.5 /mm	SHOCK LENGTH
1.2	THICKNESS/mm	1.2

FRONT	TIRES	REAR
Tpro 36	ADDITIVE	Tpro 36
Mighty gripper red	ADDITIVE TIMING	Mighty gripper red
5+5	WIPE OFF TIME	5+5
Timing: 10	TIRE WARMERS	Timing: 10
Temp.: 70		Temp.: 70
FRONT LEFT	TREATED AREA	REAR LEFT
FRONT RIGHT		REAR RIGHT

TOTAL WEIGHT	1325 /g	WEIGHT BALANCE	FRONT 50 %	REAR 50 %
--------------	---------	----------------	------------	-----------

MOTOR	Hw jstck	TIMING	Fix
ESC	Hw jstck	BATTERIES	XTR 7600
BODY	Wolverine 0.5	WING	Speciale 0.7

64 /mm	Dimension from body post to window bottom line	BODY POSITION
26	Dimension from body post to upper holder	WING SIDE PLATE
65 /mm	Dimension from edge to surface	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>

1.6mm	<input checked="" type="checkbox"/> 2.0mm	<input checked="" type="checkbox"/> 1.6mm
2.0mm	<input type="checkbox"/> 1.6mm	
NONE	<input type="checkbox"/> BEARING	

Rear top deck with all central reinforcements cuts mounted in front
Subchasis trasero con todos los refuerzos cortados montado en la parte delantera.

FRONT & REAR	SUSPENSION
FRONT CASTER	REAR CASTER
Adjust with eccentric bushings	Adjust with eccentric bushings
BUMP STEER	SHIM
2 /mm	0 /mm
HEIGHT	SHIM
5.2 /mm	4.5 /mm
FRIDE HEIGHT	FRIDE HEIGHT
0 /mm	1 /mm
FRIDE HEIGHT	RRIDE HEIGHT
0 /mm	1 /mm
SERVO SAVER	SERVO SAVER
SERVO HORN	SERVO HORN
TOE GAIN	TOE GAIN
4 /mm	4 /mm

FRONT	SHOCK HOLDERS	SHOCK HOLDERS
2 /deg.	CAMBER	SHIM
Left = Right	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	4 /mm
SHOCK HOLDERS	SHOCK HOLDERS	SHOCK HOLDERS
SHIM	SHIM	SHIM
4 /mm	4 /mm	4 /mm
SUSPENSION FLEX	SUSPENSION FLEX	SUSPENSION FLEX
YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
DRIVE SHAFT	DRIVE SHAFT	DRIVE SHAFT
58mm	59mm	58mm
BEARING	BEARING	BEARING
BLADE	BLADE	BLADE
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	#107712 Chassis Droop Gauge
5.6 /mm	DOWNSTOP	DOWNSTOP

REAR	SHOCK HOLDERS	SHOCK HOLDERS
2 /deg.	CAMBER	SHIM
Left = Right	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	4 /mm
SHOCK HOLDERS	SHOCK HOLDERS	SHOCK HOLDERS
SHIM	SHIM	SHIM
4 /mm	4 /mm	4 /mm
SUSPENSION FLEX	SUSPENSION FLEX	SUSPENSION FLEX
YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
DRIVE SHAFT	DRIVE SHAFT	DRIVE SHAFT
52mm	54mm	52mm
BEARING	BEARING	BEARING
BLADE	BLADE	BLADE
#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	#107712 Chassis Droop Gauge
4.8 /mm	DOWNSTOP	DOWNSTOP

FRONT TOP VIEW	REAR
1.25	TOE OUT
Left = Right	Left = Right
ACKERMANN	ACKERMANN
SHIM	SHIM
0 /mm	0 /mm
SHORT LiPo BRASS WEIGHT	SHORT LiPo BRASS WEIGHT
YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
BRASS WEIGHT FOR MOTOR MOUNT	BRASS WEIGHT FOR MOTOR MOUNT
40g	40g
DIFF POSITION	DIFF POSITION
<input checked="" type="checkbox"/> UP	<input checked="" type="checkbox"/> UP
<input type="checkbox"/> DOWN	<input type="checkbox"/> DOWN
<input type="checkbox"/> +1mm	<input type="checkbox"/> +1mm
UPPER ARM	UPPER ARM
SOFT	SOFT
MEDIUM	MEDIUM
XS	XS
STEERING BRIDGE	STEERING BRIDGE
YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
SHIM	SHIM
8.0mm	8.0mm
7.5mm	7.5mm
HUB OFFSET	HUB OFFSET
STD. <input checked="" type="checkbox"/> -0.5mm	STD. <input checked="" type="checkbox"/> -0.5mm
+0.5mm	+0.5mm
SHIM/mm	SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK	STEER. LOCK
26 /deg.	26 /deg.
T-BRACE	T-BRACE
ALU	ALU
BRASS	BRASS
MOTOR MOUNT	MOTOR MOUNT
CHASSIS T-BRACE	CHASSIS T-BRACE
FRONT ARMS	FRONT ARMS
MEDIUM	MEDIUM
HARD	HARD
CHASSIS	CHASSIS
GRAPHITE	GRAPHITE
ALU	ALU
1.5mm	1.5mm
REAR ARMS	REAR ARMS
MEDIUM	MEDIUM
HARD	HARD