

SET-UP SHEET

XRAY GTXE'22 SET-UP VER. 01 ©XRAY

XRAY GTXE'22 C-HUB

RACE	GTS Round 1	
TRACK	Valllunga	
NAME	Martin Bayer	DATE 13.6.2021

TEMPERATURE AIR	40	TEMPERATURE TRACK	2nd
-----------------	----	-------------------	-----

LAPS	FINAL POSITION	BEST LAPTIME	RACE LENGTH
	2nd	/sec	5 /min

TRACKS			
CONDITION	<input type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
	<input type="checkbox"/> TECHNICAL	<input type="checkbox"/> MIXED	<input checked="" type="checkbox"/> FAST

TRACTION	<input type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> HIGH
----------	------------------------------	---------------------------------	--

FRONT	DIFFERENTIAL		REAR
Graphite 500k	CASE MATERIAL	Graphite	
13T <input checked="" type="checkbox"/> 14T	OIL	Graphite	
46	BEVEL DRIVE GEAR	13T <input type="checkbox"/> 14T	
	CROWN GEAR	46	

MOTOR PINION	GEARING	SPUR GEAR
20 /T		45 /T
	STANDARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	

FRONT	SHOCKS		REAR
2dots 1 stripe	SPRINGS	3 dots	
700 /cSt	OIL	700 /cSt	
Cell soft	MEMBRANE	Cell soft	
10 /%	REBOUND PISTONS	10 /%	
<input checked="" type="checkbox"/> 6 HOLES	1.1 mm	<input checked="" type="checkbox"/> 6 HOLES	
<input type="checkbox"/> 8 HOLES	1.2 mm	<input checked="" type="checkbox"/> 8 HOLES	
<input type="checkbox"/> 10 HOLES	1.3 mm	<input type="checkbox"/> 10 HOLES	
	1.4 mm	<input type="checkbox"/> 10 HOLES	
	OTHER PISTONS		

FRONT	ANTI-ROLL BAR	REAR
2,5 /mm	THICKNESS	2,8 /mm

FRONT	TIRES	REAR
TIRES TYPE: PMT		
Q5	← COMPOUND →	Q3
Q5	← COMPOUND →	Q3

ELECTRONICS	
MOTOR	Hobbywing 2800kv
SPEEDO	Hobbywing XR8 PRO
BATTERY TYPE	Sunpadow 8400

BODY	WEIGHT
TYPE Blitz GT5	TOTAL 3820 /g

COMMENTS

FRONT	C-HUB		FRONT ARM	REAR	
STEERING BLOCK	COMPOSITE <input type="checkbox"/>	ALU <input checked="" type="checkbox"/>	SOFT <input type="checkbox"/>	MEDIUM <input type="checkbox"/>	HARD <input checked="" type="checkbox"/>
OFFSET	0 <input type="checkbox"/> +1 <input checked="" type="checkbox"/> +2 <input type="checkbox"/>	16° <input type="checkbox"/> 6° <input checked="" type="checkbox"/> 2° <input type="checkbox"/>	MEDIUM <input type="checkbox"/>	HARD <input checked="" type="checkbox"/>	GRAPHITE <input type="checkbox"/>
CASTER BUSHINGS	+2° <input type="checkbox"/> +1° <input checked="" type="checkbox"/> 0° <input type="checkbox"/> -1° <input type="checkbox"/> -2° <input type="checkbox"/>	CASTER	UPPER SHOCK POSITION	UPRIGHT ROLL CENTER	REAR ROLL CENTER
FRONT DROOP	27	MEASURE UNDER WHEEL AXLE #107717 GAUGE	REAR SHOCK PLATE POSITION	LOWER ROLL CENTER	REAR DROOP
					27

FRONT	SHOCKS		REAR
WING HIGH	31 /mm		
GRAPHITE BRACE	WITHOUT <input type="checkbox"/>	1-PIECE <input type="checkbox"/>	2-PIECES <input checked="" type="checkbox"/>
REAR DIFFUSOR	YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>	
WHEELBASE SHIM POSITION	0 mm <input checked="" type="checkbox"/> 2 mm <input type="checkbox"/>	SHIMS BEHIND FRONT ARM	SHIMS IN FRONT OF REAR ARM
FF	1° <input type="checkbox"/> 0.5° <input checked="" type="checkbox"/>		
FR	1° <input type="checkbox"/> 0.5° <input type="checkbox"/>		
RR	1° <input type="checkbox"/> 0.5° <input checked="" type="checkbox"/>		

FRONT	SERVO SAVER		REAR
1,2 FRONT TOE OUT	TIGHTEN	MATERIAL	2,5 REAR TOE IN
	TIGHT <input checked="" type="checkbox"/>	MEDIUM <input type="checkbox"/>	
	MEDIUM <input type="checkbox"/>	GRAPHITE <input checked="" type="checkbox"/>	
	SOFT <input type="checkbox"/>		
ACKERMANN POSITION	3 2 1		
TOP DECK	COMPOSITE <input type="checkbox"/>	GRAPHITE <input checked="" type="checkbox"/>	
WHEELBASE	0 mm <input type="checkbox"/> 1 mm <input type="checkbox"/> 2 mm <input checked="" type="checkbox"/> 3 mm <input type="checkbox"/> 4 mm <input type="checkbox"/>	SHIMS IN FRONT OF UPRIGHT	
STANDARD BATTERY	<input checked="" type="checkbox"/>		
BATTERY SETTING	FRONT <input type="checkbox"/>	REAR <input type="checkbox"/>	
	SHORT BATTERY <input type="checkbox"/>		

FRONT	CAMBER		REAR
2,5 FRONT CAMBER		2,5 REAR CAMBER	
LENGTH		LENGTH	
RIDE HEIGHT	7 /mm	RIDE HEIGHT	8 /mm