

SET-UP SHEET

XRAY XB8'20 PIVOT BALL

RACE	SM2 1:8 OR - Visby		
TRACK	Skogsholmsbanan		
NAME	Peter Eklöf	DATE	2021-08-01
TEMPERATURE AIR	18	TEMPERATURE TRACK	
LAPS	27	FINAL POSITION	24
BEST LAPTIME	37.591 /sec		RACE LENGTH
20 /min			
TRACKS			
SIZE	<input type="checkbox"/> OPEN <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> TIGHT		
TRACTION	<input type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> HIGH		
SURFACE	<input checked="" type="checkbox"/> SMOOTH <input type="checkbox"/> MEDIUM <input type="checkbox"/> BUMPY		
TYPE	<input checked="" type="checkbox"/> HARD PACKED <input type="checkbox"/> SOFT DIRT <input type="checkbox"/> CLAY <input type="checkbox"/> BLUE GROVE <input checked="" type="checkbox"/> ASTRO TURF <input type="checkbox"/> GRASS		
CONDITION	<input checked="" type="checkbox"/> DRY <input type="checkbox"/> DUSTY <input type="checkbox"/> WET <input type="checkbox"/> MUD		
DIFFERENTIAL			
CASE MATERIAL	FRONT	CENTER	REAR
OIL	7k	7k	3k
CROWN GEAR	46		46
GEARING			
CLUTCH BELL	13	/T	48
SHOE	3 x Alu		3 x Hard
SHOCKS			
FRONT	Emulsion	TYPE	Emulsion
	4 dot	SPRINGS	3 dot
	N/A	MEMBRANE	N/A
	650 /cSt	OIL	600 /cSt
STANDARD PISTONS			
<input checked="" type="checkbox"/> 6 HOLES <input type="checkbox"/> 1.1 mm <input type="checkbox"/> 6 HOLES <input checked="" type="checkbox"/> <input type="checkbox"/> 8 HOLES <input checked="" type="checkbox"/> 1.2 mm <input checked="" type="checkbox"/> 8 HOLES <input type="checkbox"/> <input type="checkbox"/> 10 HOLES <input type="checkbox"/> 1.3 mm <input type="checkbox"/> 10 HOLES <input type="checkbox"/> <input type="checkbox"/> OTHER			
VALVE PISTONS			
5+2 HOLES <input type="checkbox"/> 1.5 mm <input type="checkbox"/> 5+2 HOLES <input type="checkbox"/> 6+2 HOLES <input type="checkbox"/> 1.3 mm <input type="checkbox"/> 6+2 HOLES <input type="checkbox"/> 8+2 HOLES <input type="checkbox"/> 1.4 mm <input type="checkbox"/> 8+2 HOLES <input type="checkbox"/> 8+2 HOLES <input type="checkbox"/> 1.2 mm <input type="checkbox"/> 8+2 HOLES <input type="checkbox"/> 8+2 HOLES <input type="checkbox"/> 1.3 mm <input type="checkbox"/> 8+2 HOLES <input type="checkbox"/>			
ANTI-ROLL BAR			
FRONT	2,6 /mm	THICKNESS	2,8 /mm
TIRES			
FRONT	Sweep Whips	BRAND	Sweep Whips
	Blue	COMPOUND	Blue
		INSERTS	
		WHEELS	
ENGINE			
TYPE	FX K501		
MUFFLER	2108		
MANIFOLD	No. 659507		
PLUG	X3		
FUEL	OptiFuel		
BODY			
HS	HS-LIGHT	Bitty Vision	OTHER
TOTAL			/g

FRONT		REAR	
PIVOT BALLS UP <input type="checkbox"/> STEEL <input checked="" type="checkbox"/> ALU DOWN <input type="checkbox"/> STEEL <input checked="" type="checkbox"/> ALU		STEERING BLOCK HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	
UPPER ARM SHIM <input type="checkbox"/> 0 <input checked="" type="checkbox"/> 1mm <input type="checkbox"/> 2mm <input type="checkbox"/> OTHER		FRONT SHOCK TOWERS ALU <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU	
OFFSET <input type="checkbox"/> 0 <input checked="" type="checkbox"/> +1 <input type="checkbox"/> +2		REAR SHOCK TOWERS ALU <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU	
PIVOT NUT ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/>		LONG <input type="checkbox"/> SHORT <input type="checkbox"/>	
FRONT DROOP MEASURE UNDER WHEEL AXLE #107717 GAUGE		REAR DROOP MEASURE UNDER WHEEL AXLE #107717 GAUGE	
LOWER ARM SHIM <input checked="" type="checkbox"/> 0 <input type="checkbox"/> 1mm <input type="checkbox"/> 2mm		UPRIGHT ROLL CENTER <input checked="" type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/>	
OFFSET <input type="checkbox"/> 0 <input type="checkbox"/> +1 <input checked="" type="checkbox"/> +2		LOWER ROLL CENTER <input type="checkbox"/> 0 <input type="checkbox"/> +1 <input checked="" type="checkbox"/> +2	
REAR DROOP MEASURE UNDER WHEEL AXLE #107717 GAUGE		REAR DROOP MEASURE UNDER WHEEL AXLE #107717 GAUGE	
FRONT		REAR	
UPPER ROLL CENTER <input type="checkbox"/> 1° <input type="checkbox"/> 0.5°		REAR WING STANDARD <input checked="" type="checkbox"/> LEXAN <input type="checkbox"/>	
CASTER SHIM <input type="checkbox"/> 0 <input checked="" type="checkbox"/> 1.0 <input type="checkbox"/> 1.0 <input type="checkbox"/> 2.0		GRAPHITE BRACE WITHOUT <input checked="" type="checkbox"/> 1-PIECE <input type="checkbox"/> 2-PIECES <input type="checkbox"/>	
BUMP STEER SHIM STEERING PLATE /mm STEERING BLOCK /mm		WHEELBASE SHIM POSITION <input type="checkbox"/> 0mm <input checked="" type="checkbox"/> 2mm <input type="checkbox"/> 4mm	
WHEELBASE SHIM POSITION <input type="checkbox"/> 0mm <input checked="" type="checkbox"/> 2mm <input type="checkbox"/> 4mm		WHEELBASE SHIM POSITION <input type="checkbox"/> 0mm <input checked="" type="checkbox"/> 2mm <input type="checkbox"/> 4mm	
LOWER ROLL CENTER ECCENTRIC BUSHINGS		LOWER ROLL CENTER ECCENTRIC BUSHINGS	
FRONT		REAR	
FRONT TOE OUT STEERING PLATE 1 DOTS <input type="checkbox"/> 2 DOTS <input checked="" type="checkbox"/>		REAR TOE IN WHEELBASE 0mm <input type="checkbox"/> 1mm <input type="checkbox"/> 2mm <input type="checkbox"/> 3mm <input type="checkbox"/> 4mm	
FRONT DRIVE SHAFT CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/>		REAR DRIVE SHAFT CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/>	
TOP DECK COMPOSITE <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>		DRIVE SHAFT CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/>	
SERVO SAVER TIGHT <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> SOFT <input type="checkbox"/>		GRAPHITE BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
SIDE GUARD SOFT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/>		DRIVE SHAFT CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/>	
RADIO CASE SOFT <input type="checkbox"/> HARD <input checked="" type="checkbox"/>		DRIVE SHAFT CVD <input checked="" type="checkbox"/> UNIVERSAL <input type="checkbox"/>	
FRONT CAMBER LENGTH 37 mm RIDE HEIGHT 22 mm		REAR CAMBER LENGTH 44 mm RIDE HEIGHT 26 mm	
FULL TRAVEL SHOCKS LENGTH 124 mm		REAR CAMBER LENGTH 44 mm RIDE HEIGHT 26 mm	