

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	NYGP		
TRACK	360V2		
NAME	Keven Hebert	DATE	Oct 10th

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
	3	3		/sec	/

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input checked="" type="checkbox"/> YES	
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 10 000 /cSt
PINION 28 /T	SPUR GEAR 110 /T	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5 2.8	XRAY SPRINGS	2.6
400	OIL /cSt	400
	REBOUND %	
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 3 HOLES	PISTONS	3 HOLES <input type="checkbox"/>
<input type="checkbox"/> 4 HOLES	1.0mm	4 HOLES <input type="checkbox"/>
<input checked="" type="checkbox"/> PSS	1.1mm	<input type="checkbox"/> PSS
	1.2mm	<input checked="" type="checkbox"/> PSS
2x 0.8mm		2x 0.8mm

SHOCK LENGTH FRONT	SHOCK LENGTH REAR
8.5 /mm	8.5 /mm

1.4	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.3
-----	--------------	---------------	--------------	-----

Hudy C28	TIRES	Hudy C28
SXT	ADDITIVE	SXT
10min	ADDITIVE TIMING	10min

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT 1322 /g	WEIGHT BALANCE	FRONT 50 %	REAR 50 %
----------------------	----------------	------------	-----------

MOTOR	Motiv MC4 5.0	TIMING
-------	---------------	--------

ESC	HW G2	BATTERIES	Motiv 4400
-----	-------	-----------	------------

BODY	Twister OG 0.5	WING	std
------	----------------	------	-----

67 /mm	Dimension from body post to window bottom line	BODY POSITION
WING SIDE PLATE	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Dimension from edge to surface		

COMMENTS
35g under battery
tire glued to 59mm

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings	BUMP STEER 5 /mm	Adjust with eccentric bushings
HEIGHT 17 /mm	SHIM 5 /mm	TOE GAIN 6 /mm
1.5 /mm FF	FR 1.5 /mm	2 /mm RF
5.2 /mm RIDE HEIGHT	<input type="checkbox"/> SERVO SAVER	5.4 /mm RIDE HEIGHT
<input type="checkbox"/> SERVO HORN		2 /mm RR

FRONT CAMBER	FRONT SUSPENSION	FRONT HUB
2 /deg. Left=Right	BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/>
	FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	ALU <input type="checkbox"/>
	BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO <input type="checkbox"/>	SHIM 0.5 /mm
	DRIVE SHAFT 58mm <input checked="" type="checkbox"/> 59mm <input type="checkbox"/> STD. BEARING <input checked="" type="checkbox"/>	
	#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge 6.6 /mm DOWNSTOP

REAR CAMBER	REAR SUSPENSION	REAR HUB
2 /deg. Left=Right	BODY POST VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/>
	REAR SHOCK POSITION 1 2 3 4	ALU <input type="checkbox"/>
	SHIM 1 /mm	
	DRIVE SHAFT 52mm <input checked="" type="checkbox"/> 54mm <input type="checkbox"/> STD. BEARING <input checked="" type="checkbox"/>	
	#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge 4.8 /mm DOWNSTOP

FRONT TOP VIEW	REAR TOP VIEW
TOE OUT 1 /mm	TOE IN 3 /mm
ACKERMANN SHIM 1 /mm	SHIM /mm
DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>
UPPER ARM STANDARD <input checked="" type="checkbox"/>	UPPER ARM STANDARD <input checked="" type="checkbox"/>
STEERING BRIDGE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	TOP DECK FLEX NONE <input checked="" type="checkbox"/> BEARING <input type="checkbox"/>
TOP DECK STANDARD <input checked="" type="checkbox"/> SPLITTED <input type="checkbox"/>	TOP DECK 1.6mm <input checked="" type="checkbox"/> 2.0mm <input type="checkbox"/>
OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm	OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm

FRONT BOTTOM VIEW	REAR BOTTOM VIEW
STEER. LOCK 25 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE stock /mm	MOTOR MOUNT
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CHASSIS T-BRACE
FR SERVO HOLDER	CHASSIS GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/> ALU FLEX <input type="checkbox"/>
FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>
STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>	