

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	EWS		
TRACK	EWS		
NAME	OLLY JEFFERIES	DATE	31 OCT 21

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
	1	10		/sec	/

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input checked="" type="checkbox"/> YES	
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 5000 /cSt
PINION 29 /T	SPUR GEAR 110 /T	FINAL DRIVE RATIO 7.2

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.7
300	OIL /cSt	300
	REBOUND %	
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> 1.0mm	<input type="checkbox"/> 3 HOLES
<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS

SHOCK LENGTH FRONT	9 /mm	SHOCK LENGTH REAR	9 /mm
--------------------	-------	-------------------	-------

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.3
-----	--------------	---------------	--------------	-----

RUSH	TIRES	RUSH
	ADDITIVE	
	ADDITIVE TIMING	

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT 1320 /g	WEIGHT BALANCE	FRONT 50 %	REAR 50 %
----------------------	----------------	------------	-----------

MOTOR	HW 4.5	TIMING
-------	--------	--------

ESC	HW	BATTERIES	SUNPADOW 3800
-----	----	-----------	---------------

BODY	TWISTER SP 0.5	WING	TWISTER SP
------	----------------	------	------------

<p>Dimension from body post to window bottom line</p> <p>WING SIDE PLATE</p> <p>YES <input type="checkbox"/> NO <input type="checkbox"/></p> <p>Dimension from edge to surface</p>	BODY POSITION
--	---------------

COMMENTS

FRONT CASTER	BUMP STEER	HEIGHT	SHIM	FRONT & REAR SUSPENSION	REAR CASTER	TOE GAIN
Adjust with eccentric bushings	2.5 /mm	19 /mm	8 /mm		Adjust with eccentric bushings	5 /mm
2 /mm FF	5.2 /mm	FR 2 /mm	<input checked="" type="checkbox"/> SERVO SAVER		2 /mm RF	5.4 /mm
<input checked="" type="checkbox"/> RIDE HEIGHT		<input checked="" type="checkbox"/> SERVO HORN			<input checked="" type="checkbox"/> RIDE HEIGHT	

2 /deg. CAMBER	Left = Right	BODY STOP	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FRONT SUSPENSION	1 /mm SHIM 3 /mm	FRONT HUB	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
				FRONT BRACE	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		
				BULKHEAD SHIMS	YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO		
				DRIVE SHAFT			

2 /deg. CAMBER	Left = Right	BODY POST	VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>	REAR SUSPENSION	1 /mm SHIM 3 /mm	REAR HUB	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>

1	TOE OUT	Left = Right	ACKERMANN	SHIM 1 /mm	SHIM	2.5	TOE IN	Left = Right

FRONT BOTTOM VIEW	REAR
STEER. LOCK 28 /deg.	STEER. SHIM
SIZE /mm	
FRONT BRACE	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
FR SERVO HOLDER	
FRONT ARMS	MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>
STEER. PLATE	STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>
CHASSIS	GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input checked="" type="checkbox"/>
REAR ARMS	MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>