

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	Base Setup Home Track	
TRACK	360V2	
NAME	Joachim Bruneau	DATE

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
			/sec	/	

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input checked="" type="checkbox"/> YES	
GEAR DIFFERENTIAL - OIL	N/A /cSt	GEAR DIFFERENTIAL - OIL 10K /cSt
PINION 27 /T	SPUR GEAR 110 /T	FINAL DRIVE RATIO 7.7

FRONT	SHOCKS	REAR
25/28	XRAY SPRINGS	25/28
400	OIL /cSt	400
0%	REBOUND %	0%
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> 1.0mm	<input type="checkbox"/> 3 HOLES
<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS
N/A	N/A	N/A

SHOCK LENGTH FRONT	8.5 /mm	SHOCK LENGTH REAR	8.5 /mm
--------------------	---------	-------------------	---------

1.4	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.3
-----	--------------	---------------	--------------	-----

House Tires	TIRES	House Tires
SXT 3.0	ADDITIVE	SXT 3.0
10 Min	ADDITIVE TIMING	10 Min

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT	1322 /g	WEIGHT BALANCE	FRONT 50 % REAR 50 %
--------------	---------	----------------	----------------------

MOTOR	Reedy 5.0 T	TIMING
-------	-------------	--------

ESC	HW XR10 Pro	BATTERIES	Shorty LCG 4600
-----	-------------	-----------	-----------------

BODY	Twister 0.5	WING	std
------	-------------	------	-----

68.5 /mm	Dimension from body post to window bottom line	BODY POSITION
31.5 /mm	Dimension from body post to upper holder	WING SIDE PLATE
	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
50 /mm	Dimension from edge to surface	

COMMENTS

- Side Wall Glue 59.2mm - 3 thin coats
- 12.0 Rotor
- Pieces of Foam Glued on front bumper to prevent body nose rubbing

FRONT CASTER	BUMP STEER	HEIGHT	SHIM	FRONT & REAR SUSPENSION	REAR CASTER	TOE GAIN
Adjust with eccentric bushings	5 /mm	19 /mm	6 /mm		Adjust with eccentric bushings	5 /mm
2 /mm FF	5.2 /mm	FR 2 /mm	<input checked="" type="checkbox"/> SERVO SAVER		2.5 /mm RF	5.4 /mm
<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT	<input type="checkbox"/> SERVO HORN		<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT

1.75 /deg. CAMBER	Left = Right	BODY STOP	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FRONT SUSPENSION	1.5 /mm SHIM	2 /mm	FRONT HUB	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
		N/A /mm		FRONT BRACE	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
				BULKHEAD SHIMS	YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO <input type="checkbox"/>			
				DRIVE SHAFT	58mm <input checked="" type="checkbox"/> 59mm <input type="checkbox"/> STD. BEARING <input checked="" type="checkbox"/>			
					#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	6.4 /mm	DOWNSTOP

2 /deg. CAMBER	Left = Right	BODY POST	VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>	REAR SUSPENSION	1 /mm SHIM	2 /mm	REAR HUB	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
				REAR SHOCK POSITION	1 2 3 4			
				DRIVE SHAFT	52mm <input type="checkbox"/> 54mm <input checked="" type="checkbox"/> STD. BEARING <input checked="" type="checkbox"/>			
					#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge	4.0 /mm	DOWNSTOP

1 TOE OUT	Left = Right	ACKERMANN	SHIM /mm	FRONT TOP VIEW	REAR	2.75 TOE IN	Left = Right
DIFF POSITION	UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>						
UPPER ARM	STANDARD <input checked="" type="checkbox"/>						
OFFSET	STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm						

FRONT BOTTOM VIEW	REAR
STEER. LOCK	24 /deg.
STEER. SHIM	SIZE 7.5 /mm
FRONT BRACE	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
FRONT ARMS	MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>
STEER. PLATE	STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>
MOTOR MOUNT	CHASSIS T-BRACE
CHASSIS	GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/> ALU FLEX <input type="checkbox"/>
REAR ARMS	MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>