

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	ETS DAUN RD.5		
TRACK	ETS Carpet		
NAME		DATE	

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
	10	10	14.8 /sec	/	

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input type="checkbox"/> MIXED <input checked="" type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input checked="" type="checkbox"/> YES	
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 7k 151 /cSt
PINION 28 /T	SPUR GEAR 110 /T	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.7
425	OIL /cSt	425
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 3 HOLES	PISTONS	3 HOLES <input type="checkbox"/>
<input type="checkbox"/> 4 HOLES	1.0mm	4 HOLES <input type="checkbox"/>
<input checked="" type="checkbox"/> PSS	1.1mm	<input type="checkbox"/> PSS
	1.2mm	<input checked="" type="checkbox"/> PSS
2x0,8mm		2x0,8mm

SHOCK LENGTH FRONT	SHOCK LENGTH REAR
8.5 /mm	9 /mm

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.3
Matrix		TIRES		
MR33		ADDITIVE		
2x5min		ADDITIVE TIMING		

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT	/g	WEIGHT BALANCE	FRONT 49 %	REAR 51 %
--------------	----	----------------	------------	-----------

MOTOR	5.0T 12.1mm	TIMING	
-------	-------------	--------	--

ESC		BATTERIES	Gensace
-----	--	-----------	---------

BODY	Wolverine 0,5mm	WING	Std
------	-----------------	------	-----

<p>Dimension from body post to window bottom line</p> <p>Dimension from body post to upper holder</p> <p>WING SIDE PLATE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/></p> <p>Dimension from edge to surface</p>	BODY POSITION
--	---------------

COMMENTS
1.6mm Topdeck Front, 2mm Rear

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
<p>Adjust with eccentric bushings</p> <p>5° 4° 3°</p>	<p>BUMP STEER 4 /mm</p> <p>HEIGHT /mm</p> <p>SHIM /mm</p>	<p>Adjust with eccentric bushings</p> <p>0.5° 1.5° 2.5° 3.5° 4.5° 5.5°</p>
<p>TOE GAIN 5 /mm</p>	<p>2.5 /mm FF</p> <p>5 /mm RIDE HEIGHT</p> <p>FR 2.5 /mm</p> <p><input type="checkbox"/> SERVO SAVER</p> <p><input type="checkbox"/> SERVO HORN</p>	<p>3 /mm RF</p> <p>5.2 /mm RIDE HEIGHT</p> <p>RR 3 /mm</p>

FRONT CAMBER	FRONT SUSPENSION	FRONT HUB
<p>2 /deg. Left = Right</p>	<p>BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/></p> <p>FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/></p> <p>BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/></p> <p>DRIVE SHAFT 58mm 59mm STD. BEARING</p>	<p>SHIM 0.5 /mm</p>
	<p>FRONT SHOCK POSITION 1 2 3 4</p>	<p>SHIM 6.2 /mm DOWNSTOP</p>

REAR CAMBER	REAR SUSPENSION	REAR HUB
<p>2 /deg. Left = Right</p>	<p>BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/></p> <p>REAR BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/></p> <p>BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/></p> <p>DRIVE SHAFT 52mm 54mm STD. BEARING</p>	<p>SHIM 1.5 /mm</p>
	<p>REAR SHOCK POSITION 1 2 3 4</p>	<p>SHIM 4 /mm DOWNSTOP</p>

FRONT TOP VIEW	REAR TOP VIEW
<p>1.25 TOE OUT Left = Right</p> <p>ACKERMANN SHIM 1 /mm</p> <p>DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/></p> <p>UPPER ARM STANDARD <input checked="" type="checkbox"/></p> <p>OFFSET STANDARD <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> SHIM/mm</p> <p>TOP DECK STANDARD <input checked="" type="checkbox"/> SPLITTED <input type="checkbox"/></p> <p>STEERING BRIDGE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/></p>	<p>2.5 TOE IN Left = Right</p> <p>SHIM /mm</p> <p>DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/></p> <p>UPPER ARM STANDARD <input checked="" type="checkbox"/></p> <p>OFFSET STANDARD <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> SHIM/mm</p> <p>TOP DECK 1.6mm 2.0mm</p> <p>TOP DECK FLEX NONE <input type="checkbox"/> BEARING <input type="checkbox"/></p>

FRONT BOTTOM VIEW	REAR BOTTOM VIEW
<p>STEER. LOCK 25 /deg.</p> <p>STEER. SHIM SIZE 7.5 /mm</p> <p>FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/></p> <p>SERVO HOLDER FR RE</p> <p>CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input checked="" type="checkbox"/> P</p>	<p>T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/></p> <p>MOTOR MOUNT</p> <p>CHASSIS T-BRACE</p> <p>REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/></p> <p>STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/></p>