

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE	Campeonato de Europa 2022	
TRACK	Hudy Arena	
NAME	Luis	DATE

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
			/sec		/

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input type="checkbox"/> YES	
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 6k /cSt
PINION 46 /T	SPUR GEAR 95 /T	FINAL DRIVE RATIO 3.93

FRONT	SHOCKS	REAR
2.5/2.8	XRAY SPRINGS	2.7
350	OIL /Cst	350
	REBOUND %	
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> 1.0mm	<input type="checkbox"/> 3 HOLES
<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS

SHOCK LENGTH FRONT 9.2 /mm	SHOCK LENGTH REAR 9.2 /mm
----------------------------	---------------------------

1.1 THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm 1.2
------------------	---------------	------------------

Hudy	TIRES	Hudy
Hudy	ADDITIVE	Hudy
12	ADDITIVE TIMING	12

FRONT LEFT	FRONT RIGHT	TREATED AREA	REAR LEFT	REAR RIGHT

TOTAL WEIGHT 1370 /g	WEIGHT BALANCE	FRONT 50 %	REAR 50 %
----------------------	----------------	------------	-----------

MOTOR	Hw G4	TIMING
-------	-------	--------

ESC	Hw xr10 G2S	BATTERIES	Nosram 8100
-----	-------------	-----------	-------------

BODY	Wolverine	WING	Std
------	-----------	------	-----

65 /mm	Dimension from body post to window bottom line	BODY POSITION
WING SIDE PLATE	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	

COMMENTS
Con rueda nueva la barra delantera de 1.2 calma bastante el coche y es más fácil de llevar.

FRONT CASTER	BUMP STEER	HEIGHT	SHIM	FRONT & REAR SUSPENSION	REAR CASTER	TOE GAIN
Adjust with eccentric bushings	4.5 /mm	/mm	/mm		Adjust with eccentric bushings	6 /mm
2 /mm FF	5.2 /mm	FR 2 /mm	<input type="checkbox"/> SERVO SAVER		3 /mm RF	5.4 /mm
<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> SERVO HORN		<input checked="" type="checkbox"/> RIDE HEIGHT	<input checked="" type="checkbox"/> RIDE HEIGHT

FRONT CAMBER	BODY STOP	FRONT SUSPENSION	FRONT HUB
2 /deg. Left=Right	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> 17 /mm	FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
		BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO <input type="checkbox"/>	SHIM 0.5 /mm
DRIVE SHAFT 58mm 59mm STD. BEARING		FRONT SHOCK POSITION 1 2 3 4	

REAR CAMBER	BODY POST	REAR SUSPENSION	REAR HUB
2 /deg. Left=Right	VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>	REAR SHOCK POSITION 1 2 3 4	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
		SHIM 1 /mm	
DRIVE SHAFT 52mm 54mm STD. BEARING		REAR SHOCK POSITION 1 2 3 4	

FRONT TOP VIEW	REAR TOP VIEW
1 TOE OUT Left=Right	3 TOE IN Left=Right
ACKERMANN SHIM 0 /mm	SHIM /mm
DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>	DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/>
UPPER ARM STANDARD <input checked="" type="checkbox"/>	UPPER ARM STANDARD <input type="checkbox"/>
STEERING BRIDGE YES <input type="checkbox"/> NO <input type="checkbox"/>	TOP DECK FLEX NONE <input type="checkbox"/> BEARING <input type="checkbox"/>
TOP DECK STANDARD <input checked="" type="checkbox"/> SPLITTED <input type="checkbox"/>	TOP DECK 1.6mm <input type="checkbox"/> 2.0mm <input checked="" type="checkbox"/>
OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm	OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm

FRONT BOTTOM VIEW	REAR BOTTOM VIEW
STEER. LOCK 27 /deg.	T-BRACE ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE /mm	MOTOR MOUNT
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CHASSIS T-BRACE
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>
STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>	CHASSIS GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input type="checkbox"/>