

SET-UP SHEET

VER.01 ©XRAY

XRAY X4'22

RACE		
TRACK		
NAME	SPACE X	DATE

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
			/sec	/	

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
SOLID AXLE	<input type="checkbox"/> YES	
GEAR DIFFERENTIAL - OIL	/cSt	GEAR DIFFERENTIAL - OIL 5000 /cSt
PINION	/T	SPUR GEAR /T
		FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.5 / 2.8	XRAY SPRINGS	2.7
450	OIL /cSt	450
	REBOUND %	
<input type="checkbox"/> YES <input type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input type="checkbox"/> NO

<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> 1.0mm	<input type="checkbox"/> 3 HOLES
<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS

SHOCK LENGTH FRONT	9.0 /mm	SHOCK LENGTH REAR	9.0 /mm
--------------------	---------	-------------------	---------

1.2	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
TIRES				
ADDITIVE				
ADDITIVE TIMING				

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT	/g	WEIGHT BALANCE	FRONT %	REAR %
--------------	----	----------------	---------	--------

MOTOR	TIMING
-------	--------

ESC	BATTERIES
-----	-----------

BODY	WING
------	------

<p>Dimension from body post to window bottom line</p> <p>Dimension from body post to upper holder</p> <p>WING SIDE PLATE YES <input type="checkbox"/> NO <input type="checkbox"/></p> <p>Dimension from edge to surface</p>	BODY POSITION
---	---------------

COMMENTS

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
<input type="checkbox"/> 5° <input checked="" type="checkbox"/> 4° <input type="checkbox"/> 3° Adjust with eccentric bushings	BUMP STEER 5 /mm HEIGHT /mm SHIM /mm TOE GAIN 5 /mm RIDE HEIGHT 2 /mm FF 5.2 /mm FR 2 /mm <input type="checkbox"/> SERVO SAVER <input type="checkbox"/> SERVO HORN	<input type="checkbox"/> 0.5° <input checked="" type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° Adjust with eccentric bushings RIDE HEIGHT 2 /mm RF 5.4 /mm RR 2 /mm

FRONT CAMBER	FRONT SUSPENSION	FRONT HUB
2 /deg. Left = Right BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO DRIVE SHAFT 58mm <input checked="" type="checkbox"/> 59mm <input type="checkbox"/> STD. BEARING SHIM .75 /mm #107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 5.6 /mm DOWNSTOP	1.5 /mm SHIM 2 /mm FRONT SHOCK POSITION 1 2 3 4 SHIM .75 /mm	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>

REAR CAMBER	REAR SUSPENSION	REAR HUB
2 /deg. Left = Right BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/> REAR SHOCK POSITION 1 2 3 4 SHIM 1 /mm #107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 4.6 /mm DOWNSTOP	1 /mm SHIM 2 /mm SHIM 1 /mm	COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>

FRONT TOP VIEW	REAR TOP VIEW
.8 TOE OUT Left = Right ACKERMANN SHIM 1 /mm DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/> UPPER ARM STANDARD <input checked="" type="checkbox"/> OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm TOP DECK STANDARD <input checked="" type="checkbox"/> SPLITTED <input type="checkbox"/> STEERING BRIDGE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> TOP DECK FLEX NONE <input checked="" type="checkbox"/> BEARING <input type="checkbox"/> TOP DECK 1.6mm <input checked="" type="checkbox"/> 2.0mm <input type="checkbox"/> TOP DECK CUTTING	3 TOE IN Left = Right SHIM /mm DIFF POSITION UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/> UPPER ARM STANDARD <input checked="" type="checkbox"/> OFFSET STANDARD <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> SHIM/mm TOP DECK CUTTING

FRONT BOTTOM VIEW	REAR BOTTOM VIEW
STEER. LOCK /deg. STEER. SHIM SIZE /mm FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> FR RE SERVO HOLDER CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input checked="" type="checkbox"/> FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> STEER. PLATE STANDARD <input checked="" type="checkbox"/> +1mm <input type="checkbox"/>	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/> MOTOR MOUNT CHASSIS T-BRACE REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>