

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	USIC			
TRACK	Embassy Suites			
NAME	Alexander Hagberg	DATE	27/11/2022	

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
5	4	10.8 /sec	/	

TRACK			
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT	
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED	<input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL 8000 /cSt
PINION 28 /T	SPUR GEAR 110 /T	FINAL DRIVE RATIO

FRONT	SHOCKS	REAR
2.4-2.7	XRAY SPRINGS	2.8
450	OIL /cSt	450
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 4 HOLES	1.1mm	1.1mm	<input type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	1.2mm	1.2mm	<input type="checkbox"/> PSS
2x0.8			2x0.8
SHOCK LENGTH 8.5 /mm			SHOCK LENGTH 8.5 /mm

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
Gravity		TIRES		Gravity
SXT 3.0		ADDITIVE		SXT 3.0
10		ADDITIVE TIMING		10

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT 1330 /g	WEIGHT BALANCE	FRONT 50 %	REAR 50 %
----------------------	----------------	------------	-----------

MOTOR	HW G3 5.0T	TIMING	
ESC	HW XR10 G2S	BATTERIES	Sunpadow 4000
BODY	Twister UL	WING	Speciale L

66 /mm	Dimension from body post to window bottom line	BODY POSITION
29 /mm	Dimension from body post to upper holder	WING SIDE PLATE
	Dimension from edge to surface	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>

1.6mm	<input checked="" type="checkbox"/> 2.0mm	<input checked="" type="checkbox"/> 1.6mm
2.0mm	<input type="checkbox"/> 1.6mm	
NONE	<input type="checkbox"/> BEARING	

COMMENTS

FRONT & REAR SUSPENSION
<div> FRONT CASTER <input checked="" type="checkbox"/> 5° <input type="checkbox"/> 4° <input type="checkbox"/> 3° Adjust with eccentric bushings </div> <div> BUMP STEER 3 /mm </div> <div> HEIGHT 19 /mm </div> <div> SHIM 6 /mm </div> <div> UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm </div> <div> 2.5 /mm FF <input checked="" type="checkbox"/> 5.2 /mm FR <input checked="" type="checkbox"/> 2.5 /mm <input type="checkbox"/> SERVO SAVER <input checked="" type="checkbox"/> SERVO HORN </div>
<div> REAR CASTER <input type="checkbox"/> 0.5° <input checked="" type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° Adjust with eccentric bushings </div> <div> UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm </div> <div> TOE GAIN 4.5 /mm </div> <div> 3.0 /mm RF <input checked="" type="checkbox"/> 5.4 /mm RR <input checked="" type="checkbox"/> 3.0 /mm <input type="checkbox"/> RIDE HEIGHT </div>

1.75 /deg. CAMBER Left = Right	BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> /mm	FRONT SUSPENSION	2.0 /mm SHIM 2.0 /mm	FRONT HUB HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
		FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FRONT SHOCK POSITION 1 2	SHIM 1.0 /mm
		BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO		
		DRIVE SHAFT <input checked="" type="checkbox"/> 58mm <input type="checkbox"/> 59mm <input checked="" type="checkbox"/> BEARING <input type="checkbox"/> BLADE	#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge 6.2 /mm DOWNSTOP

2.0 /deg. CAMBER Left = Right	BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>	REAR SUSPENSION	1.5 /mm SHIM 2.0 /mm	REAR HUB HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/>
		REAR SHOCK POSITION 1 2		SHIM 1.5 /mm
		DRIVE SHAFT <input type="checkbox"/> 52mm <input checked="" type="checkbox"/> 54mm <input checked="" type="checkbox"/> BEARING <input type="checkbox"/> BLADE	#107702 Chassis Droop Gauge Blocks	#107712 Chassis Droop Gauge 4.2 /mm DOWNSTOP

1.25 TOE OUT Left = Right	ACKERMANN SHIM 1.5 /mm	3.0 TOE IN Left = Right
DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	SHIM /mm	DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN
UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>	BRASS WEIGHT FOR MOTOR MOUNT	UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM STD. <input type="checkbox"/>
STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	STEERING PLATE 8.0mm <input checked="" type="checkbox"/> STD. <input type="checkbox"/> 7.5mm	HUB OFFSET STD. <input type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm <input type="checkbox"/> SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 24 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 9 /mm	MOTOR MOUNT
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	CHASSIS T-BRACE
FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>