

SET-UP SHEET

XRAY XB2'20

| | | |
|-------|-------------------|-----------------|
| RACE | Thanksgiving Race | |
| TRACK | Eds RC Raceway | |
| NAME | Bill Davis | DATE 2022-11-26 |

| | | | |
|---------------------|-----|----------------|-----|
| LAPS | | BEST LAP TIME | sec |
| QUALIFYING POSITION | 4th | FINAL POSITION | 2nd |

| TRACK | | | |
|-----------|--|---|--------------------------------|
| SIZE | <input type="checkbox"/> OPEN | <input checked="" type="checkbox"/> MEDIUM | <input type="checkbox"/> TIGHT |
| TRACTION | | | |
| SURFACE | <input checked="" type="checkbox"/> SMOOTH | <input type="checkbox"/> MEDIUM | <input type="checkbox"/> BUMPY |
| TYPE | <input checked="" type="checkbox"/> CLAY | <input type="checkbox"/> CARPET | <input type="checkbox"/> ASTRO |
| CONDITION | <input type="checkbox"/> BLUE GROOVE | <input checked="" type="checkbox"/> HARD PACKED | <input type="checkbox"/> DRY |
| | <input type="checkbox"/> DUSTY | <input type="checkbox"/> LOAMY | <input type="checkbox"/> WET |

| TRANSMISSION | | | |
|-----------------|---|------------------------------------|---|
| DIFFERENTIAL | BALL DIFF <input checked="" type="checkbox"/> | GEAR DIFF <input type="checkbox"/> | OIL <input type="text"/> cSt |
| SATELLITE GEARS | COMPOSITE <input type="checkbox"/> | STEEL <input type="checkbox"/> | GEARS 2 <input type="checkbox"/> 4 <input type="checkbox"/> |
| SLIPPER | 2 PAD <input checked="" type="checkbox"/> | 3 PAD <input type="checkbox"/> | mm |

| GEARING | | | |
|---------|----|-----------|----|
| PINION | 27 | SPUR GEAR | 75 |

| GEAR BOX | |
|-----------|---|
| FRONT LCG | <input checked="" type="checkbox"/> FRONT LCG <input type="checkbox"/> REAR LCG |

| FRONT | SHOCKS | REAR |
|---|--|---|
| 2 dot | SPRINGS | 400 |
| cSt 450 | OIL | cSt |
| <input checked="" type="checkbox"/> 2 HOLES | PISTONS | <input checked="" type="checkbox"/> 2 HOLES |
| <input type="checkbox"/> 3 HOLES | <input type="checkbox"/> ø1.6mm | <input checked="" type="checkbox"/> 3 HOLES |
| <input type="checkbox"/> 6 HOLES | <input checked="" type="checkbox"/> ø1.7mm | <input type="checkbox"/> 6 HOLES |
| | OTHER: <input type="text"/> mm | |
| SHOCK BODY | | |
| LONG <input type="checkbox"/> SHORT (KIT) | | |
| SHOCK SHAFT | | |
| LONG <input type="checkbox"/> SHORT (KIT) | | |
| DOWNSTOP SHIM | | |
| INSERT UNDER PISTON | | |
| LENGTH <input type="text"/> mm | | |
| UPSTOP SHIM | | |
| INSERT ABOVE COLLAR | | |
| OTHER: <input type="text"/> mm | | |
| KIT BALL JOINT | | |

| FRONT | SHOCK TOWER | REAR |
|------------------------------|-----------------------------------|------------------------------|
| ALU <input type="checkbox"/> | GRAPHITE <input type="checkbox"/> | ALU <input type="checkbox"/> |

| FRONT | ANTI ROLL BAR | REAR |
|-------|-----------------------------------|------|
| | THICKNESS <input type="text"/> mm | |

| FRONT | TIRES | REAR |
|-------------|----------|-------------|
| roline/Grou | BRAND | roline/Grou |
| M4 | COMPOUND | M4 |
| | INSERTS | |
| | WHEELS | |

| ELECTRONICS | | | |
|--------------|------|---------|--|
| MOTOR | 17.5 | SPEEDO | |
| MOTOR TIMING | | BATTERY | |

| BODY | | | |
|---------------------------------|--------------------------------|-----------------------------|--------------------------------|
| ALPHA2 <input type="checkbox"/> | BETA2 <input type="checkbox"/> | OTHER: <input type="text"/> | LIGHT <input type="checkbox"/> |

| COMMENT | |
|---------|--|
| | |

| FRONT | APPLIED <input type="radio"/> <input checked="" type="checkbox"/> APPLIED | REAR |
|---|---|--|
| STEERING BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> | LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/> | REAR UPRIGHT SHIM <input type="text"/> /mm 2 /mm <input checked="" type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU |
| CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> | CAMBER LINK LOCATION SHIM <input type="text"/> /mm FLAT ARM LSM ARM | SHIM 0 /mm DRIVE SHAFT Length 77 /mm SHIM 2 /mm ADJUSTABLE DRIVE AXLE XB2D SUSP. ARM XB4 SUSP. ARM |

| FRONT | WING POSITION | WING CUTTING LINE / SIDE LINE | WING TYPE |
|--|---|---|--|
| CASTER BUSHINGS <input checked="" type="checkbox"/> 0° <input type="checkbox"/> 2.5° <input type="checkbox"/> 5° | UPPER DECK <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO FRONT WING SHOCK TOWER | 1 2 3 4 5 SHOCK POSITION FRONT <input type="checkbox"/> REAR <input type="checkbox"/> | CENTER FIN YES <input type="checkbox"/> NO <input type="checkbox"/> WING POSITION UP <input type="checkbox"/> MIDDLE <input type="checkbox"/> DOWN <input type="checkbox"/> |
| KICK-UP KIT 26° <input checked="" type="checkbox"/> | BUMP STEER SHIM 2 /mm STEERING BUMP STEER | | |

| FRONT | BATTERY PLACEMENT | REAR |
|---|--|---|
| FRONT TOE OUT <input type="checkbox"/> IN <input type="checkbox"/> | LONG SIDE FRONT LONG SIDE REAR | REAR TOE IN <input type="checkbox"/> OUT <input type="checkbox"/> |
| OFFSET 0 /slots | EXTENSION 0 SLOTS <input type="checkbox"/> 1 SLOT <input type="checkbox"/> 2 SLOTS <input checked="" type="checkbox"/> | OFFSET 4 /slots |
| WHEELBASE SHIM 2 /mm | BATTERY SIZE <input checked="" type="checkbox"/> STD. SHORT <input type="checkbox"/> LOW SHORT | WHEELBASE SHIM 2 /mm |
| ROLL CENTER MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> ALU <input type="checkbox"/> | GUARD BRACE FLEX 1 2 3 4 5 6 7 8 | ROLL CENTER COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> |
| UPPER DECK MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> | UPPER BRACE YES <input type="checkbox"/> NO <input type="checkbox"/> | |

| FRONT | SHIMS | REAR ROLL CENTER HOLDERS |
|---|-------------------------------|--|
| SHIMS /mm ACKERMANN LEFT = RIGHT | SHIMS /mm | ECCENTRIC BUSHINGS RF 0.5° <input checked="" type="checkbox"/> 1° <input type="checkbox"/> RR 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/> |
| STEERING ARMS COMPOSITE <input type="checkbox"/> ALU <input type="checkbox"/> | BUMP STEER SHIM /mm | |
| STEERING PLATE COMPOSITE <input type="checkbox"/> ALU <input type="checkbox"/> | | |

| FRONT | DIFF HEIGHT | REAR |
|--|---|---|
| FRONT CAMBER -0.5° | -0.5° | REAR CAMBER -0.5° |
| FRONT ARM MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> | RIDE HEIGHT 21 /mm #107721 GAUGE | REAR ARM MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> |

| FRONT | ECCENTRIC SHOCK BALL | REAR |
|---|---|--|
| ARM MOUNT COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> BRASS <input type="checkbox"/> | FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/> SERVO POSITION BALANCE <input type="text"/> g BALANCE <input type="text"/> g BALANCE <input type="text"/> g | ARM SHIM 2 /mm |
| CHASSIS BRACE MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> | SERVO WEIGHT STANDARD <input type="checkbox"/> LOW PROFILE <input checked="" type="checkbox"/> | CHASSIS ALU 2.5mm <input type="checkbox"/> |
| | CHASSIS FLEX SCREW USED <input type="checkbox"/> SCREW NOT USED <input type="checkbox"/> | |