

SET-UP SHEET

XB2'23 SET-UP SHEET VER. 1 ©XRAY 2022

XRAY XB2'23

RACE	US Carpet Champs		
TRACK	Cleveland		
NAME	Paul Ciccarello	DATE	2022-12-05

LAPS		BEST LAP TIME		sec
QUALIFYING POSITION		FINAL POSITION		

TRACK				
SIZE	<input type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> TIGHT	
TRACTION				
SURFACE	<input checked="" type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY	
TYPE	<input type="checkbox"/> CLAY	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASTRO	
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED	<input type="checkbox"/> DRY	
	<input type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET	

TRANSMISSION				
DIFFERENTIAL				
BALL DIFF	<input type="checkbox"/>	GEAR DIFF	<input checked="" type="checkbox"/>	ACTIVE DIFF
		OIL	50K	cst
			60°	90° 120°
SATELLITE GEARS	COMPOSITE	<input checked="" type="checkbox"/>	STEEL	GEARS 2
				<input checked="" type="checkbox"/> 4
SLIPPER	2 PAD	<input type="checkbox"/>	3 PAD	mm

GEARING	
PINION	22
SPUR GEAR	78

GEAR BOX	
FRONT LCG	<input checked="" type="checkbox"/>
REAR LCG	<input type="checkbox"/>

FRONT	SHOCKS	REAR
5 dot	SPRINGS	4 dot
cst 700	OIL	cst 500
<input checked="" type="checkbox"/> 2 HOLES	<input checked="" type="checkbox"/> ø1.6mm	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> ø1.7mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	OTHER	<input type="checkbox"/> 6 HOLES
	mm	
DOWNSTOP SHIM	INSERT UNDER PISTON	DOWNSTOP SHIM
LENGTH 23 mm		LENGTH 30 mm
UPSTOP SHIM	INSERT ABOVE COLLAR	UPSTOP SHIM
COLLAR STANDARD -2mm		COLLAR STANDARD -2mm
OTHER		OTHER

FRONT	SHOCK TOWER	REAR
ALU	<input checked="" type="checkbox"/> GRAPHITE	GRAPHITE
		<input checked="" type="checkbox"/> ALU

FRONT	ANTI ROLL BAR	REAR
1.0 mm	THICKNESS	1.1 mm

FRONT	TIRES	REAR
JC	BRAND	JC
Fuzz	COMPOUND	Fuzz
	INSERTS	grey
	WHEELS	

ELECTRONICS		
MOTOR	HW 6.5	HW G2
MOTOR TIMING	30	Factory Xtrem
		BATTERY

BODY	
Gammc C	<input checked="" type="checkbox"/> LIGHT

COMMENT	

FRONT	APPLIED	APPLIED	REAR
STEERING BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input checked="" type="checkbox"/> CAMBER LINK LOCATION 1 2 SHIM 2 /mm CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> FLAT ARM 3 2 1 LSM ARM 2 1			SHIM 3 /mm REAR UPRIGHT HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU HIGH <input type="checkbox"/> ALU LOW <input checked="" type="checkbox"/> #325341 ADJ. DRIVE AXLE 1 2 3 4 0.5° 1° SHIM 2 /mm DRIVE SHAFT Length 75 /mm SHIM 3 /mm XB2D SUSP. ARM 1 2 3 XB4 SUSP. ARM 1 2

FRONT	WING POSITION	SHOCK TOWER	WING CUTTING LINE / SIDE LINE	WING TYPE	WING POSITION
CASTER BUSHINGS 0° <input type="checkbox"/> 2.5° <input checked="" type="checkbox"/> 5° <input type="checkbox"/> KICK-UP ° KIT 26° <input checked="" type="checkbox"/> UPPER DECK YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> FRONT WING YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> BUMP STEER SHIM 2 /mm STEERING BUMP STEER			1 2 3 4 5 SHOCK POSITION FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/> WING TYPE 323510 CENTER FIN YES <input type="checkbox"/> NO <input type="checkbox"/> WING POSITION UP <input type="checkbox"/> MIDDLE <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>		

FRONT TOE	EXTENSION	BATTERY PLACEMENT	REAR TOE	OFFSET	WHEELBASE	ROLL CENTER
1	0 SLOTS <input type="checkbox"/> 1 SLOT <input type="checkbox"/> 2 SLOTS <input checked="" type="checkbox"/> 3 SLOTS <input type="checkbox"/>	LONG SIDE FRONT 1 2 3 LONG SIDE REAR 1 2 3	1	6 /slots	SHIM 2 /mm	HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>
OFFSET 2 /slots WHEELBASE SHIM 2 /mm ROLL CENTER HARD <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	BATTERY SIZE STD. SHORT <input type="checkbox"/> LOW SHORT <input checked="" type="checkbox"/> UPPER BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> SERVO HORNS SHIM /mm SERVO BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	GUARD BRACE FLEX 1 2 BALANCE POSITION 1 2 SHIM 2 /mm	REAR ROLL CENTER HOLDERS RF 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/> RR 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>			

STEERING ARMS	STEERING PLATE	SHIMS	REAR ROLL CENTER HOLDERS
HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	2 /mm	RF 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/> RR 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>

FRONT CAMBER	DIFF HEIGHT	REAR CAMBER
1	1 2 3 4 5 6 7 8 14 /mm #107721 GAUGE	1
FRONT ARM MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	REAR ARM MEDIUM <input type="checkbox"/> HARD <input type="checkbox"/> GRAPHITE <input checked="" type="checkbox"/>	

ARM MOUNT	ECCENTRIC SHOCK BALL	ARM SHIM	CHASSIS	SERVO WEIGHT	CHASSIS FLEX
COMPOSITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/> BRASS <input type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/> 1 2 3 SERVO POSITION BALANCE 92 g BALANCE 92 g	0 /mm	ALU MID (KIT) <input checked="" type="checkbox"/> ALU LONG <input type="checkbox"/> GRAPHITE MID <input type="checkbox"/>	STANDARD <input checked="" type="checkbox"/> LOW PROFILE <input type="checkbox"/>	SCREW USED <input checked="" type="checkbox"/> SCREW NOT USED <input type="checkbox"/>