

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	P&F Club Race		
TRACK	P&F Hobbies		
NAME	Steve Weiss	DATE	12.17.2022

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
1	1	9.2 /sec	32 /	5:09

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input type="checkbox"/> MEDIUM <input checked="" type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL
PINION	SPUR GEAR	FINAL DRIVE RATIO
28 /T	110 /T	

FRONT	SHOCKS	REAR
2.4-2.7	XRAY SPRINGS	2.6
475	OIL /Cst	475
~0	REBOUND %	~0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input type="checkbox"/> 4 HOLES	1.1mm	1.1mm	4 HOLES
<input checked="" type="checkbox"/> PSS	1.2mm	1.2mm	<input checked="" type="checkbox"/> PSS
2 x 0.8			2 x 0.8
SHOCK LENGTH	9.0 /mm	9.0 /mm	SHOCK LENGTH

1.2	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.2
-----	--------------	---------------	--------------	-----

Volante V8	TIRES
SXT3.0	ADDITIVE
~3-5	ADDITIVE TIMING

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT	1320 /g	WEIGHT BALANCE	FRONT 50 % REAR 50 %
--------------	---------	----------------	----------------------

MOTOR	Reedy 5.0	TIMING
ESC	Reedy 610R	BATTERIES
BODY	OG UL	WING

67 /mm	Dimension from body post to window bottom line	BODY POSITION
7+1+oring /mm	Dimension from body post to upper holder	WING SIDE PLATE
64 /mm	Dimension from edge to surface	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>

X4'23	1.6mm <input checked="" type="checkbox"/> 2.0mm <input checked="" type="checkbox"/> 1.6mm
X4'22	2.0mm <input type="checkbox"/> 2.0mm <input type="checkbox"/> 1.6mm
X4'22	2.0mm <input type="checkbox"/> 1.6mm <input type="checkbox"/> NONE <input type="checkbox"/> BEARING

COMMENTS

FRONT CASTER	FRONT & REAR SUSPENSION	REAR CASTER
Adjust with eccentric bushings		Adjust with eccentric bushings
UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm		UPPER CLAMP STD. <input checked="" type="checkbox"/> -1.5mm
0.75 /mm FF	BUMP STEER 2.0 /mm	TOE GAIN 7.0 /mm
5.2 /mm	HEIGHT 19 /mm	1.25 /mm RF
FR 0.75 /mm	SHIM /mm	5.4 /mm
<input type="checkbox"/> SERVO SAVER		RR 1.25 /mm
<input checked="" type="checkbox"/> SERVO HORN		

FRONT	FRONT SUSPENSION	FRONT HUB
2.0 /deg. CAMBER	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	HARD <input type="checkbox"/>
Left = Right	FRONT SHOCK POSITION	GRAPHITE <input checked="" type="checkbox"/>
BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		ALU <input type="checkbox"/>
SHIM 2.0 /mm		SHIM 0.5 /mm
DRIVE SHAFT 58mm 59mm		
BEARING BLADE		
#107702 Chassis Droop Gauge Blocks		#107712 Chassis Droop Gauge
		5.8 /mm DOWNSTOP

REAR	REAR SUSPENSION	REAR HUB
2.0 /deg. CAMBER	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	HARD <input type="checkbox"/>
Left = Right	REAR SHOCK POSITION	GRAPHITE <input checked="" type="checkbox"/>
BODY POST VERTICAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>		ALU <input type="checkbox"/>
SHIM 2.0 /mm		SHIM 0.5 /mm
DRIVE SHAFT 52mm 54mm		
BEARING BLADE		
#107702 Chassis Droop Gauge Blocks		#107712 Chassis Droop Gauge
		5.2 /mm DOWNSTOP

FRONT TOP VIEW	REAR
1.25 TOE OUT	2.0 TOE IN
Left = Right	Left = Right
ACKERMANN SHIM 1.0 /mm	SHIM 0.0 /mm
DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	DIFF POSITION <input checked="" type="checkbox"/> UP <input type="checkbox"/> DOWN <input type="checkbox"/>
UPPER ARM SOFT <input type="checkbox"/> MEDIUM STD. <input checked="" type="checkbox"/>	UPPER ARM SOFT <input type="checkbox"/> MEDIUM STD. <input checked="" type="checkbox"/>
STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	STEERING PLATE 8.0mm <input checked="" type="checkbox"/> STD. <input type="checkbox"/> 7.5mm
HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm 0.5	HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm

FRONT BOTTOM VIEW	REAR
STEER. LOCK 27 /deg.	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
STEER. SHIM SIZE 7.5 /mm	MOTOR MOUNT
FR RE SERVO HOLDER	CHASSIS T-BRACE
FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	CHASSIS GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input checked="" type="checkbox"/>
FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>