

SET-UP SHEET

VER.01 ©XRAY

XRAY X4F'23

RACE	ETS R6 Daun					
TRACK	Daun					
NAME	Jacques Libar		DATE	29.01.2023		

TRACK TEMPERATURE	QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
20	10	9	19.7 /sec	/ /	/

TRACK		
TRACK SURFACE	<input checked="" type="checkbox"/> CARPET	<input type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED
TRACTION	<input type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM
	<input checked="" type="checkbox"/> HIGH	

FRONT	TRANSMISSION	REAR
GEAR DIFFERENTIAL - OIL 150K /cSt		
PINION / T	SPUR GEAR / T	FINAL DRIVE RATIO
38	100	5.0

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.4-2.7
425	OIL /cSt	350
/	REBOUND %	/
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
<input type="checkbox"/> 3 HOLES <input type="checkbox"/> 4 HOLES <input checked="" type="checkbox"/> PSS	PISTONS 1.0mm 1.1mm <input checked="" type="checkbox"/> 1.2mm	<input type="checkbox"/> 3 HOLES <input checked="" type="checkbox"/> 4 HOLES <input type="checkbox"/> PSS
SHOCK LENGTH FRONT 8.5 /mm		
SHOCK LENGTH REAR 9.5 /mm		

1.3	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.5
-----	--------------	---------------	--------------	-----

Ride ETS	TIRES	Ride ETS
MR33 / CS-High	ADDITIVE	MR33 / CS-High
25 min	ADDITIVE TIMING	25 min

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT

TOTAL WEIGHT	1256 /g	WEIGHT BALANCE	FRONT 70 % REAR 30 %
MOTOR	HW ETS 17,5	TIMING	
ESC	HW Limiter	BATTERIES	Nosram 4200
BODY	Blitz YRS	WING	std

BODY POSITION

57 /mm Dimension from body post to window bottom line

37 /mm Dimension from body post to upper holder

WING SIDE PLATE YES ☐ NO ☒

Dimension from edge to surface

COMMENTS

100g on Bumper

FRONT & REAR SUSPENSION
<p>FRONT CASTER <input checked="" type="checkbox"/> 5° <input type="checkbox"/> 4° <input type="checkbox"/> 3° Adjust with eccentric bushings</p> <p>BUMP STEER 1 /mm</p> <p>HEIGHT 19 /mm</p> <p>SHIM 4 /mm</p> <p>TOE GAIN 4 /mm</p> <p>REAR CASTER <input type="checkbox"/> 0.5° <input type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° Adjust with eccentric bushings</p> <p>TOE GAIN 4 /mm</p> <p>FRONT RIDE HEIGHT 1 /mm FF 5 /mm FR 1 /mm</p> <p>REAR RIDE HEIGHT 3.0 /mm RF 6 /mm RR 3.0 /mm</p> <p><input type="checkbox"/> SERVO SAVER <input checked="" type="checkbox"/> SERVO HORN</p>

FRONT SUSPENSION	REAR SUSPENSION
<p>1.5 /deg. CAMBER Left=Right</p> <p>BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> 30.5 /mm</p> <p>FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/></p> <p>BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO</p> <p>DRIVE SHAFT <input checked="" type="checkbox"/> 58mm <input type="checkbox"/> 59mm <input type="checkbox"/> STD. BEARING</p> <p>FRONT HUB COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/></p> <p>SHIM 0.5 /mm</p> <p>#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 6.0 /mm DOWNSTOP</p>	<p>0.5 /deg. CAMBER Left=Right</p> <p>REAR HUB COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/></p> <p>SHIM 1.5 /mm</p> <p>#107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge 0 /mm DOWNSTOP</p>

FRONT TOP VIEW	REAR
<p>0.5 TOE OUT Left=Right</p> <p>ACKERMANN SHIM 0.5 /mm</p> <p>DIFF POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/></p> <p>UPPER ARM STANDARD <input type="checkbox"/> soft</p> <p>STEERING BRIDGE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/></p> <p>OFFSET STANDARD <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> SHIM/mm</p> <p>TOP DECK <input checked="" type="checkbox"/> SPLITTED</p>	<p>0 TOE IN Left=Right</p> <p>UPPER ARM STANDARD <input checked="" type="checkbox"/></p> <p>OFFSET STANDARD <input type="checkbox"/> -0.5mm <input checked="" type="checkbox"/> SHIM/mm</p> <p>TOP DECK CUTTING</p>

FRONT BOTTOM VIEW	REAR
<p>STEER. LOCK 25 /deg.</p> <p>STEER. SHIM SIZE /mm</p> <p>FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/></p> <p>FRONT ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/></p> <p>STEER. PLATE STANDARD <input checked="" type="checkbox"/></p>	<p>T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/></p> <p>MOTOR MOUNT</p> <p>CHASSIS T-BRACE</p> <p>REAR ARMS MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/></p> <p>CHASSIS GRAPHITE <input checked="" type="checkbox"/></p>