

SET-UP SHEET

XB2'23 SET-UP SHEET VER. 1 ©XRAY 2022

XRAY XB2'23

RACE	XRS Dirt edition #1		
TRACK	HudyArena offroad		
NAME	Max	DATE	2023-04-23

LAPS		BEST LAP TIME	
QUALIFYING POSITION	1	FINAL POSITION	1

TRACK			
SIZE	<input checked="" type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> VERY-LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> VERY-HIGH		
SURFACE	<input type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input checked="" type="checkbox"/> CLAY	<input type="checkbox"/> CARPET	<input type="checkbox"/> ASTRO
CONDITION	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> HARD PACKED	<input type="checkbox"/> DRY
	<input checked="" type="checkbox"/> DUSTY	<input type="checkbox"/> LOAMY	<input type="checkbox"/> WET

TRANSMISSION			
DIFFERENTIAL			
BALL DIFF	<input checked="" type="checkbox"/>	GEAR DIFF	<input type="checkbox"/>
OIL		ACTIVE DIFF	
cst		60° 90° 120°	
SATELLITE GEARS	COMPOSITE	STEEL	GEARS 2
SLIPPER	2 PAD	3 PAD	

GEARING			
PINION	24	SPUR GEAR	78

GEAR BOX	
FRONT LCG	<input type="checkbox"/> <input checked="" type="checkbox"/> REAR LCG

FRONT	SHOCKS	REAR
1dot	SPRINGS	1dot
cst 500	OIL	cst 500
<input type="checkbox"/> 2 HOLES <input checked="" type="checkbox"/> 3 HOLES <input type="checkbox"/> 6 HOLES <input checked="" type="checkbox"/> 1,6+1 HOLES	PISTONS <input checked="" type="checkbox"/> ø1.6mm <input type="checkbox"/> ø1.7mm OTHER: mm mm	<input type="checkbox"/> 2 HOLES <input checked="" type="checkbox"/> 3 HOLES <input type="checkbox"/> 6 HOLES <input checked="" type="checkbox"/> 1,8+1 HOLES
DOWNSTOP SHIM		DOWNSTOP SHIM
LENGTH 23 mm		LENGTH 29 mm
UPSTOP SHIM		UPSTOP SHIM
COLLAR STANDARD		COLLAR STANDARD
-2mm		-2mm
OTHER		OTHER

FRONT	SHOCK TOWER	REAR
ALU	<input checked="" type="checkbox"/> GRAPHITE	GRAPHITE

FRONT	ANTI ROLL BAR	REAR
X	THICKNESS	X

FRONT	TIRES	REAR
PL 4Rib	BRAND	PL HoleSho
	COMPOUND	
	INSERTS	
XRAY	WHEELS	XRAY

ELECTRONICS		
MOTOR	8,5T	Nitride
MOTOR TIMING	30	BATTERY

BODY	
Gamma 2D	<input type="checkbox"/> LIGHT

COMMENT	

FRONT	APPLIED	REAR
STEERING BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	LONGER BUSHINGS UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	SHIM 2 /mm
CASTER BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	CAMBER LINK LOCATION SHIM 1 /mm FLAT ARM LSM ARM	REAR UPRIGHT SHIM 3 /mm DRIVE SHAFT Length 77 /mm SHIM 4 /mm #325341 ADJ. DRIVE AXLE 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>

FRONT	WING POSITION	WING CUTTING LINE / SIDE LINE	WING TYPE
CASTER BUSHINGS 0° <input type="checkbox"/> 2.5° <input checked="" type="checkbox"/> 5° <input type="checkbox"/>	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	SHOCK POSITION FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	TEC CENTER FIN YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
KICK-UP KIT 26° <input checked="" type="checkbox"/>	BUMP STEER SHIM 2 /mm	WING POSITION UP <input checked="" type="checkbox"/> MIDDLE <input type="checkbox"/> DOWN <input type="checkbox"/>	

FRONT TOE	EXTENSION	REAR TOE
1.5°	0 SLOTS <input type="checkbox"/> 1 SLOT <input checked="" type="checkbox"/> 2 SLOTS <input type="checkbox"/> 3 SLOTS <input type="checkbox"/>	4
OFFSET 0 /slots	BATTERY PLACEMENT LONG SIDE FRONT <input checked="" type="checkbox"/> LONG SIDE REAR <input type="checkbox"/>	OFFSET 3 /slots
WHEELBASE SHIM 2 /mm	BATTERY SIZE STD. SHORT <input checked="" type="checkbox"/> LOW SHORT <input type="checkbox"/>	WHEELBASE SHIM 5 /mm
ROLL CENTER HARD <input checked="" type="checkbox"/> ALU <input type="checkbox"/>	GUARD BRACE FLEX YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	ROLL CENTER HARD <input type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input checked="" type="checkbox"/>

STEERING ARMS	REAR ROLL CENTER HOLDERS
HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	RF 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>
STEERING PLATE HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	RR 0.5° <input type="checkbox"/> 1° <input checked="" type="checkbox"/>

FRONT CAMBER	DIFF HEIGHT	REAR CAMBER
2°	1 2 3 4 5 6 7 8	2°
FRONT ARM MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	RIDE HEIGHT 21 /mm #107721 GAUGE	REAR ARM MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>

ARM MOUNT	ECCENTRIC SHOCK BALL	ARM SHIM
COMPOSITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> BRASS <input type="checkbox"/>	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>	2 /mm
CHASSIS BRACE MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/>	BALANCE 1 2 3 POSITION BALANCE g	CHASSIS ALU MID (KIT) <input type="checkbox"/> ALU LONG <input checked="" type="checkbox"/> GRAPHITE MID <input type="checkbox"/>
SERVO WEIGHT STANDARD <input checked="" type="checkbox"/> LOW PROFILE <input type="checkbox"/>	CHASSIS FLEX SCREW USED <input type="checkbox"/> SCREW NOT USED <input checked="" type="checkbox"/>	