

SET-UP SHEET

SET-UP VER.01 ©XRAY

XRAY XB8E'23 PIVOT BALL

RACE	Tiltyard Opener		
TRACK	Tiltyard		
NAME	Paul Ciccarello	DATE	5/07/23
TEMPERATURE AIR	77	TEMPERATURE TRACK	
LAPS	FINAL POSITION	BEST LAPTIME	RACE LENGTH
		/sec	/min
TRACKS			
SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACTION	<input type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH
SURFACE	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TYPE	<input checked="" type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input checked="" type="checkbox"/> CLAY
	<input checked="" type="checkbox"/> BLUE GROVE	<input type="checkbox"/> ASTRO TURF	<input type="checkbox"/> GRASS
CONDITION	<input checked="" type="checkbox"/> DRY	<input type="checkbox"/> DUSTY	<input type="checkbox"/> WET
	<input type="checkbox"/> MUD		

DIFFERENTIAL			
FRONT	CENTER	REAR	
CASE MATERIAL			CASE MATERIAL
OIL	10	12	4
CROWN GEAR	46		46

GEARING			
MOTOR PINION	17	/T	46
			SPUR GEAR

FRONT	SHOCKS	REAR
emulsion	TYPE	elumsion
5 dot	SPRINGS	358288
	MEMBRANE	
500	OIL	500
	PISTONS	
<input type="checkbox"/> 6 HOLES	<input type="checkbox"/> 1.1 mm	<input type="checkbox"/> 6 HOLES
<input type="checkbox"/> 8 HOLES	<input type="checkbox"/> 1.2 mm	<input type="checkbox"/> 8 HOLES
<input type="checkbox"/> 10 HOLES	<input type="checkbox"/> 1.3 mm	<input type="checkbox"/> 10 HOLES
<input checked="" type="checkbox"/> 5 - 3 1.4/2 1.5	OTHER	<input checked="" type="checkbox"/> 5 - 3 1.5/2 1.6
VALVE PISTONS		
<input type="checkbox"/> 5+2 HOLES	<input type="checkbox"/> 1.5 mm	<input type="checkbox"/> 5+2 HOLES
<input type="checkbox"/> 6+2 HOLES	<input type="checkbox"/> 1.3 mm	<input type="checkbox"/> 6+2 HOLES
<input type="checkbox"/> 8+2 HOLES	<input type="checkbox"/> 1.4 mm	<input type="checkbox"/> 8+2 HOLES
<input type="checkbox"/> 1.2 mm		<input type="checkbox"/> 1.3 mm

FRONT	ANTI-ROLL BAR	REAR
2.0	THICKNESS	2.2
/mm		/mm

FRONT	TIRES	REAR
aka	BRAND	
slw	COMPOUND	
aka	INSERTS	
aka	WHEELS	

ELECTRONICS	
MOTOR	HW 1900
SPEEDO	XR8 Plus
BATTERY TYPE	Factory Xtreme 6400

STANDARD BATTERY	<input type="checkbox"/> SHORT BATTERY
FRONT	REAR
STANDARD BATTERY	SHORT BATTERY

BODY	OTHER	TOTAL WEIGHT
EASY	<input checked="" type="checkbox"/> EAZY LIGHT	
		/g

shorties middle

FRONT	REAR
STEERING BLOCK	UPRIGHT
MEDIUM <input type="checkbox"/>	MEDIUM <input type="checkbox"/>
HARD <input type="checkbox"/>	HARD <input type="checkbox"/>
GRAPHITE <input checked="" type="checkbox"/>	GRAPHITE <input checked="" type="checkbox"/>
ALU <input type="checkbox"/>	ALU <input type="checkbox"/>
UPPER ARM SHIM /mm	
0 <input checked="" type="checkbox"/> 1 <input type="checkbox"/> 1.5 <input type="checkbox"/> 2 <input type="checkbox"/>	
UPPER ARM WING	
NONE <input type="checkbox"/>	
LEXAN <input type="checkbox"/>	
CARBON <input checked="" type="checkbox"/>	
PIVOT BALLS	
UP STEEL <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	
DOWN STEEL <input type="checkbox"/> ALU <input checked="" type="checkbox"/>	
OFFSET	
0 <input type="checkbox"/> +1 <input checked="" type="checkbox"/> +2 <input type="checkbox"/>	
PIVOT NUT	
ALU <input checked="" type="checkbox"/>	
BRASS <input type="checkbox"/>	
FRONT DROOP	REAR DROOP
MEASURE UNDER WHEEL AXLE #107717 GAUGE	MEASURE UNDER WHEEL AXLE #107717 GAUGE

FRONT	REAR
UPPER ROLL CENTER	REAR WING
1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>
	LEXAN <input checked="" type="checkbox"/>
	OTHER
	FRONT <input type="checkbox"/> MIDDLE <input type="checkbox"/> REAR <input type="checkbox"/>
CASTER SHIM	CUT OUT HOLES
0 <input type="checkbox"/> 1.0 <input checked="" type="checkbox"/> 1.0 <input type="checkbox"/> 2.0 <input type="checkbox"/>	WITHOUT <input type="checkbox"/>
UPPER ARM POSITION	1-PIECE <input type="checkbox"/>
	2-PIECES <input checked="" type="checkbox"/>
BUMP STEER SHIM	WING HOLDER
STEERING PLATE /mm	FRONT <input type="checkbox"/>
STEERING BLOCK /mm	REAR <input type="checkbox"/>
SHIMS PLACE ALWAYS UNDER	
WHEELBASE SHIM POSITION	WHEELBASE SHIM POSITION
0mm <input type="checkbox"/> 2mm <input checked="" type="checkbox"/> 4mm <input type="checkbox"/>	0mm <input type="checkbox"/> 2mm <input checked="" type="checkbox"/> 4mm <input type="checkbox"/>
SHIMS BEHIND FRONT ARM	SHIMS IN FRONT OF REAR ARM
FRONT LOWER ROLL CENTER	REAR LOWER ROLL CENTER
1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>	1° <input checked="" type="checkbox"/> 0.5° <input type="checkbox"/>

FRONT	REAR
4 FRONT TOE OUT	3 REAR TOE IN
STEERING PLATE	WHEELBASE
1 DOT <input type="checkbox"/> 2 DOTS <input checked="" type="checkbox"/>	0mm <input type="checkbox"/> 1mm <input type="checkbox"/> 2mm <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> 4mm <input type="checkbox"/>
	SHIMS IN FRONT OF UPRIGHT
SIDE GUARD	GRAPHITE BRACE
SOFT <input type="checkbox"/>	YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
MEDIUM <input checked="" type="checkbox"/>	
GRAPHITE <input type="checkbox"/>	
SERVO SAVER	REAR DRIVE SHAFT
TIGHT <input type="checkbox"/>	CVD <input type="checkbox"/>
MEDIUM <input checked="" type="checkbox"/>	UNIVERSAL <input checked="" type="checkbox"/>
SOFT <input type="checkbox"/>	LENGTH /mm
FRONT DRIVE SHAFT	
CVD <input type="checkbox"/>	
UNIVERSAL <input checked="" type="checkbox"/>	
LENGTH /mm	
TOP DECK	DRIVE SHAFT
COMPOSITE <input checked="" type="checkbox"/>	CVD <input checked="" type="checkbox"/>
GRAPHITE <input type="checkbox"/>	DOGBONE <input type="checkbox"/>

FRONT	REAR
FRONT CAMBER	REAR CAMBER
108 /mm	1
LENGTH	LENGTH
UPPER ARM	FRONT DIFF HEIGHT
SOFT <input type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
MEDIUM <input type="checkbox"/>	
GRAPHITE <input checked="" type="checkbox"/>	
LOWER ARM	REAR DIFF HEIGHT
SOFT <input type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
MEDIUM <input type="checkbox"/>	
GRAPHITE <input checked="" type="checkbox"/>	
RIDE HEIGHT 23 /mm	RIDE HEIGHT 27 /mm