

# SET-UP SHEET

RX8'23 SET-UP SHEET VER. 1 ©XRAY

# XRAY RX8'23

RACE	ENS Ettlingen #1		
TRACK	Minidrom Ettlingen		
NAME	Sascha Klug	DATE	28.05.2023

QUAL POSITION	FINAL POSITION	BEST LAPTIME	LAPS	TIME
16	13	13.067 /sec	/	

TRACKS				
TRACK CONDITION	<input type="checkbox"/> SMOOTH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY	
	<input type="checkbox"/> TECHNICAL	<input type="checkbox"/> MIXED	<input checked="" type="checkbox"/> FAST	
TRACK TRACTION	<input type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH	

GEARING				
PINION	1st	17	18	19
	2nd	22	23	24
	2nd	23	24	25
PULLEY	28	29	30	
RATIO 1st				
RATIO 2nd				

FRONT	SHOCKS	REAR
8.0	SPRING	5.6
500	OIL	650
10	REBOUND	10
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
<input checked="" type="checkbox"/> 2 HOLES	PISTONS	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	1.0mm	1.0mm
<input type="checkbox"/> OTHER	1.1mm	1.1mm
	1.2mm	1.2mm

FRONT	WIRE	REAR
2.3		2.8

FRONT	TIRES	REAR
LEFT	RIGHT	LEFT
Matrix	Matrix	Matrix
32	32	35
	SHORE /degr.	35
	DIAMETER	
	5 MIN. WEAR	
	RUBBER TIRES	

ENGINE			
ENGINE	MAX RP9	FUEL	MVP
CARB. DIA /mm	9	HEAD CLEARANCE	PLUG
MUFFLER	MAX	MANIFOLD	MAX

CLUTCH / BRAKE			
CLUTCH TYPE	<input checked="" type="checkbox"/> STANDARD	OTHER	
CLUTCH BELL	<input type="checkbox"/> STANDARD	<input checked="" type="checkbox"/> ALU	OTHER
CLUTCH SHOE	<input checked="" type="checkbox"/> STANDARD	OTHER	
CLUTCH SPRING	<input checked="" type="checkbox"/> STANDARD	OTHER	
CLUTCH FLY WEIGHT	<input checked="" type="checkbox"/> 3mm Set screw	<input type="checkbox"/> 4mm Set screw	<input type="checkbox"/> WITHOUT
CLEARANCE /mm	0.65		
SPRING PRELOAD /mm	0.95		
BRAKE PAD	<input checked="" type="checkbox"/> STANDARD	OTHER	
BRAKE DISC	<input checked="" type="checkbox"/> STANDARD	OTHER	

BODY	Hyper Diablo
------	--------------

WING	HEIGHT
------	--------

COMMENTS
----------

Ride Height on Hudy Setup System

FRONT	REAR
AERO DISK YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	AERO DISK YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
ECCENTER	ECCENTER
BUMP STEER SHIM 2.5 mm	
WHEELBASE FRONT <input checked="" type="checkbox"/> 0mm 2mm REAR <input checked="" type="checkbox"/> 2mm 0mm	
13.2 mm RIDE HEIGHT WHEEL DIAMETER	14.0 mm RIDE HEIGHT WHEEL DIAMETER

FRONT	REAR
STEER. BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	STEER. BLOCK MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>
UPPER ARM MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>	UPPER ARM MEDIUM <input type="checkbox"/> HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/>
ROLL CENTER	ROLL CENTER
SHOCK SHIM 3.5 mm	
SHIM 1.5 mm	SHIM 1.5 mm
LOWER ARM FRONT G H M M H G REAR	
MEASURE UNDER STEERING BLOCK	MEASURE UNDER REAR UPRIGHT
-1 mm	7.5 mm

FRONT	REAR
TOE OUT 1.75°	TOE IN 3°
OUTER ACKERMANN POSITION	
UPPER ARM SHIMS 0 1 2 3 4	
FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
SERVO SAVER 4 3 2 1	
FLEX SCREW YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	

FRONT	REAR
CAMBER /degr. LEFT 1.75 RIGHT 1.75	CAMBER /degr. LEFT 3.75 RIGHT 4
SHOCK PLATE STEEL <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> LONG <input checked="" type="checkbox"/> SHORT <input type="checkbox"/>	SHOCK PLATE STEEL <input type="checkbox"/> GRAPHITE <input type="checkbox"/> LONG <input type="checkbox"/> SHORT <input type="checkbox"/>
SUSP. HOLDERS STANDARD <input checked="" type="checkbox"/> +2mm <input type="checkbox"/>	SUSP. HOLDERS STANDARD <input type="checkbox"/> +2mm <input type="checkbox"/>
ROLL CENTER	ROLL CENTER
SHIM 2 mm	SHIM 2 mm
CAMBER LINK LOCATION	
249.5 mm	260 mm

FRONT	REAR
BUMPER WINDOW CUT <input type="checkbox"/> NO-CUT <input checked="" type="checkbox"/>	BUMPER WINDOW CUT <input type="checkbox"/> NO-CUT <input checked="" type="checkbox"/>
FRONT BALANCE GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>	FRONT BALANCE GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/>
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
BATTERIES HOLDER BRASS <input type="checkbox"/> GRAPHITE <input type="checkbox"/> COMPOSITE <input checked="" type="checkbox"/>	BATTERIES HOLDER BRASS <input type="checkbox"/> GRAPHITE <input type="checkbox"/> COMPOSITE <input checked="" type="checkbox"/>
ENGINE MOUNT 2 MOUNTS BLOCK <input checked="" type="checkbox"/> ALU <input type="checkbox"/> MONOBLOCK <input type="checkbox"/> BRASS <input type="checkbox"/>	ENGINE MOUNT 2 MOUNTS BLOCK <input checked="" type="checkbox"/> ALU <input type="checkbox"/> MONOBLOCK <input type="checkbox"/> BRASS <input type="checkbox"/>