

SET-UP SHEET

X4F'24 SET-UP SHEET VER.1 ©XRAY

XRAY X4F'24

RACE	Tamiya Cup rd. 6.		
TRACK			
NAME	Valent Márk	DATE	

TRACK TEMP.	QUAL POS.	FINAL POS.	BEST LAP TIME	LAPS	TIME
	1.	1.	/sec	/	

TRACK	
TRACK SURFACE	<input type="checkbox"/> CARPET <input checked="" type="checkbox"/> ASPHALT
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
-------	--------------	------

GEAR DIFFERENTIAL - OIL	200k /cSt
-------------------------	-----------

PINION / T	SPUR GEAR / T	FINAL DRIVE RATIO
38	90	

FRONT	SHOCKS	REAR
2.5-2.8	XRAY SPRINGS	2.5
350	OIL /Cst	350
	REBOUND %	
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm
SHOCK LENGTH	8,5 /mm	SHOCK LENGTH	8,5 /mm

1.2	THICKNESS/mm	ANTI-ROLL BAR	THICKNESS/mm	1.4
-----	--------------	---------------	--------------	-----

TIRES	
ADDITIVE	
ADDITIVE TIMING	

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT	1250 /g	WEIGHT BALANCE	FRONT 70 % REAR 30 %
--------------	---------	----------------	----------------------

MOTOR	17,5	TIMING	
ESC	HW	BATTERIES	EZPower 4400mah.
BODY	Bitty. CA45	WING	

	Dimension from body post to window bottom line /mm	BODY POSITION
	Dimension from body post to upper holder /mm	WING SIDE PLATE YES <input type="checkbox"/> NO <input type="checkbox"/>
	Dimension from edge to surface /mm	

<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
TOP DECK FLEX					
TOP DECK CUTTING					

COMMENTS	
----------	--

FRONT & REAR SUSPENSION	
FRONT CASTER <input type="checkbox"/> 5° <input checked="" type="checkbox"/> 4° <input type="checkbox"/> 3° Adjust with eccentric bushings	REAR CASTER <input type="checkbox"/> 0.5° <input checked="" type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° Adjust with eccentric bushings
BUMP STEER 1 /mm	HEIGHT /mm
SHIM /mm	TOE GAIN 2 /mm
2 /mm FF 5 /mm FR 2 /mm RIDE HEIGHT	2 /mm RF 5.2 /mm RR 2 /mm RIDE HEIGHT
<input type="checkbox"/> SERVO SAVER <input type="checkbox"/> SERVO HORN	

2 /deg. CAMBER Left = Right	BODY STOP YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> /mm	FRONT SUSPENSION FRONT BRACE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> BULKHEAD SHIMS YES <input checked="" type="checkbox"/> 3mm NO <input type="checkbox"/> DRIVE SHAFT <input checked="" type="checkbox"/> 58mm <input type="checkbox"/> 59mm <input checked="" type="checkbox"/> BEARING <input checked="" type="checkbox"/> BLADE #107702 Chassis Droop Gauge Blocks #107712 Chassis Droop Gauge	2 /mm SHIM 3 /mm FRONT HUB HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> SHIM /mm
5.4 /mm DOWNSTOP			

2 /deg. CAMBER Left = Right	REAR SUSPENSION REAR SHOCK POSITION 1 2 /mm	0 /mm SHIM 1 /mm REAR HUB HARD <input checked="" type="checkbox"/> GRAPHITE <input type="checkbox"/> ALU <input type="checkbox"/> SHIM 1 /mm
3 /mm DOWNSTOP		

FRONT TOP VIEW	REAR
1 TOE OUT Left = Right	2 TOE IN Left = Right
STEERING ARM & BRIDGE <input checked="" type="checkbox"/> DUAL STD. <input type="checkbox"/> BRIDGE <input type="checkbox"/> SINGLE	BATTERY WEIGHT PLATE /mm
SHIMS /mm	SHIMS /mm
UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/>	UPPER ARM SOFT <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/>
ACKERMANN SHIM 0,5 /mm	STEERING PLATE 8.0mm <input checked="" type="checkbox"/> STD. 7.5mm
HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM /mm	HUB OFFSET STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM /mm

FRONT BOTTOM VIEW	REAR
WEIGHT LEFT & RIGHT #309825 YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	STEER. LOCK 26 /deg. STEER. SHIM SIZE /mm
BUMPER WEIGHT #309824 YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	T-BRACE ALU <input type="checkbox"/> BRASS <input type="checkbox"/>
FRONT BRACE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	MOTOR MOUNT
FRONT ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	CHASSIS GRAPHITE <input checked="" type="checkbox"/>
REAR ARMS MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/>	CHASSIS T-BRACE