

SET-UP SHEET

X4'23 SET-UP SHEET VER.1 ©XRAY

XRAY X4'23

RACE	esic		
TRACK			
NAME	danny	DATE	

QUAL POSITION	FINAL POSITION	BEST LAP TIME	LAPS	TIME
8	8	/sec	/	

TRACK			
TRACK SURFACE	<input type="checkbox"/> CARPET	<input checked="" type="checkbox"/> ASPHALT	
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL	<input checked="" type="checkbox"/> MIXED	<input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
GEAR DIFF OIL	<input checked="" type="checkbox"/> FRONT SOLID AXLE	GEAR DIFF OIL
PINION	SPUR GEAR	FINAL DRIVE RATIO
		5.4

FRONT	SHOCKS	REAR
2.5/2.8	XRAY SPRINGS	2.7
450	OIL /Cst	450
0	REBOUND %	0
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

<input checked="" type="checkbox"/> 4 HOLES	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 1.1mm	<input checked="" type="checkbox"/> 4 HOLES
<input type="checkbox"/> PSS	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> PSS
SHOCK LENGTH	/mm	/mm	SHOCK LENGTH
1.2	THICKNESS/mm	THICKNESS/mm	1.2

ANTI-ROLL BAR	
THICKNESS/mm	THICKNESS/mm
1.2	1.2

FRONT LEFT	FRONT RIGHT	REAR LEFT	REAR RIGHT
TREATED AREA			

TOTAL WEIGHT	/g	WEIGHT BALANCE	FRONT %	REAR %
--------------	----	----------------	---------	--------

MOTOR	TIMING
ESC	BATTERIES
BODY	WING

<p>Dimension from body post to window bottom line</p> <p>WING SIDE PLATE</p> <p>YES <input type="checkbox"/> NO <input type="checkbox"/></p> <p>Dimension from body post to upper holder</p> <p>Dimension from edge to surface</p>	BODY POSITION
--	---------------

<p>1.6mm <input type="checkbox"/> 2.0mm <input type="checkbox"/> 1.6mm</p> <p>2.0mm <input type="checkbox"/> 1.6mm</p> <p>NONE <input checked="" type="checkbox"/> BEARING</p>	TOP DECK CUTTING
--	------------------

lower deck motormount front is gub screw
No toe gain for the rear

FRONT & REAR SUSPENSION
<p>FRONT CASTER: 5° <input checked="" type="checkbox"/> 4° <input type="checkbox"/> 3° <input type="checkbox"/> Adjust with eccentric bushings</p> <p>BUMP STEER: 3 /mm</p> <p>HEIGHT: /mm</p> <p>SHIM: /mm</p> <p>UPPER CLAMP: STD. <input checked="" type="checkbox"/> -1.5mm</p> <p>REAR CASTER: 0.5° <input type="checkbox"/> 1.5° <input type="checkbox"/> 2.5° <input checked="" type="checkbox"/> 3.5° <input type="checkbox"/> 4.5° <input type="checkbox"/> 5.5° <input type="checkbox"/> Adjust with eccentric bushings</p> <p>UPPER CLAMP: STD. <input checked="" type="checkbox"/> -1.5mm</p> <p>TOE GAIN: 5 /mm</p> <p>TOE IN: 2.5 /mm</p> <p>TOE OUT: 5.4 /mm</p> <p>RIDE HEIGHT: 2 /mm</p> <p>RIDE HEIGHT: 2.5 /mm</p> <p>RIDE HEIGHT: 5.4 /mm</p> <p>RIDE HEIGHT: 2.5 /mm</p> <p>SERVO SAVER: <input type="checkbox"/></p> <p>SERVO HORN: <input checked="" type="checkbox"/></p>

FRONT SUSPENSION
<p>1.75 /deg. CAMBER</p> <p>Left = Right</p> <p>BODY STOP: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/></p> <p>FRONT BRACE: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/></p> <p>BULKHEAD SHIMS: YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO <input type="checkbox"/></p> <p>DRIVE SHAFT: 58mm <input type="checkbox"/> 59mm <input checked="" type="checkbox"/> BEARING BLADE</p> <p>#107702 Chassis Droop Gauge Blocks</p> <p>#107712 Chassis Droop Gauge</p> <p>6 /mm DOWNSTOP</p>

REAR SUSPENSION
<p>2 /deg. CAMBER</p> <p>Left = Right</p> <p>BODY POST: VERTICAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/></p> <p>REAR BRACE: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/></p> <p>BULKHEAD SHIMS: YES <input checked="" type="checkbox"/> 3mm <input type="checkbox"/> NO <input type="checkbox"/></p> <p>DRIVE SHAFT: 52mm <input type="checkbox"/> 54mm <input checked="" type="checkbox"/> BEARING BLADE</p> <p>#107702 Chassis Droop Gauge Blocks</p> <p>#107712 Chassis Droop Gauge</p> <p>4.2 /mm DOWNSTOP</p>

FRONT TOP VIEW	REAR
<p>1 TOE OUT</p> <p>Left = Right</p> <p>ACKERMANN SHIM std /mm</p> <p>SHIM /mm</p> <p>TOE IN</p> <p>Left = Right</p> <p>25</p> <p>DIFF POSITION: UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/></p> <p>UPPER ARM: SOFT <input type="checkbox"/> MEDIUM STD. <input checked="" type="checkbox"/></p> <p>STEERING BRIDGE: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/></p> <p>STEERING PLATE: 8.0mm <input checked="" type="checkbox"/> STD. <input type="checkbox"/> 7.5mm</p> <p>HUB OFFSET: STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm</p>	<p>3 TOE IN</p> <p>Left = Right</p> <p>SHIM /mm</p> <p>25</p> <p>DIFF POSITION: UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/></p> <p>UPPER ARM: SOFT <input type="checkbox"/> MEDIUM STD. <input checked="" type="checkbox"/></p> <p>STEERING BRIDGE: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/></p> <p>STEERING PLATE: 8.0mm <input checked="" type="checkbox"/> STD. <input type="checkbox"/> 7.5mm</p> <p>HUB OFFSET: STD. <input checked="" type="checkbox"/> -0.5mm <input type="checkbox"/> +0.5mm SHIM/mm</p>

FRONT BOTTOM VIEW	REAR
<p>STEER. LOCK: 19 /deg.</p> <p>STEER. SHIM: SIZE FR RE</p> <p>FRONT BRACE: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/></p> <p>SERVO HOLDER</p> <p>CHASSIS: GRAPHITE <input checked="" type="checkbox"/> ALU <input type="checkbox"/> ALU FLEX <input type="checkbox"/></p> <p>FRONT ARMS: MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/></p>	<p>T-BRACE: ALU <input type="checkbox"/> BRASS <input type="checkbox"/></p> <p>MOTOR MOUNT</p> <p>CHASSIS T-BRACE</p> <p>REAR ARMS: MEDIUM <input checked="" type="checkbox"/> HARD <input type="checkbox"/></p>